TERM OF COMMISSION:

March Session of the January Adjourned Term

PLACE OF MEETING:

Roger B. Wilson Boone County Government Center

Chambers

PRESENT WERE:

Presiding Commissioner Dan Atwill
District I Commissioner Fred Parry

District II Commissioner Janet Thompson

Buyer Robert Wilson Captain Gary German

County Counselor CJ Dykhouse

Director Community Services Joanne Nelson Director Human Resources Jenna Redel Director Road & Bridge Greg Edington

Road Maintenance Superintendent Bryan Boyce

Deputy County Clerk Michelle Thompson

The meeting was called to order at 1:30 p.m.

### **Auditor**

1. First Reading; Budget Amendment: To Cover Cost of Semi-Annual Association Assessments for Unit 1 & 2 of the Health Department Building

Commissioner Thompson explained that this is for the two tenants at the City/County Health Department. Assessments are done to address funding needs and things of that nature every year. This year, the money that was in the sinking fund will be moved to replace siding instead.

There were no comments or questions from the Commission

Commissioner Atwill stated this is a first reading and requested the Deputy County Clerk to schedule this item for a second reading at the next available commission meeting with appropriate order for approval.

### Purchasing

2. First & Second Reading; Bid Award: 05-04FEB20 – Underground LP Storage Tanks

Robert Wilson read the following memo:

05-04FEB20 – Underground LP Storage Tanks opened on February 04, 2020. One (1) bid was received.

Joint Communications recommends award by only bid to MFA Oil Company of Columbia, Missouri to purchase three (3) 1000-gallon Quality Steel underground LP storage tanks to be installed at the new Support Building.

Cost of the purchase is \$13,857.00 and will be paid from department 4103 – ECC Support Services Building, account 71231 – Owner Costs.

There were no comments or questions from the Commission.

Commissioner Thompson moved now on this day, the County Commission of the County of Boone does hereby award bid 05-04FEB20 – Underground LP Storage Tanks to MFA Oil Company of Columbia, Missouri.

Terms of the award are stipulated in the attached Purchase Agreement. It is further ordered the Presiding Commissioner is hereby authorized to sign said Purchase Agreement.

Commissioner Parry seconded the motion.

The motion carried 3 to 0. Order #110-2020

3. First Reading; Bid Award: 07-18FEB20 - Above-ground Diesel Storage Tank

Robert Wilson read the following memo;

07-18FEB20 – Above-ground Diesel Storage Tank opened on February 18, 2020. Three (3) bids were received.

Joint Communications recommends award by lowest responsive bid to Neumayer Equipment Company of St Louis, Missouri to purchase one (1) 2000-gallon WE-MAC diesel storage tank to replace the existing 1,000-gallon storage tank at the ECC Building.

Cost of the purchase is \$14,931.40 and will be paid from department 4100 – ECC Facility Construction Project, account 71231 – Owner Costs.

There were no comments or questions from the Commission.

Commissioner Atwill stated this is a first reading and requested the Deputy County Clerk to schedule this item for a second reading at the next available commission meeting with appropriate order for approval.

## 4. First Reading; Contract Amendment One: 59-31DEC19C - Mural for Bicentennial

Robert Wilson read the following memo:

Contract 59-31DEC19C - Mural for Bicentennial was approved by Commission for award to WildyWorld! LC of Columbia, Missouri on September 17, 2019. This amendment clarifies that Phase I & II were paid by Commissioner Janet Thompson and Phases III, IV and V will be paid by Boone County, Missouri.

Phases I & II previously paid by Commissioner Thompson were \$7,000. Phases

III, IV and V are a total of \$8,300 and will be paid from department 1190 - non-departmental, account 84010 - receptions/meetings.

There were no comments or questions from the Commission.

Commissioner Atwill stated this is a first reading and requested the Deputy County Clerk to schedule this item for a second reading at the next available commission meeting with appropriate order for approval.

5. First Reading; Cooperative Contract: 081419 - CDW - Technology Catalog Solutions

Robert Wilson read the following memo:

The Information Technology Department requests permission to utilize the Sourcewell cooperative term and supply contract 081419-CDW to purchase Technology Catalog Solutions from CDW Government LLC of Vernon Hills, Illinois.

This is an Information Technology Term and Supply contract. Invoices will be paid from multiple departments, account 91300 – Machinery and Equipment.

There were no comments or questions from the Commission.

Commissioner Atwill stated this is a first reading and requested the Deputy County Clerk to schedule this item for a second reading at the next available commission meeting with appropriate order for approval.

# 6. First Reading; Cooperative Contract: MoDOT Contract 60520CO0242 – Snow/Tow Plows and Parts

Robert Wilson read the following memo:

Road & Bridge requests permission to utilize the MoDOT Cooperative Contract 60520CO0242 Snow/Tow Plows and Parts to purchase two (2) Henderson RSP 10'x42" Snow Plows from Henderson Products, Inc.

Cost of the purchase is \$16,884.00 and will be paid from department 2040 – PW Maintenance Operations and account 92300 – Replacement Equipment.

This is a replacement purchase and the 2020 budgeted amount was \$16,500.00. Budgeted sale value is \$500.00, yielding a net cost of \$16,000.00.

The contract price is \$16,884.00 less the sale price of \$500.00 yielding a net cost of \$16,384.00

The Purchasing department requests permission to dispose of the following surplus by sale: 2004 Henke 36R10 Snow Plow, fixed asset tag 14784 and 2010 Henke 36R10 Snow Plow, fixed asset tag 17507.

There were no comments or questions from the Commission.

Commissioner Atwill stated this is a first reading and requested the Deputy County Clerk to schedule this item for a second reading at the next available commission meeting with appropriate order for approval.

## 7. First Reading; Purchase Agreement: 150-123120SS - Albert Monitoring Services

Robert Wilson read the following memo:

Attached for signature is sole source agreement # 150-123120SS - Albert Monitoring Services.

This is an agreement to provide cybersecurity monitoring services. It provides a 24 x 7 x 365 watch and warning center that provides network monitoring, dissemination of cyber threat warnings and vulnerability identification and mitigation recommendations.

The vendor is the Center for Internet Security, Inc. of East Greenbush, New York. This vendor has been approved by the United States Department of Homeland Security as the governmental ISAC (Multi-State Information Sharing and Analysis Center).

Total amount of agreement is \$17,100 and will be paid from departments 1170 - Information Technology, 2703 - Information Technology - BCJC/EM, accounts 91301 - Computer Hardware, 70100 - 911/EM Sales Tax Fund. \$21,800 was budgeted.

Commissioner Parry asked if this was an annual subscription.

Wilson said yes.

There were no more comments or questions from the Commission.

Commissioner Atwill stated this is a first reading and requested the Deputy County Clerk to

schedule this item for a second reading at the next available commission meeting with appropriate order for approval.

### **Community Services**

8. First Reading; Service Agreement for Child Abuse Prevention Projects: Children's Trust Fund

Joanne Nelson explained this was for the Children's Trust Fund and is the award for child abuse prevention projects in the amount of \$50,000. The contract goes to July of 2020.

There were no comments or questions from the Commission.

Commissioner Atwill stated this is a first reading and requested the Deputy County Clerk to schedule this item for a second reading at the next available commission meeting with appropriate order for approval.

9. First Reading; Shelter for Victims of Domestic Violence Agreement: True North of Columbia

Joanne Nelson said this is for the purchase of shelter for victims of domestic violence. This is an annual contract with True North of Columbia, and it is in the amount of \$23,000.

There were no comments or questions from the Commission.

Commissioner Atwill stated this is a first reading and requested the Deputy County Clerk to schedule this item for a second reading at the next available commission meeting with appropriate order for approval.

### Sheriff's Department

10. First & Second; Grant Application: 2019-2020 Missouri State Cyber Crimes Grant

Gary German explained this is the application for the Missouri State Cyber Crimes Grant which will continue funding for two people for the program. This also includes the software and training for the software. Something new for the year is the network storage system.

There were no comments or questions from the Commission.

Commissioner Parry moved now on this day, the County Commission of the County of Boone does hereby approve the attached 2021 State Cyber Crimes Grant application from the Sheriff's Department.

It is further ordered the Presiding Commissioner is hereby authorized to sign said grant application.

Commissioner Thompson seconded the motion.

The motion carried 3 to 0. Order #111-2020

#### **Human Resources**

11. First & Second Reading; Request to reactivate position 700, Lead Deputy Collector, and deactivate position 566 Accountant II for the Collector's Office

Jenna Redel said this is a request to change the Accountant II position to a Lead Deputy Collector position. This change would bring about a \$14,000 savings in the budget. If needed in the future, the Collector could opt to reactive the Accountant II position.

There were no comments or questions from the Commission.

Commissioner Thompson moved now on this day, the County Commission of the County of Boone does hereby approve the request to authorize the re-activation of position 700, Lead Deputy Collector, Range 27, as well as the de-activation of position 566, Accountant II, Range 41. If at a later date, the Boone County Collector determines that staffing needs are better met by a return to the Accountant II position, or some other reorganization, the Collector will make such a change during the annual budget process.

Commissioner Parry seconded the motion.

The motion carried 3 to 0. Order #112-2020

# 12. First & Second Reading; Request to add a part-time temporary intern for the Prosecutor's Office

Jenna Redel explained there is currently an un-paid intern position in the Prosecuting Attorney's Office and this order would allow them to do work that would call for pay and insure they get paid for that work.

There were no comments or questions from the Commission.

Commissioner Parry moved now on this day, the County Commission of the County of Boone does hereby approve the request to authorize hiring a temporary part-time Intern, Range 19 (Classification Code 901100) in the Prosecuting Attorney's Office, Department 1262. The position is to be budgeted at a maximum of 500 hours in 2020 and the County Commission does hereby authorize an appropriation of \$6,000.00 for the salary of said position. If the Prosecutor's Office seeks to retain the position in 2021, it will make such a request for additional hours in the annual budget process.

Commissioner Thompson seconded the motion.

The motion carried 3 to 0. Order #113-2020

### Resource Management

- 13. Second Reading; 2020 Consultant Services Agreements with the following: (1st read 3-3-20)
  - Crockett Geotechnical-Testing Lab
  - Midwest Engineering Group, LLC

Commissioner Thompson moved now on this day, the County Commission of the County of Boone does hereby approve the attached 2020 Annual Consultant Services Agreements for Professional Services with the following:

Crockett Geotechnical-Testing Lab Midwest Engineering Group, LLC

Terms of the agreements are stipulated in the attached Agreements. It is further ordered the Presiding Commissioner is hereby authorized to sign said General Consultant Services Agreements.

Commissioner Parry seconded the motion.

The motion carried 3 to 0. Order #114-2020

### Road & Bridge

14. Surface Aggregate Test: Bonne Femme Church Road

Greg Edington presented the Commission with a report on the surface aggregate test. That report is included at the end of these minutes.

Edington explained the testing started back in 2018. The road was divided into four 1,500

feet sections. They found that higher plasticity created less dust but did not seem to hold up very well and by the late fall, early winter, the road just fell apart.

Commissioner Parry asked if they learned much else during this test.

Edington explained that they did learn a lot. One thing they learned is that trying to adopt another region's way of doing their roads is not always a good idea with climate differences.

Bryan Boyce said that this type of testing also requires that no maintenance be done to the road while the testing is going on and that is really just impossible.

Commissioner Atwill thanked Edington and Boyce for their effort with this testing and said it appeared to him that the current mixture being used is better than the possible alternatives at this time and the roads are as good as the County can make them given the materials available.

### Commission

## 15. First Reading; Updated Indigent Cremation and Burial Policy

CJ Dykhouse explained that the current indigent burial policy has not been changed in thirteen years and it had come to the attention of the Commission that the amount that was being reimbursed to the funeral homes was no longer correctly reflects the costs associated with the work being done. Parker-Millard Funeral Home did some work with some programs in the Kansas City area to work on getting a better reimbursement set up and this updated policy reflects that.

Commissioner Thompson thanked Dykhouse for working with Michele Hall and Parker-Millard to get the policy updated.

There were no more comments or questions from the Commission.

Commissioner Atwill stated this is a first reading and requested the Deputy County Clerk to schedule this item for a second reading at the next available commission meeting with appropriate order for approval.

16. First & Second Reading; Approve Closed Session authorized per RSMo Sec 610.021 (1) at 2:30 pm on March 10, 2020

Commissioner Parry moved now on this day, the County Commission of the County of Boone does hereby authorize a closed meeting on Tuesday, March 10, 2020 at 2:30 pm. The meeting will be held in Conference Room 338 of the Roger B. Wilson Boone County Government Center at 801 E. Walnut, Columbia, Missouri, as authorized by RSMo 610.021(1), to discuss legal actions, causes of action or litigation involving a public governmental body and any confidential or privileged communications between a public governmental body or its representatives and its attorneys.

Commissioner Thompson seconded the motion.

The motion carried 3 to 0. Order #115-2020

17. Public Comment

None

18. Commission Reports

None

The meeting adjourned at 1:59 p.m.

Attest:

Brianna L. Lennon

Clerk of the County Commission

Daniel K. Atwill

Presiding Commissioner

Fred J. Parry

District I Commissioner

Janet M. Thompson

District II Commissioner

# Surface Aggregate Test: Bonne Femme Church Rd

Boone County Road and Bridge Dept.

June 2018 to June 2019

Boone County Road and Bridge: Gravel Road Surface Aggregates Study

### Purpose:

The purpose of this study is to determine what effects (if any) the plasticity index (PI) and percent of the aggregate passing a #200 sieve (PP200) of road surface aggregates have on the maintenance of loose aggregate roads in Boone County, Missouri. Specifially, how do these properties affect:

- 1. The road surface's resistance to wear from daily traffic,
- 2. The volatile dust emitted from the road surface by a single passenger vehicle, and
- 3. (Optional but curious) The road surface's resistance to various climatic and weather conditions.

### **Background Information:**

.... (still working on it)....

### Methods:

The study area consists of the first 1600 feet of the loose aggregate portion of Bonne Femme Church Rd in Boone County, Missouri, USA, which was divided into four segments ranging in length from 360 feet to 395 feet. Each segment received a different surface aggregate. Boone County Road and Bridge prepared the segments by first reshaping the crown of the road to 4%, applying two inches of 1" Type 5 Base aggregate, wetting and rolling the base aggregate to at least 90% compaction, and then repeating those steps for 2" of surface aggregate. "Resistance to wear" will be measured as changes in surface crown, ravelling, corrugation, rutting, potholing, and dust emmision. Measurement methods and subsequent ratings are based on those presented in Woll et al. 2008 Appendix B.

<u>Corrugation</u>: Every occurrence of corrugation will be measured and mapped as a polygon within each test segment. The depth of six consecutive troughs will be measured near the center of each washboard polygon. These depths will be averaged per test segment, and that value will be used to produce a rating.

<u>Rutting</u>: Every observed rut will be measured and mapped within each test segment. Three depth measurements will be taken at random locations within each rut, and those depths will be averaged to produce a rating.

Ravelling: Ravelling will be measured at three locations per test segment – once in the center of the segment and 100 feet to either side of the center. Depth of accumulated surface aggregate will be measured at the inside and outside edges of each wheel path, and the average of these measurements used to produce a rating.

<u>Potholing</u>: Potholing will be measured by one of two methods, which will be determined on-site during the first measurement event. The first method is taken directly from Woll et al. 2008, where potholes will be counted and measured within predetermined 25-foot sections of road. For our study, these sections will be centered on the locations where ravelling measurements are taken. The second method


will involve counting, measuring, and mapping every pothole in each test segment. In both cases, an average pothole depth will be calculated per segment and used assign a rating to the segment.

<u>Crown</u>: Crown will be measured every third measurement event at locations where ravelling is also measured. Relative crown elevations will be measured at the road center, each road edge, and the bottom of each ditch using a laser surveyor's level from predetermined, fixed viewpoints. Percent crown will be calculated for each measurement location so that an average crown can be subsequently calculated per test segment.

<u>Dust Emission</u>: Dust emission will be measured using a Dustrck DRX mounted to the tailgate of a ½ ton pickup truck. Data will be collected every second as the vehicle travels at 25 mph. For each measurment event, beginning and ending points will be recorded using Collector for ArcGIS so that a line of travel can be drawn and data points from the Dustrack DRX fitted to and spaced evenly along said line.

Boone County Road and Bridge intends to measure the test segments once per month or as weather permits.

Rock ID Rock Description	Size (in) Vendor	Quarry	Formation	Ledges	P_#30	P_#.	200 PI		LL	PL	Ī	Dust Ratio	Soil Quality (PI/LL*100)	Dust * Quality
0 1" Commercial Base	0.75 Boone Quarries	Riggs	Burlington	1, 2, 3, 4, 5		35	20		6	21	15	0.57	28.5	7 16.33
1 Type 1 Base	1 Boone Quarries	Big Springs	Plattin	1		15	10		7	19	13	0.67	36.84	4 24.56
2 1" Surface	1 Boone Quarries	Boone East	Chouteau	8,9		17	12		6	18	12	0.71	33.33	3 23.53
3 Cement Treated Type 5 Base	0.50 Capital Quarries	63 North				23	13.7	0	1	19	18	0.60	5.26	5 3.14
											fror	n Faiz, 1972	fr	rom Dekoltz, 1940



# Questions of Interest

- 1. What effects do the plasticity index and the percent of aggregate passing a #200 sieve have on:
  - The performance/durability/etc of a loose aggregate road surface; and
  - The volatile dust emitted from a loose aggregate road surface?
- 2. Do the variation in observed effects correlate with the variation of any known spatial variables?
  - Elevation changes, shade, etc

# Study Area

- Average Daily Traffic: 125 vehicles
- Elevation and amount of shade varies

Total Length: 1487 ftBig Springs: 365 ft

• Riggs: 392 ft

• Boone East: 360 ft

• Capital: 370 ft

Total Area: 3,578.4 yd<sup>2</sup>

Big Springs: 900.6 yd<sup>2</sup>

• Riggs: 1,007.4 yd<sup>2</sup>


Boone East: 843.0 yd<sup>2</sup>

Capital: 827.4 yd<sup>2</sup>




# Objective Methods: Washboarding

from Woll et al. 2008




- Measure the number and depth of parallel troughs within a predetermined 25-foot segment(s) of road
- Six trough depth measurements will be taken, distributed evenly among the wheel paths
- Average the trough measurements per test section to produce a rating

# Objective Methods: Washboarding



- Measure six parallel troughs, divided between wheel paths, for each observed washboard within a test segment
- Average the six measurements to produce a rating
- Map the extent of the washboard as a polygon

# Objective Methods: Rutting from Woll et al. 2008



- Measure the depth of rutting with a straightedge and ruler at predetermined locations in the test section
- Average the measurements to produce a rating

# Objective Methods: Rutting




- Measure the depth of rutting with a straightedge and ruler at >= 3
  random locations along the rut
- Average the measurements to produce a rating
- Map the extent of the rutting as a line

# Objective Methods: Ravelling from Woll et al. 2008




- Measure the depth of material accumulated by scraping loose aggregate away until the packed road surface is exposed at predetermined locations
- If there are two wheel paths, measure outside and between them
- If there are three wheel path, only measure to the outside of them

# Objective Methods: Potholing from Woll et al. 2008




- Measure the number and depth of potholes within predetermined
   25-foot segments within each test section
- Average the pothole depths for each 25-foot segment

# Methods: Crown



- Measure the elevation of the road surface at its center and both edges at three locations per test segment
- Measure the elevation of the ditch on both sides of the road at three locations per test segment

# Methods: Dust Emission



- Measure the volatile dust emitted from the road surface using a Dustrack DRX mounted to the tailgate of a ½ ton pickup truck travelling 25 mph
- Results in one measurement every 36.67 ft, or approximately 10 measurements per 375-foot segment

# Analysis: Washboarding, Rutting, Potholes

- For each measurement date, calculate the % of the segment affected using the rating as a severity factor
- Compare this calculation between rock types for each characteristic of interest
- Does the spatial variation observed with washboards correlate to other spatial variables?

# Analysis: Ravelling

- Calculate the average per test segment of the total depth of accumulated gravel per measurement location
- Calculate the average per test segment of the change in depth of accumulated gravel between measurement dates per measurement location
- Compare this calculation between rock types for each characteristic of interest
- Does the spatial variation observed with washboards correlate to other spatial variables?

# Analysis: Dust

- Calculate the average and total amount of volatile dust emitted per test segment
- Calculate the average and total amount of volatile dust emitted per measurement date for each test segment
- Compare this calculation between rock types for each characteristic of interest
- Does the spatial variation observed with washboards correlate to other spatial variables?

## **Stand-alone Feature lasses**

## Test Segments: Polygon

ObjectID Ы Shape LL Rock Descr Vendor Length Quarry Length unit Formation Area Size Area\_unit Size\_unit Length Passing 200 Area

## Cross Sections: Line

Objectio Location
Shape Length
SectionID

## Survey Points: Point

Objectio Y Shape Z X

## **Feature Dataset: Surface Evaluation**

## Washboarding: Polygon

ObjectID Depth4
Shape Depth5
SectionID Depth6
Date Depth\_Avg
Depth1 Area
Depth2 Percent\_Sec
Depth3

## Rutting: Line

ObjectID Depth3
Shape Depth\_Avg
SectionID Length
Date Percent\_Sec
Depth1
Depth2

## Potholing: Point

ObjectID Shape SectionID Date Depth

## Ravelling: Line

ObjectID Depth1
Shape Depth2
SectionID Depth3
Depth4
Date Depth\_Avg

## Crown: Multipoint

ObjectID Road\_C
Shape Road\_S
SectionID Ditch\_S
Crown\_N
Crown\_S
Date Ditch\_N
Ditch\_N Ditch\_S
Road\_N

## **Dust: Point**

ObjectID
Shape
SectionID
CossSection
Date

Total\_Mass

(D		Date	.,				PM10		ID		Average	
1			13:08:39						3		0.00775	
1			13:08:40						i	3		
3			13:08:41 13:08:42							4	0,1175	0
1			13:08:43						1	5	0.15475	0.6
1			13:08:44					0,232	1	6	0.20675	
3			13:08:45						1	7	0,1885	
2			13:08:46						1	B 9	0.1555 0.11825	7.7
1			13:08:47						i			
1	10	9/14/2018	13:08:48 13:08:49						1	11	0.11525	
1	12	9/14/2018	13:08:50	0.078					1	12	0.10125	
1	13	9/14/2018	13:08:51	0.087					30	13	0.094	
1			13:08:52						2	14 15		
1	15	9/14/2018	13:08:53 13:08:54	0.039			0.154		2	16	0.1215	
1	17	9/14/2018	13:08:55	0.032					2	17	0.10975	0.4
1			13:08:56				0.082	0.082	2	18	0.0745	
1			13:08:57						2	19	0.05925	
1			13:08:58						2 2	20 21	0,053	
*			13:08:59						2	22	0.07925	
1			13:09:00 13:09:01						2	23	0.106	
1			13:09:02						2	24	0.216	
1			13:09:03					0,283	2	_		
1.	26	9/14/2018	13:09:04	0.046					2	26	0.1715	
1			13:09:05						2	27 28	0.1985 0.164	
			13:09:06						3		0.15525	
1			13:09:07 13:09:08						3			
1	31	9/14/2018	13:09:09						3	31	0.0935	
1	32	9/14/2018	13:09:09 13:09:10	0,061		0,082	0.134	0,134	3	32	0.0995	
1	33	9/14/2018	13:09:11	0.091					3		0.09825	
1	34	9/14/2018	13:09:12	0,171					3	34	0.14925	
1	35	9/14/2018	13:09:13 13:09:14	0,059					3	36	0.127	
1	37	9/14/2018	13:09:15	0.09					3	37	0.14875	
1	38	9/14/2018	13:09:16	0.114	0.122	0.149	0,281	0.281	3	38	0.1685	
1	39	9/14/2018	13:09:17	0,387					3	39	0.2545	
1			13:09:18						3	40 41	0.371	1.0
1			13:09:19 13:09:20						3	42	0.187	
1			13:09:21						4	43	0.1275	0
1			13:09:22			0.099			4	44	0.13525	
1			13:09:23						4	45	0.18	
1			13:09:24						4	46 47	0.2425	
1			13:09:25 13:09:26	-,					4	48	0.311	
1	49	9/14/2018	13:09:27						4	49	0.25	
1	50	9/14/2018	13:09:28	0.032			0.144		4	50	0.13425	
1	51	9/14/2018	13:09:29	0.045	0.048				4	51 52	0.0995	0.3
4.			13:09:30				0.199		4	52	0.134	0.5
1	53	9/14/2018	13:09:31 13:09:32				0.223		4	54	0.09975	0.3
1	55	9/14/2018	13:09:33	0.044	0.046		0.142		4	55	0.102	
4	56	9/14/2018	13:09:34	0.036	0,038	0.05	0.129		4	56	0.12275	0.4
2			13:15:47		0.004		0,006					
2			13:15:48		0,007							
2	3	9/14/2018	13:15:49 13:15:50	0.009								
2			13:15:50									
2			13:15:52									
2			13:15:53									
2			13:15:54									
2			13:15:55 13:15:56		0,034							
2			13:15:56									
2			13:15:58									
1	13	9/14/2018	13:15:59	0.018	0.021	0.027						
2			13:16:00									
2			13:16:01									
2			13:16:02 13:16:03									
2			13:16:04	0.025	0.027							

Run

	hade (Y/N		Section	Rock		Count(shade)	Pi	u	PL	PP_30	PP_200		Quality Dust			
0.031	nade (1/N			1 Big Springs		county	4	7	19	13	15	10	36.84		0.11125	
0.031		0		2 Riggs 1" Con	nmercial Base		11	6	21	15	35	20	28,57		0,125304	
0.205		0		3 Boone East			13	6	18	12	17	12	33.33		0.170214	0 149
0.47		0		4 Capital Type			11	1	19	18	23	13.7	5.26	3.14	0.168268	D 134125
0.619		0														
0.827		ō.														
0.754		0	Shade	Average		Count										
0.622		0	Yes	_	0.148826923		39									
0.473		1	No		0,132132353		17									
0.413		1														
0.461		1														
0.405		0														
0.376		0														
0.489		0														
0.431		1														
0.486		0														
0.439		0														
0 298		1														
0.237		1														
0.212	è	1														
0.26		1														
0.317		1														
0.424		1														
0.864		1														
0.913		1														
0.686		1														
0.794		0														
0.656		1														
0.621		1														
0.509		0	12													
0.374		1														
0.398		1														
0.393		1														
0.597		1														
0.515		1														
0,508		1														
0.595		1														
0,674		1														
1.018		1														
1 4R4																

0.031 0.085 0.205 0.47 0.619 0.827

0.754 0.622 0.473 0.413 0.461 0.405 0.376 0.489 0.431 0.486 0.439 0.298

0.398 0.48 0.536 0.399 0.408

0.491

1

2	19 9/14/2018	13:16:05	0,035	0.037	0.046	0.07	0.081
2	20 9/14/2018		0.029	0.037	0.046	0.069	0.073
2	21 9/14/2018		0.023	0.032	0.048	0.056	0.075
2	22 9/14/2018						
			0.015	0,017	0,027	0,049	0.049
3	23 9/14/2018		0.011	0.013	0.017	0.034	0.034
2	24 9/14/2018		0,012	0.013	0,015	0.026	0.026
2 2	25 9/14/2018		0.02	0,021	0,023	0.039	0,039
	26 9/14/2018		0.038	0.04	0,049	0.088	880,0
2	27 9/14/2018		0,076	0.08	0,098	0.17	0.17
2	28 9/14/2018	13:16:14	0.083	0.089	0.116	0,224	0.224
2	29 9/14/2018	13:16:15	0.128	0.139	0.175	0.296	0.296
2	30 9/14/2018	13:16:16	0.13	0,143	0.189	0.325	0,325
- 2	31 9/14/2018	13:16:17	0.085	0.093	0.125	0.249	0.249
2	32 9/14/2018		0.065	0.071	0.094	0.195	0.195
9	33 9/14/2018		0.038	0.042	0.059	0.113	0.113
2	34 9/14/2018		0.035	0.039	0.051	0.094	0.094
2	35 9/14/2018		0.037	0.041	0.054	0.097	0.097
	,,						
2			0.038	0.041	0.056	0,106	0.106
	37 9/14/2018		0,056	0.059	0.073	0.112	0.112
2	38 9/14/2018		0,069	0.073	0.093	0.18	0.18
2	39 9/14/2018		0,091	0.095	0,114	0,203	0.203
3	40 9/14/2018		0.108	0.117	0.147	0.298	0,298
2	41 9/14/2018		0.071	0.079	0.106	0,234	0.234
1	42 9/14/2018		0,05	0.057	0.081	0,178	0.178
2	43 9/14/2018	13:16:29	0.04	0.045	0.06	0.123	0.123
2	44 9/14/2018	13:16:30	0.034	0.039	0.055	0.102	0.102
2	45 9/14/2018	13:16:31	0.053	0.058	0.071	0.103	0.103
2	46 9/14/2018	13:16:32	0.08	0.087	0.104	0.169	0.169
2	47 9/14/2018		0.064	D.072	0.091	0.147	0.147
2	48 9/14/2018		0.07	0.078	0.101	0.175	0.175
2	49 9/14/2018		0,043	0.049	0.074	0.165	0.165
2	50 9/14/2018		0.043	0.048	0,062	0.124	0.124
	51 9/14/2018		0.062	0.066	0.077		0.124
2						0.168	
	52 9/14/2018		0.068	0.073	0.089	0.183	0.183
2	53 9/14/2018		0,07	0.074	0.094	0.172	0.172
2	54 9/14/2018		0,042	0.045	0.06	0.136	0.136
2	55 9/14/2018		0.013	0.015	0.022	0.075	0.075
2	56 9/14/2018		0.018	0.019	0.023	0.05	0.05
3	1 9/14/2018		0.008	0.008	0,009	0.009	0.009
3	2 9/14/2018		0.02	0.022	0.026	0.032	0.032
3	3 9/14/2018	13:22:56	0.049	0.052	0.061	0.079	0,079
3	4 9/14/2018	13:22:57	0.106	0.115	0.147	0.252	0.252
3	5 9/14/2018	13:22:58	0.07	0.08	0.114	0.229	0.229
3	6 9/14/2018		0.134	0.148	0.192	0.317	0.317
3	7 9/14/2018		0.125	0.141	0.188	0,353	0,353
3	8 9/14/2018		0.084	0.098	0.137	0.278	0.278
3	9 9/14/2018		0.081	0.095	0.131	0,234	0.234
3	10 9/14/2018		0.001	0.083	0.115	0,196	0.196
3	11 9/14/2018		0.073	0.071	0.115	0.158	0.158
3	12 9/14/2018		0.036	0.071	0.062		0.088
3				4		880.0	0,000
	, -,		0.039	0.043	0.061	0.082	0.082
3	14 9/14/2018		0.048	0.052	0.071	0.122	0.122
3	15 9/14/2018		0.076	0.082	0.101	0.172	0.172
3	16 9/14/2018		0,08	0.088	0.113	0,195	0.195
3	17 9/14/2018		0.035	0.041	0.058	0.124	0.134
3	18 9/14/2018		0.025	0.029	0.039	0.085	0.09
3	19 9/14/2018		0.017	0.02	0.027	0.054	0.054
3	20 9/14/2018		0.021	0.023	0,027	0.044	0,044
3	21 9/14/2018		0.025	0.027	0.031	0.057	0.057
- 3	22 9/14/2018	13:23:15	0.026	0.029	0.039	0.057	0.057
3	23 9/14/2018	13:23:16	0.018	0.021	0.03	0.048	0.048
3	24 9/14/2018	13:23:17	0.021	0.023	0,029	0.042	0.042
3	25 9/14/2018	13:23:18	0.028	0.032	0.041	0.06	0.06
3	26 9/14/2018	13:23:19	0.018	0.021	0,031	0.053	0.053
2	27 9/14/2018	13:23:20	0.018	0.021	0.029	0.049	0.049
3	28 9/14/2018	13:23:21	0.018	0.02	0.027	0.049	0.05
1	29 9/14/2018		0.022	0.024	0.03	0.042	0.052
3	30 9/14/2018	13:23:23	0.008	0.01	0.015	0.024	D 029
3	31 9/14/2018		0.012	0.013	0.015	0.024	0.029
2	32 9/14/2018		0.014	0.015	0.013	0.023	0,023
3	33 9/14/2018		0.014	0 015	0.021	0.025	0.025
3	34 9/14/2018		0.014	0.018	0.021	0.025	0.025
3	35 9/14/2018		0.016				
3	36 9/14/2018		0.023	0.026	0.031	0.038	0.038
3	37 9/14/2018			0.03	0.041	0.05	0.05
3	37 9/14/2018	13:23:30	0.021	0.024	0.032	0,045	0.045

ZT:ZE:EI 8T0Z/bT/6 9S **VET'0** TEL.O 6400 190.0 90'0 IT:ZE:EI BTOZ/bT/6 SS 170.0 5500 860.0 860.0 820.0 780.0 780.0 81-0.0 EEO'O B50,0 01:ZE:E1 810Z/F1/6 FS 6TT'0 611.0 690 0 850.0 PS0 0 23 9/14/2018 13:32:09 6E0.0 SE0.0 0.034 S2 9/14/2018 13:32:08 490'0 780.0 820.0 0.021 610.0 21 9/14/5018 13:32:07 741.0 741.0 5500 **4E00** E0'0 20 9/14/2018 13:32:06 SO:ZE:EI BIOZ/bI/6 69 IÞE'0 TAE.0 P8T'0 9910 VET O 48 9/14/2018 13:32:04 74E.0 865,0 861.0 SBT:0 74E.0 47 9/14/2018 13:32:03 P61.0 P61.0 ET.0 860.0 480 0 d6 9/14/2018 13:32:02 161.0 161.0 TIT.0 280.0 270.0 LES.O TEZ'O 9110 4110 42 9/14/5018 13:35:01 0.152 PTT:0 260.0 44 9/14/2018 13:32:00 \$24.0 ET.0 ET'0 80,0 PS0'0 1100 43 9/14/2018 13:31:59 45 9/14/2018 13:31:28 Bet.o 741.0 0.124 651'0 Epī'O AS:IE:EI STOZ/bI/6 Ib 175.0 172.0 66T'0 95-16-61 8102/61/6 00 961.0 961.0 660'0 £80,0 940'0 35 9/14/5018 13:31:22 260.0 Z60'0 150'0 850.0 PE0.0 YET.0 940'0 820.0 0 023 38 9/14/5018 13:31:24 YEL.O ES:TE:ET 8T07/9T/6 4E BZT.0 821.0 E80.0 190'0 90'0 50'0 25:15:E1 810Z/b1/6 9E 0.112 0.112 \$40.0 SE0'0 250.0 TS:TE:ET 8T0Z/bT/6 SE P90°0 190.0 0.045 170.0 170.0 910.0 SEO'0 \$E0.0 05:16:E1 810Z/b1/6 PE ₽50°0 \$20.0 850.0 E0.0 8200 69:TE:ET 8102/91/6 EE BRITE:FT BIOZ/bI/6 75 940.0 910.0 620.0 120.0 6100 610.0 49:16:E1 810Z/91/6 16 720.0 720.0 160.0 EZO:0 30 9/14/2018 13:31:46 \$60.0 E50'0 7.E0,0 LE0.0 660.0 880.0 850'0 840,0 29 9/14/2018 13:31:45 171.0 191'0 PPT 0 60-0 170.0 28 9/14/2018 13:31:44 SOEO 6.0 874.0 891.0 782,0 0.225 202'0 27 9/14/2018 13:31:43 ZP:TE:EI BTOZ/FT/6 9Z 89E.0 786.0 161.0 9ET:0 611.0 TP:TE:EI BTOZ/PT/6 SZ 0.531 1620 695.0 60E,0 162.0 24 9/14/2018 13:31:40 812.0 BIZ.0 P4T'0 91'0 951.0 0.032 23 9/14/2018 13:31:39 SED'0 650'0 650'0 440.0 91/0.0 EED 0 0.025 0,023 22 9/14/2018 13:31:38 950.0 71 9/14/2018 13:31:37 Z#0'0 Z90'0 420'0 220.0 0,02 ST0 0 20 9/14/2018 13:31:36 1.60.0 0.024 810.0 £6,0 7E0.0 720.0 20.0 4100 SE:TE:ET 8T0Z/bt/6 6t **TE0.0** TS0'0 EE0.0 0.022 810.0 DE:16:E1 8102/b1/6 81 880.0 880.0 950'0 EM0.0 860.0 17 9/14/2018 13:31:33 ZE:TE:ET STOZ/bT/6 9T 280.0 280.0 ES0.0 6,000 6E0'0 15 9/14/2018 13:31:31 DE0.0 ET0.0 EY0,0 50'0 6E0.0 14 9/14/5018 13:31:30 150.0 890'0 5000 960.0 B90.0 820.0 62:TE:ET 8102/91/6 ET 950'0 EE0.0 950.0 PO.0 EED'0 720.0 £20.0 15 9/14/2018 13:31:28 Þ0.0 10.0 17 9/14/2018 13:31:27 9E0.0 **∂£0,0** 50.0 0.024 20.0 SE0:0 260.0 620.0 0,023 610.0 10 9/14/5018 13:31:26 150'0 120.0 960'0 750.0 0.024 57:1E:E1 8T07/b1/6 6 280.0 280.0 **4500** 0.043 860.0 8 5/14/5018 T3:31:54 7 9/14/2018 13:31:23 \$60.0 260.0 790'0 740.0 0.041 22:16:E1 8102/b1/6 9 260.0 260.0 650.0 E#0.0 750.0 12:12:E1 8102/91/6 S 540'0 540'0 **ZS0'0** 690'0 9100 02:1E:E1 8102/01/6 P 210.0 920.0 4100 **σ**01∉ 920.0 LT0 0 E 9/14/2018 13:31:19 720.0 720.0 220.0 810.0 10.0 100 600.0 600.0 \$1:16:E1 8102/91/6 2 №00'0 100.0 P00°0 0.004 1000 1 9/14/2018 13:31:17 60:EZ:ET 8TOZ/bT/6 95 591.0 £91.0 CIT3 EQ1.0 ZOI O 89:EZ:EI 810Z/91/6 SS 4400 260.0 260.0 80.0 8400 600'0 600'0 Z#:EZ:EI BTOZ/#1/6 #S 410.0 110.0 710.0 4000 4000 99:62:61 BIOZ/bI/6 E5 TO'O Z0.0 20.0 610.0 0.012 SP:ES:E1 BIDS/P1/6 SS 40.0 10.04 BTO'0 PP:EZ:EI 8TOZ/PT/6 IS EP:EZ:EI 8TOZ/PT/6 OS 710.0 1100 10.0 0.122 0.122 0.042 820.0 0,024 50:62:EI BIOZ/bI/6 60 EYS.0 EYS.0 PT'0 EII'O 501'0 TP:EZ:ET 8T0Z/PT/6 BP SS#'0 554.0 802,0 991'0 DST'0 162.0 0,282 09:EZ:ET 8T0Z/9T/6 49 665.0 £65'0 TSE'O 0.42 0,238 6E:EZ:ET 8T0Z/b1/6 9b 281.0 STT'0 ₽60.0 880.0 8E:EZ:ET 8TOZ/9T/6 59 44 9/14/2018 13:23:37 511.0 211.0 Z80'0 990'0 90'0 9E:EZ:ET 8T0Z/bT/6 Eb BED.0 990'0 990'0 bSD\*O E#0'0 PPO 0 0.029 \$20.0 42 9/14/2018 13:23:35 990'0 990'0 41 9/14/2018 13:23:34 150'0 460.0 460.0 640'0 90'0 40 9/14/2018 13:23:33 170.0 6500 700.0 170.0 850.0 39 9/14/2018 13:23:32

770.0

770.0


50 0


PPO'0

38 9/14/5018 13:53:31









ID Run	Prev_ID	SectionID	Date	Time Pf	A1 PM	12.5 RE	SP PA	/10 TO	TAL	SectionID ID	Date To	OTAL Shade		Section Rock Pl	LL	PL	PP_30	PP_200	Dust Quality (I D	ust * Quality (f Average Median
ID Rull	1164_10	Sectioning	MM/dd/yyyy						z/m^3	1	1 9/14/2018			1 Big Springs Type 1 Base	7	20	13	15	10 35	23.33 0.1067 0.114125
1		61 1			0.006	0.006	0,009	0.012	0.012	1	,,	0.01525		2 Riggs 1" Commercial Base	6	21 18	15 12		20 28.57	16.33 0.097625 0.0945 23.53 0.144432 0.1355
2	-	62 1	-,-,-		0.005	0.006	0.009	0.011	0.011	1	3 9/14/2018 4 9/14/2018	0.027		3 Boone East 1" Surface 4 Capital Type 5 Base	1	19	18		3,7 5,26	3.14 0.159477 0.152
4	1	64 1	., . ,		0.023	0.025	0.028	0.035	0.022	i	5 9/14/2018	0.101								
5	1	65 1	9/14/2018	13:08:41	0.042	0.045	0.053	0.086	0.086	1	6 9/14/2018	0.17475	1		11					
6	1	66 1			0.087	0.092	0.104	0.17	0.17	1		0.20525	4	PI			PP_20	0		
7	1	67 1			0.094	0.106	0,137	0,253	0.253			0.17925	0.18		0.38					
9	1	68 1			0.086	0.098	0.125	0.232	0.232 0.169	1		0.14975	0.16	81×057e5	0.16			•	a 0,1321	
10	5.1	70 1	., .		0.043	0.049	0.068	0.144	0.144	2		0.09625	0.14		8,14	man n in .		- Charles		
11	1	71 2	2 9/14/2018	13:08:47	0.03	0.034	0.05	0.084	0.084	2	12 9/14/2018	0.0715	0.12		0.12		-II II	12000		8
12		72 2			0.048	0.052	0.063	0.098	0.098	2	13 9/14/2018	0.084	0.1		0.2		9 3 "	1	•	
13 14		73 2			0.079	0.085	0.102	0.175	0.175	2	14 9/14/2018 15 9/14/2018	0.104S 0.11375	0.09		0.08					
15	\$	74 2			0.078	0.095	0.100	0.195	0.195	2		0.15075	0.06		0.04					
16	1	76 2	-,,	13:08:52	0.085	0.096	0.131	0.255	0.255	2	17 9/14/2018	0.1195	0.04		8.02					
17	1	77 2	, -, -,		0.039	0.046	0.066	0.154	0.154	2		0.09275	0.02				111111111111111111111111111111111111111	10118		
18	1	78			0.052	0.056	0.069	0.121	0.121	2		0.08075		0 1 2 1 4 5 6 7 8			10	15	20	25
19 20	1	79 2	2 9/14/2018 2 9/14/2018		0.037	0.042	0.054	0.1	0.1	2	20 9/14/2018 21 9/14/2018	0.0625 0.05375			Signer :				- Company 1	
21			3 9/14/2018		0.023	0.026	0.037	0.065	0.065	3		0.05025		LL	11		PP_3	0		
22	1	82	3 9/14/2018	13:08:58	0.023	0,026	0.032	0.064	0,064	3		0.05725	0.18	**************************************	0.18		macro-		1 - 1 -	
23	1		3 9/14/2018		0.051	0.054	0.061	0.105	0.105	3		0.06975	0.16		0.16					
24 25			3 9/14/2018 3 9/14/2018		0.064	0.069	0.089	0.165	0.165 0.283	3	25 9/14/2018 26 9/14/2018		0.14	M*=0,708	0.14				6° + 0.1555	=[ 1
26	÷		3 9/14/2018		0.296	0.31	0.186	0.283	0.283	3	27 9/14/2018		0.12		0.12		- 1	-	The state of the s	
27	1		3 9/14/2018		0.062	0.076	0.12	0.283	0.283	3	28 9/14/2018		0.1		0.1					71.5
28	1	B8 :	3 9/14/2018	13:09:04	0.046	0.054	0.081	0.177	0.177	3	29 9/14/2018		0.08		9.08		****	aw in the		
29	1		3 9/14/2018		0.027	0.032	0.048	0.097	0.097	3	30 9/14/2018	0.184	0.06		0.06	1 30			10 = 5	3.1
30 31			3 9/14/2018 3 9/14/2018		0.035	0.039	0.049 0.05B	0.077	0.077	3	31 9/14/2018 32 9/14/2018		0.04		0.04	6 F 100		200	1.0	7 ()
32	1			13:09:07	0.017	0.022	0.034	0.056	0.056	2	33 9/14/2018		0.03	reminerate or har i nearly spinished by	0.02	580) 3/1	39 4		18. 4	_1
33	1			13:09:09	0.027	0.03	0.038	0.048	0.048	4	34 9/14/2018			17.5 18 18.5 19 18.5 20 20.5 21 21.5		5 10	15 2	25	30 15	
34	1		4 9/14/2018		0.061	0.065	0.082	0.134	0.134	4	35 9/14/2018						11077111	WINDS	gernedie:	
35	1		4 9/14/2018		0.091	0.096	0.119	0.201	0.201	4	36 9/14/2018			PL	1		Quality of So			
36 37	1		4 9/14/2018 4 9/14/2018		0.171	0.182	0.231	0.407 0.316	0.407		37 9/14/2018 38 9/14/2018	0.13425			1000		200.114 01 50			
38			4 9/14/2018		0.079	0.071	0.117	0.316	0.324	4	39 9/14/2018		0.18		0.16	LET'S		vine le		
39	1		4 9/14/2018		0.09	0.099	0.137	0.31	0.31	4	40 9/14/2018		0.14		0.54	***************************************	the speciments of	81 44	49	
40				13:09:16	0.114	0.122	0.149	0.281	0.281	4	41 9/14/2018		0.12	The state of the s	0.12			***************************************	100-11	
41				13:09:17	0,387	0.398	0.442	0.646	0.646		42 9/14/2018	0.33975	0.1	# # D 1333	8.1		THE PARTY			G
42	1 2			13:09:18	0.362	0.389	0.493	0.979	0.979				0.08		0.05			100		
2	2			13:15:48	0.007	0.007	0.004	0.008	0.008				0.06		0.09		4-1-1		_E_	
3	2	51	1 9/14/2018		0,009	0.009	0.01	0,013	0.013				0.04		104					
4	2		1 9/14/2018		0.013	0.014	0.015	0.022	0.022				0.02	hardward company of the first of the first of	102	The state of the				
5	2		1 9/14/2018 1 9/14/2018		0.045	0.047	0.052	0,062	0.062				0		. 0	0 5 10	11	25	20 ))	42
7	2	-	1 9/14/2018 1 9/14/2018		0.016	0.081	0.108	0.186	0.14				\$	0 2 4 6 8 10 12 14 16 18 20	The same	6 S 10				, 142
8	2	56	1 9/14/2018		0.044	0.048	0.064	0.115	0.115						-					
9	2		1 9/14/2016		0.03	0.034	0,05	0,104	0.104						1		ty of Soll Fra	ction * Qu	antity	
10	2 2		1 9/14/2018 2 9/14/2018		0.037	0.04	0.05	0.084	0.084						0,18		47			
12	-		2 9/14/2018 2 9/14/2018		0.039	0.043	0.056	0.092	0.092						0.16			- 9	19 + 11 2729	
13	ž	20	2 9/14/2018		0.018	0.021	0.027	0,043	0.043						0,14			****	100000000000000000000000000000000000000	
14	2		2 9/14/2018		0.018	0.021	0.028	0.044	0.044						0.12				7	
15	3		2 9/14/2018		0.015	0,017	0.023	0.032	0,032						0.1					- y
16 17	2		2 9/14/2018 2 9/14/2018	13:16:02	0,047	0.049	0.058	0.085	0.085 0.117						0.06	018.002.0012				
18	2			13:16:04	0.025	0.027	0.038	0.074	0.075						0.04				1 4	
19	2		, -,	13:16:05	0.035	0.037	0.046	0.07	0.081						0.02			= + T		
20	2			13:16:06	0.029	0.032	0.046	0.069	0.073						7/1 0					I
21 22	2 2			13:16:07	0.027	0,031	0.042	0.056	0.056 0.049								#	15	20	25
22	2			13:16:08	0.015	0.017	0.027	0.049	0.049											
24	2		, -,	13:16:10	0.012	0.013	0.015	0.026	0.026											
25	2		3 9/14/2018		0.02	0.021	0.023	0.039	0,039											
26	2		3 9/14/2018		0.038	0.04	0.049	0.088	0.088											
27 28	2		3 9/14/2018 3 9/14/2018		0.076	0.08 0.089	0.098	0.17	0.17											
29	2			13:16:15	0.128	0.009	0.175	0.296	0.296											
30	2		3 9/14/2018	13:16:16	0.13	0.143	0.189	0.325	0.325											
31	2			13:16:17	0.085	0.093	0.125	0.249	0.249											
32	2	80	4 9/14/2018	13:16:18	0.065	0.071	0.094	0,195	0.195											


06:16:61 8102/91/6 0.218 917 0 MTT.0 910 951'0 250.0 6\14\5078 13:31:30 23 6500 \$50.0 260.0 650'0 910.0 940.0 650.0 0.025 E20 0 9/14/5018 13:37:38 6B 55 Z10 0 750.0 ZZ0.0 75:15:E1 8102/p1/6 ΙZ TEOO TED D PZ0"0 8100 ST0'0 SEITE STOZ/PI/S 48 07 SEITE:ET BIDZ/DI/6 51 **LEG 0** 0.037 720.0 20.0 **410.0** 98 AE: IE: EI BIOS/AI/8 150'0 ES0'0 EE0.0 220'0 810.0 66:1E:E1 810Z/p1/6 8E0,0 880.0 B90 0 950'0 E#0'0 9/14/2018 13:31:35 280.0 ESO'O 640.0 650,0 580'0 660.0 0,034 15:16:ET 810Z/b1/6 28 E40 0 640.0 50'0 890.0 5000 950.0 160,0 8\14\5078 13:31:30 18 890.0 9500 950'0 100 EE0 0 920.0 67:TF:ET HIDZ/bI/6 09 Εľ 97:TE:ET 8T07/VT/6 64 0.04 PO.0 EE010 4200 EZO'O 9600 960'0 E0 0 **#**20'0 20'0 72:12:E1 8107/91/6 97:16:61 8102/91/6 250.0 SE0:0 820.0 0.023 610.0 1500 1500 9600 720.0 PZ0.0 9/14/5018 13:31:25 580.0 ZS0 0 640.0 860.0 9/14/2018 13:31:24 54 Z60"0 260.0 290.0 4000 1700 6/14/2018 13:153 23 22:TE:ET 8T0Z/#T/6 Z60'0 Z60'0 650.0 6,043 /F0 0 12:TE:ET 8T0Z/bT/6 6000 910.0 5400 540.0 450'0 9/14/5018 13:31:50 Þ£0.0 0.012 920.0 920'0 710.0 9/14/2018 13:31:19 420 0 220.0 8100 750.0 69 10.0 10.0 10.0 600 0 600'0 81:1E:E1 810Z/#1/6 VI:15:E1 810Z/b1/6 89 1000 100.0 400.0 0,004 900°0 9/14/2018 13:23:35 100 990'0 990.0 0.044 620.0 220.0 9/14/2018 13:23:34 150'0 **∠60'0** 460'0 640'0 90'0 0.04 9/14/2018 13:23:33 1200 1/00 650'0 740.0 860.0 9/14/2018 13:23:32 440.0 9500 4400 0 044 8\10Z/\$1#\5078 96 BΕ 920'0 940'0 E30.0 56 48 5000 0.032 0.024 170-0 DE:EZ:ET BTOZ/bT/6 240.0 98 50'0 50'0 11000 60.03 970'0 67:E2:E1 8102/#1/6 1≠6 9/14/5018 13:53:58 E6 BEO.0 850.0 TEO D 9700 EZD'D 47:EZ:ET 8102/b1/6 910'0 170'0 810.0 5700 570'0 9/14/2018 13:23:26 16 SZ0'0 570 0 120.0 9100 0.014 PI0:0 9/14/5018 13:23:25 06 0,023 620.0 8100 0.015 20'0 5100 ETQ'0 0.012 9/14/SO18 13:53:54 68 IΕ 30 9/14/5018 13:23:23 620.0 0.024 510.0 10'0 800.0 88 770'0 9/14/5018 13:53:55 81 250'0 Z PO 0 60.03 770 O 12:02:61 8102/61/6 810.0 50°B 6⊮0.0 750.0 20'0 120.0 810,0 9/14/2018 13:23:20 ۲2 60°0 6100 620.0 9/14/2018 13:53:19 118 9Z 5Z 620,0 620.0 TEO O 90'0 90.0 1000 250.0 850.0 9/14/5018 13:23:18 68 24 ZR 240.0 240.0 620,0 EZ0.0 170'0 ATTEXTET BIOZ/bt/6 91:EZ:ET 810Z/\$1/6 23 840.0 840,0 E0.0 1200 810.0 ST:EZ:ET STOZ/PT/6 **∠**50'0 **450'0** 650,0 6Z0.0 920.0 9/14/2018 13:23:14 7.7 520.0 450'0 150.0 750.0 450.0 PP0'0 \$10.0 720,0 ES0.0 E1:E2:E1 8102/41/6 50 51 720.0 710.0 5/14/2018 13:23:12 44 81 60.0 580'0 6£0.0 620'0 5200 IT:EZ:EI BIOZ/#I/6 94 48 OT:EZ:ET 8TOZ/VT/6 SE0:0 AET.O P21.0 850'0 E#0.0 80.0 60:EZ:ET 8T0Z/bT/6 S6T'0 S6T'0 ETT'0 880 0 940 0 80:EZ:ET 8T0Z/VT/6 EΔ 101.0 Z/T'0 ZZT'O 280 0 4/5018 13:23:01 552.0 170,0 520.0 840.0 0,122 ET 190'0 E 0'0 650 0 90:EZ:ET BIOZ/bI/6 17 280,0 Z80.0 880.0 880.0 290.0 €№0,0 9ED'0 SO:EZ:ET 8TOZ/#T/6 αz 69 0.158 851.0 660.0 TZ0'0 E90'0 MO:EX:ET BTOZ/bt/6 8\74\5018 I3:53:03 89 961'0 961'0 211.0 EBO'O E40'0 9/14/S018 13:53:05 TET.O 5600 180.0 D'S3d D. 234 TO:EZ:ET BTOZ/9T/6 99 84Z'0 842.0 TEL.0 850'0 1/80.0 ESE.D 881,0 0.141 221.0 OCCESET STOZ/#1/6 59 C'STA LTE 0 561.0 871,0 0.134 65:27:FT RIOZ/bI/6 85:22:51 8102/91/6 E9 0.229 622.0 PET.O 80'0 20 0 AZ:ZZ:ET BIOZ/PI/6 0.115 901.0 APT D 757'0 222.0 670.0 190.0 \$20.0 690'0 9/14/2018 13:22:26 19 6400 970'0 2200 20.0 9/14/2018 13:22:55 09 260.0 ζE0.0 600'0 600.0 600'0 800.0 800.0 9/14/5018 13:55:54 65 B7:91:F1 8107/61/6 06 841.0 871.0 180 0 **450'0** 50.0 27:91:E1 810Z/91/6 1400 D.23A MEZ.O 901.0 6400 97:91:51 8102/91/6 **411.0** 801.0 B62.0 862.0 4010 160.0 SZ:91:E1 810Z/F1/6 7.8 68 E0Z\*0 £02,0 0,114 81.0 £60.0 E70.0 690.0 8/J4/S0I8 I3:16:24 98 SB 950 0 EZ:9E:ET SIDZ/PI/6 211.0 CIIS E/0'0 650.0 ZZ:91:E1 BTOZ/b1/6 110.0 8E0.0 901'0 901'0 950'0 TZ:9T:ET BTOZ/VT/6 E8 SE 760.0 **\$50'0** 760.0 120.0 6E0.0 250.0 07:91:61 8102/61/6 ZB 93 960.0

650.0 210.0 860.0

61:91:21 8102/91/6


18

25	4	92	3	9/14/2018	13:31:41	0.291	0.309	0,369	0,531	0,531
26	4	93	3.	9/14/2018	13:31:42	0.119	0.136	0.191	0.367	0.368
27		94	3	9/14/2018	13:31:43	0.202	0.225	0.287	0.468	0.478
28	4	95	3.	9/14/2018	13:31:44	0.071	0.09	0.144	0.3	0.305
29	4	96	1	9/14/2018	13:31:45	0.048	0.058	880,0	0.161	0.171
30	4	97	4	9/14/2018	13:31:46	0.031	0.037	0.053	0.094	0.099
31	4	98	4	9/14/2018	13:31:47	0.019	0.023	0.031	0.057	0.057
32	4	99	4.	9/14/2018	13:31:48	0.019	0.021	0.029	0.046	0.046
33	4	100	4	9/14/2018	13:31:49	0.028	0.03	0.038	0.054	0.054
34	36	101	4	9/14/2018	13:31:50	0.032	0.035	0.046	0.071	0.071
35	- 4	102	4	9/14/2018	13:31:51	0.032	0.035	0.045	0.064	0.064
36	4	103	4	9/14/2018	13:31:52	0.05	0.054	0.074	0.112	0.112
37	4	104	4	9/14/2018	13:31:53	0,06	0.064	0.083	0.128	0.128
38	4	105	4	9/14/2018	13:31:54	0.053	0.058	0.076	0.137	0.137
39	4	106	4	9/14/2018	13:31:55	0.034	0.038	0.051	0.092	0.092
40	4	107	4	9/14/2018	13:31:56	0.076	0.083	0.099	0.136	0.136
41	4	108	4	9/14/2018	13:31:57	0.143	0.159	0.199	0.271	0.271
47	62	100	10	D /14/101P	13,31,50	0.124	0.147	0.100	0.2	0.3



e New

4. .



Road Center South Tire Track South Shoulder Lathe	North Shoulder Nort
52.5 53.375 45.675 2	0.49 4.9375
	0.86 4.385416667
	8.42 6.760416667
	8.01 11.02083333
145.25 144.75 144 137.25	19.1 12.64583333
	9.98 12.75
	0.63 7.197916667
	0.43 6.791666667
	1.72 10.08333333
	2.16
	1.94 13.36458333
	3.05 11.41666667

North Shoulder	North Tire Track	Road Center	South Tire Track	South Shoulder
-2.7%		0.0%		-0,4%
-1.8%	-1.5%	0.0%	0.0%	-0.1%
-2.8%	-2.1%	0.0%	-0.2%	-1.0%
-2.7%	-2.4%	0.0%	-0.2%	-0.1%
-2.8%	-2.4%	0.0%	0.2%	0.5%
-1.1%	-1.6%	0.0%	-0.3%	-0.1%
-1.0%	-0.5%	0.0%	-0.8%	-1.2%
-1.0%	-0.7%	0.0%	-1.1%	-1.5%
-1.0%	-0.8%	0.0%	-0.8%	-1.4%
-1.3%	-0.8%	0.0%	-0.8%	-0.9%
-1.4%	-1.0%	0.0%	-0.9%	-1.1%
-1.4%	-1.3%	0.0%	-0.4%	-0.5%

	North Shoulder	North Tire Track	Road Center	South Tire Track	South Shoulder	Lathe
20.49	4.9375		4,375		4.447916667	3.80625
20.86	4.385416667	4.3125	4	4	4.03125	1.98958333
18.42	6.760416667	6.635416667	6.239583333	6.270833333	6.416666667	4.85416667
18.01	11.02083333	10.97916667	10.54166667	10.57291667	10.5625	8.5625
19.1	12.64583333	12.5625	12.10416667	12.0625	12	11.4375
19.98	12.75	12.83333333	12.52083333	12.58333333	12.54166667	12.6458333
20.63	7.197916667	7.104166667	7	7.166666667	7.25	6.83333333
20.43	6.791666667	6.729166667	6.583333333	6.8125	6.885416667	6.0625
21.72	10.08333333	10.04166667	9.864583333	10.04166667	10.16666667	10.1458333
22.16	13	12.89583333	12.71875	12.88541667	12.91666667	12.625
21.94	13.36458333	13.28125	13.05208333	13.25	13.29166667	12.75
23.05	11.41666667	11.38541667	11.08333333	11.16666667	11.20833333	10.6666667

Section		North Shoulder	North Tire Track	Road Center	South Tire Track	South Shoulder
	1	-2.5%	-1.8%	0.0%	-0.1%	-0.5%
	2	-2.2%	-2.1%	0.0%	-0.1%	0.1%
	3	-1.0%	-0.7%	0.0%	-0.9%	-1.4%
	Δ	-1.4%	-1.1%	0.0%	-0.7%	-0.8%

### Bonne Femme Church Road (Surface Aggregate Test)

### Summary:

The experimental test was terminated early (within one year) due to frequency of maintenance. Blading the road and additional rock was a necessity due to rutting and slick conditions (during the spring thaws). The areas with a higher plasticity rock performed the worst structurally, necessitating maintenance.

### Observations:

The areas with higher plasticity qualities (Big Springs Type 1 base, Riggs Type 1 base, and Capital Type 5 base) all exhibited more than anticipated rutting and surface imperfections (greater occurrence of washboarding and potholes) along with slick conditions during the winter weather. The material from Boone East (1" Surface) performed the best in resisting rutting but also exhibited milder forms of surface imperfections than the other materials and produced more dust (according to data from the 3 tests that were performed).

### Noted deficiencies in the experimental section:

- 1. Experimental areas included in the study were too short and experienced material mixing with other experimental sections when maintaining the surface.
- 2. Adding material from the different quarries proved to be difficult due to proximity to the quarry, availability of the same material, and the need for immediate repairs that needed to be performed due to poor conditions of the road surface.
- 3. There was a lack of a control section to compare current maintenance of gravel roads to the experimental sections.

### Further questions to be explored:

Do base rock and surface rock compaction along with the addition of water (to achieve optimum compaction) produce a surface that exhibit less surface imperfections and reduce dust? If so, is there a process to replicate for a greater quantity of gravel roads with limited resources?