

CERTIFIED COPY OF ORDER

STATE OF MISSOURI }
County of Boone } ea.

February Session of the January Adjourned


Term. 20 18

In the County Commission of said county, on the 27th day of February 20 18
the following, among other proceedings, were had, viz:

Now on this day the County Commission of the County of Boone does hereby approve the request by Deborah Vollrath Revocable Trust to rezone from A-1 (Agriculture) to A-2P (Planned Agriculture) on 9.77 acres, more or less, located at 7370 S. Bennett Dr., Columbia.


Done this 27th day of February, 2018.

ATTEST:



Taylor W. Burks
Clerk of the County Commission


Daniel K. Atwill

Presiding Commissioner


Fred J. Parry

District I Commissioner


Janet M. Thompson
District II Commissioner

CERTIFIED COPY OF ORDER

STATE OF MISSOURI }
County of Boone } ea.

February Session of the January Adjourned

Term. 20 18

In the County Commission of said county, on the 27th day of February 20 18


the following, among other proceedings, were had, viz:

Now on this day the County Commission of the County of Boone does hereby approve the request by Deborah Vollrath Revocable Trust to approve a Review Plan for Plan for Vollrath A-2P on 9.77 acres, more or less, located at 7370 S Bennett Dr., Columbia **with the following condition:**

- On-site wastewater systems for this development are limited to non-discharging non-lagoon engineered wastewater systems due to the environmentally sensitive nature of the area.


Done this 27th day of February, 2018.

ATTEST:


Taylor W. Burks
Clerk of the County Commission


Daniel K. Atwill
Presiding Commissioner


Fred J. Parry
District I Commissioner


Janet M. Thompson
District II Commissioner

CERTIFIED COPY OF ORDER

STATE OF MISSOURI

County of Boone

} ea.

February Session of the January Adjourned


Term. 20 18


In the County Commission of said county, on the 27th day of February 20 18 the following, among other proceedings, were had, viz:

Now on this day the County Commission of the County of Boone does hereby approve the request by Payne Enterprises, Inc, to rezone from R-M (Moderate Density Residential) to C-G (General Commercial) on 1 acre, more or less, located at 10680 E. I-70 Drive NE, Columbia.


Done this 27th day of February, 2018.

ATTEST:



Taylor W. Burks
Clerk of the County Commission



Daniel K. Atwill
Presiding Commissioner



Fred J. Parry
District I Commissioner



Janet M. Thompson
District II Commissioner

CERTIFIED COPY OF ORDER

STATE OF MISSOURI

February Session of the January Adjourned

Term. 20 18

County of Boone

} ea.

In the County Commission of said county, on the 27th day of February 20 18


the following, among other proceedings, were had, viz:

Now on this day the County Commission of the County of Boone does hereby approve the request by Phoenix Property Development LLC to approve a Final Development Plan for Ray A-1P on 36.21 acres, more or less, located at 7851 E. New Haven Rd., Columbia.

Done this 27th day of February, 2018.

ATTEST:



Taylor W. Burks
Clerk of the County Commission



Daniel K. Atwill
Presiding Commissioner



Fred J. Parry
District I Commissioner



Janet M. Thompson
District II Commissioner

CERTIFIED COPY OF ORDER

February Session of the January Adjourned

Term. 20 18

STATE OF MISSOURI }
County of Boone } ea.


In the County Commission of said county, on the 27th day of February 20 18


the following, among other proceedings, were had, viz:

Now on this day the County Commission of the County of Boone does hereby approve the request by Jonell VanDam and Jerry and Rebecca Campbell on a Final Development Plan for Van Dam Site on 24.63 acres, more or less, located at 9510 W. Graham Rd. and 4920 N. Boothe Lane, Rocheport.

Done this 27th day of February, 2018.

ATTEST:


Taylor W. Burks
Clerk of the County Commission


Daniel K. Atwill
Presiding Commissioner

Fred J. Parry
District I Commissioner

Janet M. Thompson
District II Commissioner

CERTIFIED COPY OF ORDER

STATE OF MISSOURI }
County of Boone } ea.

February Session of the January Adjourned

Term. 20 18

In the County Commission of said county, on the 27th day of February 20 18


the following, among other proceedings, were had, viz:


Now on this day the County Commission of the County of Boone does hereby approve a petition submitted by James and Tammy Heuer for permission to vacate and re-plat Tract 1 and Tract 2 of McGlasson Subdivision as recorded in Plat Book 11, Page 229 of Boone County Records.

Said vacation is not to take place until the re-plat is approved.

Done this 27th day of February, 2018.

ATTEST:


Taylor W. Burks
Clerk of the County Commission


Daniel K. Atwill
Presiding Commissioner


Fred J. Parry
District I Commissioner


Janet M. Thompson
District II Commissioner

CERTIFIED COPY OF ORDER

STATE OF MISSOURI }
County of Boone } ea.

February Session of the January Adjourned

Term. 20 18

In the County Commission of said county, on the 27th day of February 20 18


the following, among other proceedings, were had, viz:


Now on this day the County Commission of the County of Boone does hereby receive and accept the following subdivision plats and authorize the Presiding Commissioner to sign them:

- Ray Estates. S25-T48N-R12W. A-1P. Phoenix Property Development LC, owner. Kevin M. Schweikert, surveyor.
- Benish Plat 2. S1-T49N-R12W. A-2. Donn and Judith Benish, owners. Kevin M. Schweikert, surveyor.
- Darwent. S1-T51-R13W. A-2. Joseph Darwent, owner. John H. Schaefer, surveyor.


Done this 27th day of February, 2018.

ATTEST:


Taylor W. Burks
Clerk of the County Commission


Daniel K. Atwill
Presiding Commissioner


Fred J. Parry
District I Commissioner


Janet M. Thompson
District II Commissioner

CERTIFIED COPY OF ORDER

STATE OF MISSOURI

February Session of the January Adjourned

Term. 20 18

County of Boone

} ea.

In the County Commission of said county, on the 27th day of February 20 18

the following, among other proceedings, were had, viz:


Now on this day the County Commission of the County of Boone does hereby approve the utilization of the Missouri Department of Transportation Cooperative Contract 3-170102TV to purchase one (1) Ford F550 Truck with Knapheide 8'3" Platform Body and Plow with Joe Machens Ford Lincoln of Columbia, MO and dispose of one (1) 2008 Dodge 3500 work truck, asset tag 16921 and one (1) 2009 Western Pro Snow Plow, asset tag 16944.


The terms of the Cooperative Contract are stipulated in the attached Purchase Agreement. It is further ordered the Presiding Commissioner is hereby authorized to sign said Purchase Agreement and request for disposal forms.


Done this 27th day of February, 2018

ATTEST:


Taylor W. Burks
Clerk of the County Commission


Daniel K. Atwill
Presiding Commissioner


Fred J. Pardy
District I Commissioner


Janet M. Thompson
District II Commissioner

BOONE COUNTY

Request for Disposal/Transfer of County Property

Complete, sign, and return to Auditor's Office

Date: 01-17-2018

Fixed Asset Tag Number: 16921

RECEIVED

Description of Asset: 2008 Dodge 3500 work truck with flatbed

JAN 19 2018

BOONE COUNTY AUDITOR

Requested Means of Disposal: Sell Trade-In Recycle/Trash Other, Explain:

Other Information (Serial number, etc.): VIN: 3D6WH46T59G550079; Mileage: 107,000

Condition of Asset: Fair

Reason for Disposition: Vehicle was planned for replacement in 2018.

Location of Asset and Desired Date for Removal to Storage: NA

Was asset purchased with grant funding? YES NO

If "YES", does the grant impose restriction and/or requirements pertaining to disposal? YES NO

If yes, attach documentation demonstrating compliance with the agency's restrictions and/or requirements.

Dept Number & Name: 2040 Public Works Maintenance

Signature _____

To be Completed by: AUDITOR

Original Acquisition Date 6-12-09

G/L Account for Proceeds 2040-3835 NR

Original Acquisition Amount \$27,188.00

Original Funding Source 2741

Account Group 2040

To be Completed by: COUNTY COMMISSION / COUNTY CLERK

Approved Disposal Method:

____ Transfer Department Name _____ Number _____

Location within Department _____


Individual _____

____ Trade _____ Auction _____ Sealed Bids

____ Other Explain _____

Commission Order Number 107-2018

Date Approved 2-27-18

Signature 

107-2018

Boone County Purchasing

Melinda Bobbitt, CPPO
Director of Purchasing



613 E. Ash Street, Room 110
Columbia, MO 65201
Phone: (573) 886-4391
Fax: (573) 886-4390

MEMORANDUM

TO: Boone County Commission
FROM: Melinda Bobbitt, CPPPO, CPPB
DATE: February 13, 2018
RE: Cooperative Contract: 3-170105TV – Ford F550 Truck with Knapheide Platform Body

Public Works requests permission to utilize the Missouri Department of Transportation cooperative contract 3-170105TV to purchase one (1) Ford F550 Truck with Knapheide 8'3" Platform Body and plow with Joe Machens Ford Lincoln of Columbia, Missouri.

Total cost of contract is \$56,990.30 and will be paid from department 2040 – PW Maintenance Operations, account 92400 – Replacement Auto / Trucks and 92300 – Replacement Machinery & Equipment. \$55,500 was budgeted in 2040-92400 for the truck and flatbed body, and \$5,850 was budgeted in 2040-92300 for the plow.

The Purchasing Department requests permission to dispose of the following surplus:
2008 Dodge 3500 work truck with flatbed, fixed asset tag 16921
2009 Western Pro Snow Plow 8.5', fixed asset tag 16944

Attached are the Disposal Forms for signature.

cc: Greg Edington, PW
Contract File

**PURCHASE AGREEMENT
FOR**

**(1) 2018 F550 Truck with Knapheide Body (Mounted 8'3" Platform) and Plow
for Boone County Public Works**

THIS AGREEMENT dated the 27th day of February 2018 is made between Boone County, Missouri, a political subdivision of the State of Missouri through the Boone County Commission, herein "County" and **McLarty CMFO, LLC, d/b/a Joe Machens Ford Lincoln** herein "Vendor."

IN CONSIDERATION of the parties performance of the respective obligations contained herein, the parties agree as follows:

1. **Contract Documents** - This agreement shall consist of this Purchase Agreement for one (1) 2018 Ford F550 4x4 Crew Cab Truck with Knapheide 8'3" Platform Body and Plow in compliance with all bid specifications and any addendum issued for the Missouri Department of Transportation Contract **3-170105TV**, Kelly Sells/Joe Machens Ford Lincoln quote dated January 17, 2018, Knapheide Truck Equipment Center-JC quotes dated July 12, 2017 & January 29, 2018 and Boone County Standard Terms and Conditions. All such documents shall constitute the contract documents which are incorporated herein by reference. Service or product data, specification and literature submitted with bid response may be permanently maintained in the County Purchasing Office contract file for this contract if not attached. In the event of conflict between any of the foregoing documents, this Purchase Agreement, the Missouri Department of Transportation Contract **3-170105TV** and Boone County Standard Terms and Conditions shall prevail and control over the vendor's bid response.

2. **Purchase** - The County agrees to purchase from the Vendor and the Vendor agrees to supply the County with **one (1)** of the following:

	<u>Unit Cost</u>
2018 Ford F550 4WD Truck (W5H)	\$44,819.00
Item #14 Price – Dealer Code – Option, Included Equipment:	
Crew Cab	
4 Wheel Drive	
6.7L Diesel Engine (99T)	
Dual Rear Wheels	
60" cab to axle (179)	
Standard Rear Axle	
Automatic Transmission 6 speed	
Air Conditioning	
LH & RH Manual Mirrors	
All Season Tires Plus Spare (512)	
GVWR: minimum 17,500 lbs.	
4 Wheels Disc Brakes - ABS	
Cruise Control and Tilt (525)	
Vinyl Flooring & Vinyl Seats (AS)	
Back Up Alarm (76C)	

Optional equipment from MODOT Contract:

Option 14BB/99Y – 6.8L V10 in lieu of Diesel	(-\$7,400)
Option 15Z from item #15 – 19,500 lb. Payload GVWR pkg (60” ca)	\$1,395.00
Option 14Y/X8L – 4.88 Limited Slip Axle (req’d w/ 19,500 lb. pkg)	\$332.00

Include equipment from MODOT Contract with the 5% off list:

Option 90L – Power Equipment Group	\$1,013.00
Option 52B – Trailer Brake Controller	\$243.00
Option 61J – Jack	\$50.00
Option PQ – Exterior Color: Race Red	No charge
Option DEL – Delivery	No charge

Ford F550 Sub-Total: \$40,452.00

Optional equipment from KNAPHEIDE per attached quotes:

Option KNAP1 – Bed/Equipment install by Knapheide JC	\$11,147.70
Option KNAP2 – Plow/Controls install by Knapheide JC	\$5,400.60

GRAND TOTAL \$57,000.30

3. **Delivery** - Vendor agrees to deliver vehicle as set forth in the bid documents and within 165 days after receipt of order. Vehicle is for Boone County Public Works department and should be delivered to Boone County Public Works, Attn: Greg Edington, 5551 Tom Bass Road South, Columbia, MO 65201. Phone: (573) 449-8515.

4. **Title** – Title in the name of: Boone County Public Works. Address: 613 E. Ash Street, Room 110, Columbia, MO 65201.

5. **Billing and Payment** - All billing shall be invoiced to the Boone County Public Works and billings may only include the prices listed in the vendor’s bid response. No additional fees for paper work processing, labor, or taxes shall be included as additional charges in excess of the charges in the Vendor’s bid response to the specifications. The County agrees to pay all invoices within thirty days of receipt. In the event of a billing dispute, the County reserves the right to withhold payment on the disputed amount; in the event the billing dispute is resolved in favor of the Vendor, the County agrees to pay interest at a rate of 9% per annum on disputed amounts withheld commencing from the last date that payment was due.

6. **Binding Effect** - This agreement shall be binding upon the parties hereto and their successors and assigns for so long as this agreement remains in full force and effect.

7. **Termination** - This agreement may be terminated by the County upon thirty days advance written notice for any of the following reasons or under any of the following circumstances:

- a. County may terminate this agreement due to material breach of any term or condition of this agreement, or
- b. County may terminate this agreement if in the opinion of the Boone County Commission if delivery of products are delayed or products delivered are not in conformity with bidding specifications or variances authorized by County, or
- c. If appropriations are not made available and budgeted for any calendar year.

107-2018

IN WITNESS WHEREOF the parties through their duly authorized representatives have executed this agreement on the day and year first above written.

MCLARTY CMFO, LLC
JOE MACHENS FORD LINCOLN

by Kelly Jells
title Fleet Mgr.

BOONE COUNTY, MISSOURI

by: Boone County Commission
Daniel K. Atwill
Daniel K. Atwill, Presiding Commissioner

APPROVED AS TO FORM:

B. Beckett
County Counselor

ATTEST:

Taylor W. Burks
Taylor W. Burks, County Clerk

AUDITOR CERTIFICATION

In accordance with RSMo 50.660, I hereby certify that a sufficient unencumbered appropriation balance exists and is available to satisfy the obligation(s) arising from this contract. (Note: Certification of this contract is not required if the terms of this contract do not create a measurable county obligation at this time.)

June E. Pitchford
Signature by ajd

2/14/18
Date

2040-92400 - \$51,599.70; 2040-92300 - \$5,400.60

Appropriation Account

STANDARD CONTRACT TERMS AND CONDITIONS - BOONE COUNTY, MISSOURI

1. Contractor shall comply with all applicable federal, state, and local laws and failure to do so, in County's sole discretion, shall give County the right to terminate this Contract.
2. Prices shall include all charges for packing, delivery, installation, etc., (unless otherwise specified) to the Boone County Department.
3. The Boone County Commission has the right to accept or reject any part or parts of all bids, to waive technicalities, and to accept the offer the County Commission considers the most advantageous to the County. Boone County reserves the right to award this bid on an item-by-item basis, or an "all or none" basis, whichever is in the best interest of the County. The Purchasing Director reserves the right, when only one bid has been received by the bid closing date, to delay the opening of bids to another date and time in order to revise specifications and/or establish further competition for the commodity or service required. The one (1) bid received will be retained unopened until the new Closing date, or at request of bidder, returned unopened for re-submittal at the new date and time of bid closing.
4. When products or materials of any particular producer or manufacturer are mentioned in our contracts, such products or materials are intended to be descriptive of type or quality and not restricted to those mentioned.
5. Do not include Federal Excise Tax or Sales and Use Taxes in billing, as law exempts the County from them.
6. The delivery date shall be stated in definite terms.
7. The County Commission reserves the right to cancel all or any part of orders if delivery is not made or work is not started as guaranteed. In case of delay, the Contractor must notify the Purchasing Department.
8. In case of default by the Contractor, the County of Boone will procure the articles or services from other sources and hold the Contractor responsible for any excess cost occasioned thereby.
9. Failure to deliver as guaranteed may disqualify Contractor from future bidding.
10. Prices must be as stated in units of quantity specified, and must be firm.
11. The County of Boone, Missouri expressly denies responsibility for, or ownership of any item purchased until same is delivered to the County and is accepted by the County.
12. The County reserves the right to award to one or multiple respondents. The County also reserves the right to not award any item or group of items if the services can be obtained from a state or other governmental entities contract under more favorable terms.
13. The County, from time to time, uses federal grant funds for the procurement of goods and services. Accordingly, the provider of goods and/or services shall comply with federal

laws, rules and regulations applicable to the funds used by the County for said procurement, and contract clauses required by the federal government in such circumstances are incorporated herein by reference. These clauses can generally be found in the Federal Transit Administration's Best Practices Procurement Manual – Appendix A. Any questions regarding the applicability of federal clauses to a particular bid should be directed to the Purchasing Department prior to bid opening.

14. In the event of a discrepancy between a unit price and an extended line item price, the unit price shall govern.
15. Should an audit of Contractor's invoices during the term of the Agreement, and any renewals thereof, indicate that the County has remitted payment on invoices that constitute an over-charging to the County above the pricing terms agreed to herein, the Contractor shall issue a refund check to the County for any over-charges within 30-days of being notified of the same.
16. **For all titled vehicles and equipment the dealer must use the actual delivery date to the County** on all transfer documents including the Certificate of Origin (COO,) Manufacturer's Statement of Origin (MSO,) Bill of Sale (BOS,) and Application for Title.
17. **Equipment and serial and model numbers** - The contractor is strongly encouraged to include equipment serial and model numbers for all amounts invoiced to the County. If equipment serial and model numbers are not provided on the face of the invoice, such information may be required by the County before issuing payment.

JOE MACHENS FORD LINCOLN

1911 W. Worley • Columbia, MO 65203 • (573) 445-4411 • (800) 745-4454 • www.machens.com

January 17, 2018

MoDOT Contract # 3-170105TV

Boone County

Subject: Joe Machens Proposal on a **2018 Ford F550 Crew Cab 4x4, 60" cab to axle, Item 14**

To: Whom it May Concern;

As per the requested quote on a 2018 Ford F550, Joe Machens Ford proposes the following. The 2018 Ford F550 includes the factory standard options. This proposed unit also has the standard options from the state contract and others as noted below.

Item #14 Price – Dealer Code – Option, Included Equipment

\$44,819 – 2018 Ford F550 (W5H)	Air Conditioning
Crew Cab	LH & RH Manual Mirrors
4 Wheel Drive	All Season Tires plus spare (512)
6.7L Diesel Engine (99T)	GVWR: Minimum 17,500 lbs.
Dual Rear Wheels	4 wheels disc brakes – ABS
60" cab to axle (179)	Cruise control and Tilt (525)
Standard Rear Axle	Vinyl Flooring & Vinyl Seats (AS)
Automatic Transmission	Back up Alarm (76C)

Optional equipment from state contract (Price – MoDot/Dealer Code – Option):

(-\$7,400) – 14BB/99Y – 6.8L V10 in lieu of Diesel
\$1,395 – 15Z/68M – 19,500 lb. Payload GVWR pkg (60" ca) (option 15Z from item 15)
\$332 – 14Y/X8L – 4.88 Limited Slip (req'd w/ 19,500 lb. pkg)
\$1,013 – 90L – Power Equipment Group (MSRP \$1,125)
\$243 – 52B – Trailer Brake Controller (Factory) (MSRP \$270)
\$50 – 61J – Jack (MSRP \$55)
\$0 – PQ – Exterior Color: Race Red
\$0 – DEL – Delivery

Optional equipment from kNAPHEIDE (Price – MoDot/Dealer Code – Option):

\$11,147.70 – KNAP1 – Bed/Equipment Install by Knapheide JC (see following pages for quote)
\$5,400.60 – KNAP2 – Plow/Controls Install by Knapheide JC (see following pages for quote)

Total

\$57,000.30

Joe Machens Ford appreciates your business and we look forward to servicing your needs in the future. Any questions should be directed to Kelly Sells, Fleet Department Manager.

Thanks,



Kelly Sells

Fleet Manager, Joe Machens Ford, 573-445-4411, ksells@machens.com



JM JOE MACHENS FORD LINCOLN

1911 W. Worley • Columbia, MO 65203 • (573) 445-4411 • (800) 745-4454 • www.machens.com

KNAPHEIDE

SINCE 1848

Knapheide Truck Equipment
 6603 Business 50 West
 Jefferson City MO 65109
 Phone: 573-893-5200
 Fax: 573-893-5344
 www.jeffcity.knapheide.com

QUOTATION

Quote ID: GH00000754

Page 1 of 3

Customer: BOONE COUNTY PUBLIC WORKS
 5551 S TOM BASS ROAD
 COLUMBIA MO 65201

Quote Number: GH00000754
 Quote Date: 7/12/2017
 Quote valid until: 2/28/2018


Contact: AP/MARY
 Phone: 573-449-8515
 Fax: 1-573-875-1602

By: Prepared ghamilton
 Salesperson: DAN RANABARGAR
 PO#:

Enduser:

Make: FORD	Model: F-550	Year: 2017	Single/Dual: DRW
Cab Type: EXTENDED	Wheelbase: 168.0	Cab-to-Axle: 60.0	VIN:

QTY	PART NUMBER	DESCRIPTION	UNIT PRICE	AMOUNT
1	KNAP PVMXT-93C	PVMXT-93C 180C TRDPLT. BLACK Overall length - - - - - 9'-3" Overall width - - - - - 95.75" Platform Floor - - - - - 125" treadplate Side rails - - - - - 5.88" 12 Ga. HS End Rail, front - - - - - 5.88" 12 Ga. HS Cross sills (18"spc.) - - 5.44" 11 Ga. HS formed Long sills (34"spc.) - - 5" structural channel Platform prime paint - - Complete immersion in electrodeposition gray epoxy primer. Undercoating - - - - - Complete undercoating Platform finish paint - Oven-cured black paint Platform lights - - - - - 11 rectangular, sealed Cushion strips - - - - - 2"x3" nom. dense ylw. pine Tapered rear skirt/rear end rail combination, 12Ga MODOT CONTRACT ITEM 14A 1	\$2,450.00	\$2,450.00
8	KNAP 77500932	STEEL FLOOR, 94&96 SERIES TREADPLATE 3/16" LIEU OF 1/8"	\$34.20	\$273.60
1	KNAP BHR4096C	BULKHEAD, 92" X 40", HEAVY DUTY WELD ON, RECT, PUNCH WINDOW, BLK	\$980.00	\$980.00
375	OUTS PAINT	PAINTING OF BULKHEAD WHERE WELDED ON AND SIDES OF PLATFORM	\$1.30	\$487.50
2	BOOM SRI2030F1W.1209	1/2" X 20" X 30" MUD FLAP	\$50.50	\$101.00
1	BUYE 400BZ	BRACKET ANTI-SAIL GALV for 20" 5pr/cs)	\$18.50	\$18.50
2	KNAP 85411585	FUEL FILL, PLATFORM PG/PVMX/PX	\$55.50	\$111.00
123	OUTS LINER	SPRAY ON LINE ON FLOOR, SIDES AND TOP OF TOOL BOXES BLACK IN COLOR	\$8.50	\$1,046.50
1	FILL FR1210GA	15 GPM 12V PUMP WITH HOSE W/ AUTOMATIC SHUTOFF MOUNTED ON RIGHT SIDE OF PLATFORM	\$752.30	\$752.30
1	JC STEEL	EXTEND FRAME FOR HITCH TO BE FLUSH WITH REAR OF PLATFORM LABOR INCLUDED	\$258.60	\$258.60
1	BUYE 1809061A	PLATE HITCH FORD 2-1/2 RECEIVER INSTALL HITCH AT VERY END OF FRAME	\$475.00	\$475.00
2	BUYE B40	D-RING 5/8 dia 3in X 3in FORGED W BRACKET	\$0.00	\$0.00
1	BUYE RTA252	ADAPTOR 2 5in / 2 0in RECEIVER	\$19.20	\$19.20
1	BUYE PH15	PINTLE HOOK DROP FORGED 15TON INSTALLED ABOVE TUBE IN	\$222.50	\$222.50



JM JOE MACHENS FORD LINCOLN

1911 W. Worley • Columbia, MO 65203 • (573) 445-4411 • (800) 745-4454 • www.machens.com

KNAPHEIDE
SINCE 1848

Knapheide Truck Equipment
6603 Business 50 West
Jefferson City MO 66109
Phone: 573-893-5200
Fax: 573-893-5344
www.jeffcity.knapheide.com

QUOTATION

Quote ID: GH00000754

Page 2 of 3

QTY	PART NUMBER	DESCRIPTION	UNIT PRICE	AMOUNT
		PLATE HITCH		
1	VELV 593083	7-WAY SOCKET WITH SOLID PINS INSTALLED IN REAR BED PANEL NOT HITCH CENTER PIN INSTALL HOT, BOTTOM CENTER	\$97.70	\$97.70
2	WIRE 14-7N-500	SEVEN CONDCT RND TRLR CABLE	\$4.80	\$9.60
4	BUYE B40	D-RING 5/8 dia3inX3in FORGED W BRACKET WELDED INTO FLOOR FOR SPREADER 2- BEHIND TRANSFER TANK 2- AT EDGE REAR OF BED	\$9.60	\$38.40
4	ALT F0604150	4.4" AMBER/WHITE SURFACE MOUNT 2- MOUNTED IN CORNERS OF THE BULKHEAD ON BACK SIDE 2- MOUNTED IN CORNERS OF THE BULKHEAD ON FRONT SIDE	\$124.00	\$496.00
1	ECCO 5580CA	15" LED MINIBAR MINIBAR AND STROBE LIGHTS WIRED TO SWITCH IN CAB OF TRUCK	\$343.80	\$343.80
35	WIRE 14-2D-100	TWO CONDCTR DUPLEX FL/OUTR JKT FOR STROBE LIGHTS	\$0.50	\$17.50
1	BUYE 5201005	MOUNT WATER COOLER 5 GAL WHITE TO TOP OF TOOL BOX (LEFT SIDE)	\$81.20	\$81.20
1	KN 359-3-01	50 GALLON STEEL TRANSFER TANK	\$571.70	\$571.70
3	STEE F1/2X4	1/2" X 4" FLAT STEEL INSTALLED BEHIND PLATE FOR BRACING PINTLE HITCH	\$6.60	\$19.80
1	KN 1920	RECTANGLE BASE FOR ECCO 5580CA	\$49.00	\$49.00
2	KN 297-3-02	WEATHER GUARD TOOL BOX 96 1/4" LONG 24" TALL 16 1/4" WIDE WHITE IN COLOR MOUNTED TO THE EDGE TO WHERE THE DOOR CAN FOLD DOWN WITHOUT INTERFERENCE OF THE PLATFORM	\$1,055.40	\$2,110.80
1	STEE A11/2X11/2X1/4	ANGLE IRON TO HOLD SIGNS MOUNTED ON SIDE OF TOOL BOX ON RIGHT SIDE	\$117.50	\$117.50

Quote Total: \$11,147.70

Discount: \$0.00

Total Due(Sales tax not included): \$11,147.70

The following options may be added:

QUANTITY	DESCRIPTION	PRICE EACH	AMOUNT	ADD TO QUOTE
				Yes / No

Customer must fill out the information below before the order can be processed...

Accepted by:	
Date:	
P.O. number:	



JM JOE MACHENS FORD LINCOLN

1911 W. Worley • Columbia, MO 65203 • (573) 445-4411 • (800) 745-4454 • www.machens.com

KNAPHEIDE
SINCE 1848

Knapheide Truck Equipment
6603 Business 60 West
Jefferson City MO 65109
Phone: 573-893-5200
Fax: 573-893-5344
www.jeffcity.knapheide.com

QUOTATION

Quote ID: GH00000754

Page 3 of 3

- ◆ Terms are Due Upon Receipt unless prior credit arrangements are made at the time of order.
- ◆ Options and Quoted Items do NOT include applicable Sales Tax.
- ◆ If a pool chassis is being held that is associated with this quotation, the pool truck will be held for a maximum of 72 hours from the time of this quotation.

Notes:

*****INSTALLED PRICING *****



JM JOE MACHENS FORD LINCOLN

1911 W. Worley • Columbia, MO 65203 • (573) 445-4411 • (800) 745-4454 • www.machens.com

KNAPHEIDE
SINCE 1848

Knapheide Truck Equipment
6603 Business 60 West
Jefferson City MO 65109
Phone: 573-893-5200
Fax: 573-893-5344
www.jeffcity.knapheide.com

QUOTATION

Quote ID: GH00001179

Page 1 of 2

Customer: BOONE COUNTY PUBLIC WORKS
5551 S TOM BASS ROAD
COLUMBIA MO 65201

Quote Number: GH00001179
Quote Date: 1/29/2018
Quote valid until: 2/28/2018

Contact: AP/MARY
Phone: 573-449-8515
Fax: 1-573-875-1602

By: Prepared ghamilton
Salesperson: DAN RANABARGAR
PO#:

Enduser:

Make:	Model:	Year:	Single/Dual:
Cab Type:	Wheelbase:	Cab-to-Axle:	VIN:

QTY	PART NUMBER	DESCRIPTION	UNIT PRICE	AMOUNT
1	WS 72308	BLADE ASSEMBLY 8.5 PRO S W/QUAD PER MODOT CONTRACT: RFB 3-170105TV UNDER SNOW REMOVAL TAB INSTALLED PRICE	\$5,309.00	\$5,309.00
1	WS 31270	MOUNT KIT FOR 2017 FORD S-DUTY F250-F-350	\$0.00	\$0.00
1	WS 75200-1	BIG BOX WITH NEW 38800 LIGHT KIT	\$0.00	\$0.00
1	WS 73973	HEADLIGHT HARNESS KIT FOR H-13 QUAD HEADLIGHTS	\$0.00	\$0.00
1	WS 69826-1	RELAY HARNESS FOR HBE/H11 HEAD LIGHT ON 13 DODGE	\$0.00	\$0.00
1	WS 29760-2	UPDATED SOFT START MODULE	\$0.00	\$0.00
1	WS 96500	MULTI-POSITION PLOW HH CONTROL PLOW WIDE OUT OR MVP	\$0.00	\$0.00
1	GOOD 03220110424S	SNW DEFL. 3/8"X 10"WIDE X 10' CUT TO FIT ON LENGTH	\$83.10	\$83.10
1	STEI 8'6" DEF. STRIP	DEFLECTOR STRIP FOR 8'6" PLOW	\$8.50	\$8.50

Quote Total: \$5,400.60

Discount: \$0.00

Total Due(Sales tax not included): \$5,400.60

The following options may be added:

QUANTITY	DESCRIPTION	PRICE EACH	AMOUNT	ADD TO QUOTE
				Yes / No

Customer must fill out the information below before the order can be processed...

Accepted by:	
Date:	
P.O. number:	

◆ Terms are Due Upon Receipt unless prior credit arrangements are made at the time of order.



JOE MACHENS FORD LINCOLN

1911 W. Worley • Columbia, MO 65203 • (573) 445-4411 • (800) 745-4454 • www.machens.com

KNAPHEIDE
SINCE 1848

Knapheide Truck Equipment
6603 Business 50 West
Jefferson City MO 65109
Phone: 573-893-5200
Fax: 573-893-5344
www.jeffcity.knapheide.com

QUOTATION

Quote ID: GH00001179

Page 2 of 2

- ◆ Options and Quoted Items do NOT include applicable Sales Tax.
- ◆ If a pool chassis is being held that is associated with this quotation, the pool truck will be held for a maximum of 72 hours from the time of this quotation.

Notes:

****INSTALLED PRICING****



LINCOLN

Broadway Ford with Knapheide	Broadway Ford with Kranz	Broadway Ford with Knapheide
CAPACITIES & PRICES	CAPACITIES & PRICES	
FORD	FORD	
18,000	18,000	
N/A	N/A	
No	No	
6.7L	6.7L	
225R19.5	225R19.5	
\$ 39,851.00	\$ 39,851.00	\$
\$ 42,426.00	\$ 42,426.00	\$
\$2725.00		
\$3125.00	3,240.00	\$
\$ 6,850.00	\$ 7,530.00	\$
\$ 5,285.00	\$ 6,470.00	\$
\$ 10,150.00	\$ 7,130.00	\$
\$ 980.00	610.00 Steel	\$
\$ 1,392.00	12970.00 Hot Shift \$650.00 Add \$250.00 For Gas Engine	\$12,611.21 \$12,400.00
\$ 10,697.00	\$ 11,600.00	\$11,611.21 \$11,211.00
\$ 575.00	\$ 2,410.00	\$
\$ 7,590.00	N/A	\$
	\$ 15,225.00	
\$ 2,065.00	\$ 890.00	\$
\$ 775.00	\$ 617.00	\$
\$ 870.00	1270.00 Per Side Fiberglass	\$
\$ 4,626.00	4370.00 Fiberglass	\$
\$ 2,985.00	\$1,615.00 Fiberglass	\$
\$ 980.00	N/A	\$
\$ 1,049.00	\$ 1,230.00	\$
\$ 550.00	\$ 1,120.00	\$
\$ 675.00	\$ 970.00	\$695.00 \$833.00 f
\$ 670.00	\$800.00 extra	\$1,069.00 \$1,649.00
\$ 257.00	\$ 257.00	\$
\$ 295.00	\$ 295.00	\$
\$ 332.00	\$ 332.00	\$

Vendor:	Joe Machens Ford with Knapheide
CAPACITIES & PRICES	CAPACITIES & PRICES
MAKE/MODEL	Ford F550 Regular Chassis
GVWR	18,000
GAS MPG	N/A
CITY / HWY	No
E-85 Compatible (Y/N)	No
Engine Size/HP	6.7L V8 Diesel 330 (HP) 750 (Torque)
Tire Size	225/70R19.5G BSW - 4x2
BASE PRICE	\$ 39,197.00
2WD/84" CA/DRW/17,500	
BASE PRICE	\$ 41,662.00
4WD/84" CA/DRW/17,500	
OPTION 15A 1	\$2725.00
Mounted 12' platform body meeting Specification E1320DRW	\$3125.00
OPTION 15A 2	
Mounted 12' aluminum platform body meeting Specification E1320DRW	\$ 6,850.00
OPTION 15B 1	
Mounted 11' platform dump body meeting Specification E1327	\$ 5,285.00
OPTION 15B 2	
Mounted 11' aluminum platform dump body meeting Specification E1327	\$ 10,150.00
OPTION 15C	\$ 980.00
Permanently installed bulkhead	
OPTION 15D	\$ 11,392.00
Provide live hydraulics with under hood clutch pump	
OPTION 15E	\$ 10,697.00
Hydraulic system	
OPTION 15F	\$ 575.00
Provide hydraulics and controls	
OPTION 15G	\$ 7,590.00
Mounted standard utility tool body	
OPTION 15H	N/A
Mounted fiberglass composite utility tool body	
OPTION 15I	\$ 2,065.00
Free sliding tool drawers	
OPTION 15J	\$ 775.00
free sliding tool trays with metal dividers	
OPTION 15K	\$ 870.00
Flip top for Utility Body	
OPTION 15L	\$ 4,626.00
High panel extension cover	
OPTION 15M	\$ 2,985.00
steel telescopic sliding roof and endgate cover	
OPTION 15N	\$ 980.00
Release Telescopic Roof	
OPTION 15O	\$ 1,049.00
Crane mount	
OPTION 15P	\$ 550.00
Double bottle gas drop	
OPTION 15Q	\$ 675.00
Receiver trailer hitch	
OPTION 15R	\$874 = pick up \$695 = knap
Ext. Color Highway Yellow	
OPTION 15S	\$ 257.00
Automatic transmission power take-off provision	
OPTION 15T	\$ 295.00
Cab steps or running boards	
OPTION 15U	N/A
Optional Rear Axle Ratio	
OPTION 15V	\$ 332.00
Limited Slip Rear Axle	

	\$ 680.00	\$1,41
\$ 588.00	\$ 588.00	\$
\$ 138.00	\$ 138.00	\$
\$ 1,395.00	\$ 1,395.00	\$
\$ (7,991.00)	\$ (7,991.00)	\$
15%	15%	
150	150	

OPTION 15W Commercial grade spray on bed lining		N/A
OPTION 15X Bluetooth Capability	\$	336.00
OPTION 15Y Additional set of keys	\$	220.00
OPTION 15Z 19,000 GVWR Package in lieu of the 17,500 GVWR	\$	1,395.00
OPTION 15AA Standard gasoline engine with the highest cooling capacity in lieu of diesel engine	\$	(7,400.00)
% of Discount Off MSRP		5%
STD ARO (DAYS)		90-120 days

Missouri Department of Transportation
RFB 3-170105TV Medium Duty Vehicle
1st Renewal - Multiple Award
ITEM # 14 - New standard equipped 201

Broadway Ford with Knaphelde	Broadway Ford with Krenz
CAPACITIES & PRICES	CAPACITIES & PRICES
FORD	FORD
18,000	18,000
N/A	N/A
No	No
6.7L	6.7L
225R19.5	225R19.5
\$ 42,466.00	\$ 42,466.00
\$ 45,571.00	\$ 45,571.00
\$2450.00	\$ 2,900.00
\$2865.00	
\$ 5,900.00	3590.00 Bulkhead Included
\$ 4,775.00	\$ 6,030.00
\$ 9,200.00	\$ 8,840.00
\$ 7,175.00	\$ 7,200.00
\$ 10,100.00	\$ 11,320.00
\$ 980.00	\$610.00 steel
\$ 11,392.00	12970.00 Hot Shift 5650.00 Add \$250.00 For Gas Engine
\$ 10,697.00	\$ 11,600.00
\$ 575.00	\$ 2,410.00
\$ 6,385.00	N/A
	\$ 13,675.00
\$ 2,065.00	\$ 890.00
\$ 775.00	\$ 617.00
\$ 680.00	\$1,020.00 Per Side Fiberglass
\$ 680.00	\$ 650.00
\$ 550.00	\$ 1,120.00
\$ 3,850.00	3970.00 Steel or Fiberglass
\$ 2,850.00	1460.00 Fiberglass
\$ 635.00	N/A
\$ 1,049.00	\$ 1,230.00
\$ 695.00	\$ 600.00
\$ 675.00	\$ 970.00
\$ 680.00	\$800.00 extra
\$ 257.00	\$ 257.00
\$ 295.00	\$ 295.00
\$ 332.00	\$ 332.00
\$ 589.00	\$ 589.00
\$ 138.00	\$ 138.00
\$ (8,101.00)	\$ (8,101.00)
15%	15%
150	150

Vendor:	Joe Machens Ford with Knaphelde
	CAPACITIES & PRICES
MAKE/MODEL	Ford F550 Crew Chassis
GVWR	18,000
GAS MPG	N/A
CITY / HWY	N/A
E-85 Compatible (Y/N)	No
Engine Size/HP	6.7L V8 Diesel 330 (HP) 750 (Torque)
Tire Size	225/70R19.5G BSW - 4x2
BASE PRICE - 2WD/60" CA/DRW/17,500/CREW	\$ 41,748.00
BASE PRICE - 4WD/60" CA/DRW/17,500/CREW	\$ 44,819.00
OPTION 14A 1 Mounted 9' platform body meeting Specification E1320DRW	\$2450.00 \$2865.00
OPTION 14A 2 Mounted 9' aluminum platform body meeting Specification E1320DRW	\$ 5,900.00
OPTION 14B 1 Mounted 9' platform dump body meeting Specification E1327	\$ 4,775.00
OPTION 14B 2 Mounted 9' aluminum platform dump body meeting Specification E1327	N/A
OPTION 14C 1 Mounted 9' dump body meeting Specification E1335	\$ 7,175.00
OPTION 14C 2 Mounted 9' aluminum dump body meeting Specification E1335-ALUM	\$ 10,100.00
OPTION 14D Permanently installed bulkhead	\$ 980.00
OPTION 14E Provide live hydraulics with under hood clutch pump	\$ 11,392.00
OPTION 14F Hydraulic system	\$ 10,697.00
OPTION 14G Provide hydraulics and controls	\$ 575.00
OPTION 14H Mounted standard utility tool body	\$ 6,385.00
OPTION 14I Mounted fiberglass composite utility tool body	N/A
OPTION 14J Free sliding tool drawers	\$ 2,065.00
OPTION 14K free sliding tool trays with metal dividers	\$ 775.00
OPTION 14L Flip top for Utility Body	\$ 680.00
OPTION 14M Top opening compartment	\$ 680.00
OPTION 14N Bottle gas drop well and retainers	\$ 550.00
OPTION 14O High panel extension cover	\$ 3,850.00
OPTION 14P Tempered steel telescopic sliding roof and endgate cover	\$ 2,850.00
OPTION 14Q Raise Telescopic Roof	\$ 635.00
OPTION 14R Crane mount	\$ 1,049.00
OPTION 14S Commercial grade spray on bed lining	\$ 695.00
OPTION 14T Receiver trailer hitch	\$ 675.00
OPTION 14U Ext. Color Highway Yellow	\$874 = pick up \$680 = knap
OPTION 14V Automatic transmission power take-off provision	\$ 257.00
OPTION 14W 2 cab steps	\$ 409.00
OPTION 14X Optional Rear Axle Ratio	N/A
OPTION 14Y Limited slip rear axle	\$ 332.00
OPTION 14Z Bluetooth Capability	\$ 338.00
OPTION 14AA Additional set of keys	\$ 220.00
OPTION 14BB Standard gasoline engine in lieu of diesel engine	\$ (7,400.00)
% of Discount Off MSRP	5%
STD ARO (DAYS)	90-120 days

Joe Mackey

	\$ 680.00	\$1,49
\$ 589.00	\$ 589.00	\$
\$ 138.00	\$ 138.00	\$
\$ 1,395.00	\$ 1,395.00	\$
\$ (7,991.00)	\$ (7,991.00)	\$
15%	15%	
150	150	

OPTION 15W Commercial grade spray on bed lining		N/A
OPTION 15X Bluetooth Capability	\$	336.00
OPTION 15Y Additional set of keys	\$	220.00
OPTION 15Z 19,000 GVWR Package in lieu of the 17,500 GVWR	\$	1,395.00
OPTION 15AA Standard gasoline engine with the highest cooling capacity in lieu of diesel engine	\$	(7,400.00)
% of Discount Off MSRP		5%
STD. ARO (DAYS)		90-120 days

152

Missouri Department of Transportation
RFB 3-170105TV Medium Duty Vehicles
Multiple Award

ITEM # 1 - New standard equipped 2017 or Newer Model Regular Cab ¾ Ton Pickup

	CAPACITIES & PRICES	ADDITIONAL INFORMATION
MAKE/MODEL		
GVWR		
GAS MPG CITY / HWY		
E-85 Compatible (Y/N)		
Engine Size/HP		
Tire Size		
Bed Length		
BASE PRICE 2WD/8' BOX		
BASE PRICE 4WD/8' BOX		
OPTION 1A Ext. Color Highway Yellow	\$670.00	FOR 96" SERVICE BODY
OPTION 1B 2 Full length cab steps or running boards		
OPTION 1C Bluetooth Capability		
OPTION 1D Optional Rear Axle Ratio		Axle Ratio:
OPTION 1E Limited Slip Rear Axle		Axle Ratio:
OPTION 1F Commercial grade spray on bed lining	\$565.00	FOR 96" SERVICE BODY
OPTION 1G Bed/Tow Package delete		DEDUCT
OPTION 1H Receiver trailer hitch	\$675.00	CLASS V RECIEVER HITCH WITH 2" REDUCER & 5/8" PULL PIN & OEM 7 WIRE PLUG & ELECTRIC BRAKE CONTROLLER
OPTION 1 I 1 Mounted 8' platform	\$2,595.00	Make: Knapheide Model: PVMXT-838C
OPTION 1 I 2 Mounted 8' aluminum platform	\$5,400.00	Make: AlumiLine Model: E-1320 56"CA SRW BULKHEAD INCLUDED
OPTION 1J Permanently installed bulkhead	\$500.00	RECTANGULAR STYLE WITH GUSSETS & WINDOW BHG3580C ON STEEL PLATFORMS ONLY
OPTION 1K Mounted standard utility tool body	\$5,865.00	Make: Knapheide Model: 696
OPTION 1L Mounted fiberglass composite utility tool body		Make: Model:
OPTION 1M Utility tool body 3 section	\$2,300.00	3 PIECE TELESCOPIC SLIDING ROOF TO PROTECT CARGO AREA
OPTION 1N Additional set of keys		
OPTION 1O Auxiliary Upfitter Switches		
OPTION 1P Standard diesel engine in lieu of gasoline engine		Size: Horsepower:
% of Discount		0
STD ARG (DAYS)		30 to 45 days after receipt of chassis

2006

Joe Machens Ford Lincoln

T NAME: Kelly Sells
S LINE: 1911 W. Worley
S LINE: Columbia, MO 65203
PHONE: 573-445-4411
CELL PHONE: N/A
ADDRESS: ksells@machens.com
ACTIVE: YES

Lou Fusz Ford

T NAME: Tom Biehle
S LINE: # 2 Caprice Drive
S LINE: Chesterfield, MO 63005
PHONE: 636-532-9955
CELL PHONE: 314-581-9711
ADDRESS: tom.biehle@fusz.com
ACTIVE: YES

Putnam Chevrolet

T NAME: Beth Tuttle
S LINE: 31304 Highway 87 - PO Box 168
S LINE: California, MO 65018
PHONE: 573-796-2131
CELL PHONE: 573-469-1908
ADDRESS: beth@putnamchevrolet.com
ACTIVE/FOB: YES / \$300 to deliver anywhere in the state

Roberts Auto Plaza / Roberts Chevrolet

T NAME: Dean J Meier
S LINE: 1600 E Prairie View Road - PO Box 470
S LINE: Platte City, MO 64079
PHONE: 816-858-3200
CELL PHONE: 816-564-9678
ADDRESS: fleet@robortscb.com
ACTIVE: YES

WK Chevrolet

T NAME: Kyle D Weymuth
S LINE: 3310 W. Broadway Blvd
S LINE: Sedalia, MO 65301
PHONE: 660-826-8320
CELL PHONE: 660-221-3502
ADDRESS: kyle.weymuth@wkwfamily.com
ACTIVE: YES

ment of Transportation

√ Medium Duty Vehicles

Multiple Award

2018 - 2019 Model Year

ENDORERS

NAME: Kahn
CONTACT NAME: Allen Lane
ADDRESS LINE: 420 E. Carrie Avenue
ADDRESS LINE: St. Louis, MO 63147
TELEPHONE: 314-771-6666
CELLULAR PHONE: N/A
EMAIL ADDRESS: info@cstk.com / alane@cstk.com
COOPERATIVE: YES

NAME: Knapheide Truck Equipment
CONTACT NAME: Art Greenbank
ADDRESS LINE: Jefferson City, MO
TELEPHONE: 573-893-6200
COOPERATIVE: Yes

NAME: Knapheide Truck Equipment
CONTACT NAME: Richard Pioch
ADDRESS LINE: Quincy, IL
TELEPHONE: 217-592-5155
COOPERATIVE: Yes

NAME: Midwest Systems Truck Equipment
CONTACT NAME: Jim Rogers
ADDRESS LINE: 600 Harris Ave
ADDRESS LINE: St. Louis, MO 63147
TELEPHONE: 314-389-7705
CELLULAR PHONE: N/A
EMAIL ADDRESS: jrogers@mstestl.com
COOPERATIVE: YES

NAME: Woody's Municipal Supply Co.
CONTACT NAME: Steve Stahlhot
ADDRESS LINE: PO Box 432
ADDRESS LINE: Edwardsville, Illinois 62025

BID FORM

MAILING ADDRESS:
MISSOURI DEPARTMENT OF TRANSPORTATION
GENERAL SERVICES, P.O. BOX 270
JEFFERSON CITY, MO 65102

REQUEST NO.	3-170105TV
DATE	December 15, 2016

SEALED BIDS, SUBJECT TO THE ATTACHED CONDITIONS WILL BE RECEIVED AT THIS OFFICE UNTIL

1:00 pm., Local Time, January 5, 2017

AND THEN PUBLICLY OPENED AND READ FOR FURNISHING THE FOLLOWING EQUIPMENT.

BIDS TO BE BASED F.O.B. MISSOURI DEPARTMENT OF TRANSPORTATION

Submit net bid as cash discount stipulations will not be considered
Various End User Delivery Locations

DEFINITE DELIVERY DATE SHOULD BE SHOWN. THE BIDDER MUST SIGN AND RETURN BEFORE DATE AND TIME SET FOR OPENING.

BUYER: Tom Veasman
BUYER EMAIL:
tom.veasman@modot.mo.gov

BUYER TELEPHONE: 573-522-4404

MEDIUM DUTY VEHICLES

This Request For Bid seeks bids from qualified organizations to provide vehicles in accordance with the following pages. MoDOT will receive bids at the following mailing address: P.O. Box 270, Jefferson City, MO 65102-0270, or hand-delivered in a sealed envelope to the following **physical address: General Services Procurement at 830 MoDOT Drive, Jefferson City, MO 65109** until 1:00 p.m., January 5, 2017. Bid forms and information may be obtained by contacting Tom Veasman at 573-522-4404, tom.veasman@modot.mo.gov, or electronically download them at:

<http://www.modot.org/business/surplus/Fleet%20Buyers%20Web%20Page/LightDutyTrucks.htm>

Components of Agreement: The Agreement between MHTC and the successful Bidder(s) shall consist of: the RFB and any written amendments thereto, the "Standard Bid Provisions, General Terms and Conditions and Special Terms and Conditions" that are attached to this RFB and the bid submitted by the Bidder in response to the RFB. However, MHTC reserves the right to clarify any relationship in writing and such written clarification shall govern in case of conflict with the applicable requirements stated in the RFB or the Bidder's bid. The Bidder is cautioned that its bid shall be subject to acceptance by MHTC without further clarification.

Return sealed bids to the address shown at the top of this page to the attention of the buyer. Submission of bids to the above mailing address must go through MoDOT's mail room and will require additional time to arrive at 830 MoDOT Drive.

(SEE ATTACHED FOR TERMS, CONDITIONS, AND INSTRUCTIONS)

In compliance with the above Request For Bid, and subject to all conditions thereof, the undersigned bidder agrees to furnish and deliver any or all the items on which prices were bid within the timeframe specified herein, after receipt of formal purchase order.

Date: _____
Telephone No.: _____
Fax No.: _____
Federal I.D. No. _____
Email Address: _____

Firm Name: _____
Address: _____
By (Signature): _____
Type/Print Name _____

Is your firm MBE certified? Yes No

Title: _____
Is your firm WBE certified? Yes No

1. INTRODUCTION AND GENERAL INFORMATION

1.1 Introduction:

- 1.1.1 This Request for Bid (RFB) seeks bids from qualified organizations to provide **Medium Duty Vehicles** to the Missouri Highways and Transportation Commission (MHTC), acting by and through its operating arm, the Missouri Department of Transportation (MoDOT). Each bid must be in a sealed envelope, be mailed or delivered by courier to the RFB Coordinator at the below listed address, on or before the date and time listed herein for receipt of bids/proposals. All questions regarding the RFB shall be submitted to the RFB Coordinator. **Bids must be returned to the office of the RFB Coordinator no later than 1:00 p.m. Local Time, January 5, 2017.**

RFB COORDINATOR:

Tom Veasman, Senior General Services Specialist

MAILING ADDRESS:

**Missouri Department of Transportation
P. O. Box 270
Jefferson City, MO 65102
Attn: Tom Veasman**

PHYSICAL ADDRESS:

**Missouri Department of Transportation
General Services Division
830 MoDOT Drive
Jefferson City, MO 65109**

Note that submission of bids to the above **mailing address** must go through MoDOT's mail room and will require additional time to arrive at 830 MoDOT Drive.

PHONE: 573-522-4404

FAX: 573-526-6948

1.2 General Information:

- 1.2.1 This document constitutes an invitation for competitive, sealed bids for the procurement of **Medium Duty Vehicles** as set forth herein.
- 1.2.2 Organization: This RFB is divided into the following parts:
- 1) Introduction and General Information
 - 2) Scope of Work
 - 3) Bid Submission
 - 4) Pricing Pages
 - 5) Vendor Information and Preference Certification Form
 - 6) Notice Of Cooperative Purchasing
 - 7) Terms and Conditions
 - 8) Pricing Entry Sheets (EXCEL Spreadsheet – Separate attachment)

2. SCOPE OF WORK

2.1 General Requirements:

- 2.1.1 The bidder shall provide **Medium Duty Vehicles** on an as needed, if needed basis for MoDOT, in accordance with the provisions and requirements stated herein.
 - 2.1.2 The bidder shall provide all deliverables to the sole satisfaction of MoDOT.
 - 2.1.3 MoDOT does not guarantee that any unit(s) will be ordered.
 - 2.1.4 Unless otherwise specified herein, the bidder shall furnish all material, labor, facilities, equipment, and supplies necessary to provide the deliverables required herein.
 - 2.1.5 MoDOT reserves the right to reject any or all bids, and to accept or reject any items thereon, and to waive technicalities. In case of error in the extension of prices in the bid, unit prices will govern.
- 2.2 Required Specifications:** All vehicle bids must comply with the attached MoDOT Specifications, and any other provisions outlined in the solicitation documents. Any deviation from these specifications must be indicated for review, or else bid may be considered non-responsive.

2.3 Delivery Requirements:

- 2.3.1 The following delivery requirements shall apply:
 - a. Unless otherwise specified on the solicitation documents or purchase order, suppliers shall give at least 24 hours advance notice of each delivery. Delivery will only be received between the hours of 8:00 a.m. to 3:00 p.m., Monday through Friday. No vehicles will be received on Saturday, Sunday or state holidays.
 - b. The prices bid herein include the delivery cost of the unit. The bidder agrees to pay all transportation charges on the material as FOB - Destination. Freight costs must be included in the unit price bid and not listed as a separate line item.
 - c. Any demurrage is to be paid by the Contractor direct to the railroad or carrier.
- 2.3.2 The contractor shall deliver the products specified herein to the following MoDOT locations:
 - a. St. Joseph, Missouri 64502
 - b. Macon, Missouri 63552
 - c. Hannibal, Missouri 63401
 - d. Lee's Summit, Missouri 64064-8002
 - e. Jefferson City, Missouri 65102
 - f. Chesterfield, Missouri 63017-5712
 - g. Joplin, Missouri 64802
 - h. Springfield, Missouri 65801
 - i. Willow Springs, Missouri 65793
 - j. Sikeston, Missouri 63801
 - k. Other district locations as may be required

2.4 Invoicing and Payment Requirements:

- 2.4.1 Contractor – A successful Bidder to whom a contract is awarded.
- 2.4.2 The contractor shall submit an itemized invoice to the applicable requesting address for the completion of deliverables, as specified herein.
- 2.4.3 Each invoice should be itemized in accordance with items listed on the purchase order. The statewide financial management system has been designed to capture certain receipt and payment information. Therefore, each invoice submitted must reference the purchase order number and must be itemized in accordance with items listed on the purchase order. Failure to comply with this requirement may delay processing of invoices for payment.
- 2.4.4 The contractor shall be paid in accordance with the prices stated on the pricing pages of this document after completion of deliverables specified herein and acceptance by MoDOT.
- 2.4.5 Other than the payment specified above, no other payments or reimbursements shall be made to the contractor for any reason whatsoever.
- 2.4.6 Unless otherwise provided for in the solicitation documents, payment for all equipment, supplies, and/or services required herein shall be made in arrears. MoDOT shall not make any advance deposits.
- 2.4.7 MoDOT assumes no obligation for equipment, supplies, and/or services shipped or provided in excess of the quantity ordered. Any unauthorized quantity is subject to MoDOT's rejection and shall be returned at the contractor's expense.
- 2.4.8 MoDOT reserves the right to purchase goods and services using the state-purchasing card.

2.5 Other Award Requirements:

- 2.5.1 Date of Award – The date for which the Bid Tabulation is posted to the MoDOT public website.
- 2.5.2 Original Contract Period – The contract period shall commence from the date of award until the end of the 2017 model year.
- 2.5.3 Renewal Periods – MoDOT has the right, at its sole option and in its sole discretion, to extend the contract period for up to two (2) additional one-year periods, or any portion therein. If the option for renewal is exercised by MoDOT, the bidder shall agree to all terms and conditions of the RFB and all subsequent amendments.
- 2.5.4 Escalation Clause - In the event the contractor requests a price increase during the original contract period or any contract renewal period, the contractor must provide a written request and documentation justifying the need for a price increase, and the amount of such price increase. MoDOT will review the contractor's written request and documentation, and decide if a price increase is to be granted at that particular time. The contractor shall understand and agree that MoDOT's decision shall be final and without recourse.
 - a. No price increase shall be granted during the first 3 months of the original contract period, or if applicable, the first 3 months of a contract renewal period.
 - b. In the event a price increase is granted due to an approved escalation, the renewal percentage shall be based upon the current award value.
- 2.5.5 Inspection and Acceptance: MoDOT reserves the right to inspect the unit at the point of manufacture, intermediate storage point, or at a destination which shall be at the discretion of MoDOT.

- a. No equipment, supplies, and/or services received by MoDOT pursuant to an award shall be deemed accepted until MoDOT has had reasonable opportunity to inspect said equipment, supplies, and/or services.
- b. All equipment, supplies, and/or services which do not comply with the specifications and/or requirements or which are otherwise unacceptable or defective may be rejected. In addition, all equipment, supplies, and/or services which are discovered to be defective or which do not conform to any warranty of the contractor upon inspection (or at any later time if the defects contained were not reasonably ascertainable upon the initial inspection) may be rejected.
- c. MoDOT reserves the right to return any such rejected shipment at the contractor's expense for full credit or replacement and to specify a reasonable date by which replacements must be received.
- d. MoDOT's right to reject any unacceptable equipment, supplies, and/or services shall not exclude any other legal or equitable remedies that MoDOT may have.

2.5.6 Net Delivered Price - the unit(s) shall be delivered complete and ready for use to the delivery destinations.

2.6 Diesel Fuel Requirements: In accordance with RSMo 414.365, MoDOT must use fuel with at least the biodiesel content of B-20. (<http://www.moga.mo.gov/statutes/C400-499/4140000365.htm>) By submitting a response to this bid, you agree to comply with all the terms of your company's standard equipment warranties, except to the extent the equipment problems are determined to be attributed to MoDOT's use of B-20 fuel.

3. BID SUBMISSION

3.1 Bid Submission Information:

3.1.1 All bids must be received in a sealed envelope/packaging clearly marked "**3-170105TV Medium Duty Vehicles**". All bids must be received at the office of the RFB Coordinator as outlined in Section 1. "INTRODUCTION AND GENERAL INFORMATION".

3.1.2 **In addition to a hard copy of the Pricing Sheets, bid pricing should be submitted electronically on a flash drive or CD using the EXCEL spreadsheet (Pricing Entry Sheets) provided on the website for this bid. A copy of the Pricing Entry Sheets will suffice as a hardcopy.**

3.1.3 The bidder may withdraw, modify or correct his/her bid after it has been deposited with MoDOT provided such request is submitted in writing and received at the location designated for the bid opening prior to the date and time specified for opening bids. Such a request received as specified will be attached to the bid and the bid will be considered to have been modified accordingly. No bid may be modified after the date and time specified for the opening of bids.

3.1.4 Open Competition / Request For Bid Document:

- a. It shall be the bidder's responsibility to ask questions, request changes or clarification, or otherwise advise MoDOT if any language, specifications or requirements of an RFB appear to be ambiguous, contradictory, and/or arbitrary, or appears to inadvertently restrict or limit the requirements stated in the RFB to a single source. Any and all communication from bidders regarding specifications, requirements, competitive bid process, etc., must be directed to the buyer from MoDOT, unless the RFB specifically refers the bidder to another contact. Such communication should be received at least three (3) working days prior to the official bid opening date.

- b. Every attempt shall be made to ensure that the bidder receives an adequate and prompt response. However, in order to maintain a fair and equitable bid process, all bidders will be advised, via the issuance of an amendment to the RFB, of any relevant or pertinent information related to the procurement. Therefore, bidders are advised that unless specified elsewhere in the RFB, any questions received less than three (3) working days prior to the RFB opening date may not be answered.
- c. Bidders are cautioned that the only official position of the MoDOT is that which is issued by MoDOT in the RFB or an amendment thereto. No other means of communication, whether oral or written, shall be construed as a formal or official response or statement.
- d. MoDOT monitors all procurement activities to detect any possibility of deliberate restraint of competition, collusion among bidders, price-fixing by bidders, or any other anticompetitive conduct by bidders which appears to violate state and federal antitrust laws. Any suspected violation shall be referred to the Missouri Attorney General's Office for appropriate action.

3.1.5 Award:

This is a Multiple Award bid and there will be no 'one' bidder awarded each item within this bid. Each individual delivery destination will have sole responsibility and discretion for all purchasing decisions. After award, Districts shall use the following evaluation criteria to determine the awarded contract that would provide the "lowest and best" equipment purchase option:

- a. Base and Options Costs 50 Points
- b. Warranty Coverage/Unit Features that Improve Performance, Strength, Reliability & Longevity 20 Points
- c. Location of Parts and Servicing Dealers and their Past Performance 20 Points
- d. Delivery Timeline 5 Points
- e. Other response information 5 Points

3.1.6 Cost Evaluation:

The evaluation of base and options costs will be conducted using a scale of fifty (50) possible points based upon the following formula:

$$\frac{\text{Lowest Responsive Price}}{\text{Price of Bidder Being Evaluated}} \times 50 = \text{Points Awarded to Bidder Being Evaluated}$$

3.1.7 Bidder Compliance: The bidder must be in compliance with the laws regarding conducting business with MoDOT and as indicated in the Terms and Conditions.

3.1.8 Bidder Notification: Notification of award shall be at the time the tabulation is posted to the Internet. It is the sole responsibility for all bidders to check the website for bid results.

4. PRICING PAGES
MODOT MEDIUM DUTY VEHICLES
REQUEST FOR BID 3-170105TV

What MAKE(S) of vehicles are you bidding? _____

What is the Basic Warranty on the Make(s) that you are bidding?

What is the Powertrain Warranty on the Make(s) that you are bidding?

What is the Corrosion Protection Warranty on the MAKE(S) that you are bidding?

What is the Roadside Assistance Warranty on the MAKE(S) that you are bidding?

VEHICLE CLASS DESCRIPTIONS

REQUEST FOR BID 3-170105TV

ITEM # 1 –New standard equipped **2017 or Newer Model Regular Cab ¾ Ton Pickup**

ITEM # 2 - New standard equipped **2017 or Newer Model Extend Cab ¾ Ton Pickup**

ITEM # 3 - New standard equipped **2017 or Newer Model Crew Cab ¾ Ton Pickup**

ITEM #4 - New standard equipped **2017 or Newer Model Regular Cab 1 Ton Pickup**

ITEM #5 - New standard equipped **2017 or Newer Model Extended Cab 1 Ton Pickup**

ITEM #6 - New standard equipped **2017 or Newer Model Crew Cab 1 Ton Pickup**

ITEM # 7 - New standard equipped **2017 or Newer Model 1 Ton Reg Cab Chassis-Cab 2WD/4WD with DRW and 60” CA**

ITEM # 8 - New standard equipped **2017 or Newer Model 1 Ton Crew Cab Chassis-Cab 2WD/4WD with DRW and 60” CA**

ITEM # 9 - New standard equipped **2017 or Newer Model 1 Ton Reg Cab Chassis-Cab 2WD/4WD with DRW and 84” CA**

ITEM # 10 - New standard equipped **2017 or Newer Model 15,000 LB. GVWR Reg Cab Chassis-Cab with DRW and 60” CA.**

ITEM # 11 - New standard equipped **2017 or Newer Model 15,000 LB. GVWR Crew Chassis-Cab with DRW and 60” CA**

ITEM # 12 - New standard equipped **2017 or Newer Model 15000 LB. GVWR Reg Cab Chassis-Cab with DRW and 84” CA.**

ITEM # 13 - New standard equipped **2017 or Newer Model 17,500 LB, GVWR Reg Cab Chassis-Cab with DRW and 60” CA**

ITEM # 14 - New standard equipped **2017 or Newer Model 17,500 LB. GVWR Crew Chassis-Cab with DRW and 60” CA**

ITEM # 15 - New standard equipped **2017 or Newer Model 17,500 GVWR Reg Cab Chassis-Cabs with DRW and 84” CA.**

ITEM # 16 - New standard equipped **2017 or Newer Model 15 Passenger Van Extended Length**

Snow Removal Equipment (Items may be bid directly by supplier):

Electric/Hydraulic Plows

Hydraulic Plows

Stainless Steel Salt Spreaders

ITEM # 1 - New standard equipped 2017 or Newer Model Regular Cab ¾ Ton Pickup

EXAMPLES OF ACCEPTABLE MAKES AND MODELS:

Standard Ford F-250 2WD/4WD with 8' BOX
Standard Chevrolet 2500 2WD/4WD with 8" BOX
Standard Dodge 2500 2WD/4WD with 8'BOX

ONLY THE 4WD MODEL IS RECOMMENDED FOR SNOW PLOW

All units bid must contain the following options:

1. Standard, minimum V8 fuel-injected gasoline.
2. Manufacturer's standard rear end axle ratio (Ratio: _____)
3. Automatic Transmission (Speeds _____)
4. Air conditioning
5. LH & RH manual mirrors
6. Tires:(4) 10 ply(minimum) light truck, plus full size spare and wheel (Size _____)
7. Minimum 8,600 lbs. GVWR
8. Trailer towing package: Standard manufacturer's to include receiver hitch, 4/7 pin trailer wiring connection & electric brake controller
9. Brakes, 4-wheel anti-lock braking system (ABS)
10. Daytime running lights
11. Speed control and tilt wheel
12. Vinyl/Rubber Flooring
13. Vinyl seats
14. 2 sets of keys

DEALER COMPLETE:

MAKE _____ MODEL WITH 2WD/8' BOX _____ GVWR _____ EACH \$ _____

GAS MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

*MAKE _____ MODEL WITH 4WD/8' BOX _____ GVWR _____ EACH \$ _____

GAS MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

OPTIONAL EQUIPMENT PRICING, Item # 1

Indicate the cost or deduction for the below listed options. Price should include all required options and special equipment.

- Option 1A. Exterior color to be Federal Standard #595C "DOT Highway Yellow" EACH \$ _____
- Option 1B. 2 Full length cab steps or running boards
(one on drivers side, one on passenger side) SET \$ _____
- Option 1C. Bluetooth Capability EACH \$ _____
- Option 1D. Optional Rear Axle Ratio Axle Ratio _____ EACH \$ _____
- Option 1E. Limited Slip Rear Axle Axle Ratio _____ EACH \$ _____
- Option 1F. Commercial grade spray on bed lining to be applied on floors,
sides, front, tailgate and top of rail. EACH \$ _____
- Option 1G. Bed/Tow Package delete (must include spare wheel and tire) EACH \$ _____ (Deduct)
- Option 1H. Heavy duty, Class V (2-1/2" square tube) receiver trailer hitch.
Includes an adapter to reduce to 2" (Class III/IV), seven-wire RV
style trailer plug and electric controller brake (needed if ordering bed delete, Option 1G) EACH \$ _____

ITEM # 2 - New standard equipped 2017 or Newer Model Extended Cab ¾ Ton Pickup.

EXAMPLES OF ACCEPTABLE MAKES AND MODELS:

Standard Ford F-250 2WD/4WD with 8' Box/Short Box
 Standard Chevrolet 2500 2WD/4WD with 8' Box/Short Box
 Standard Dodge 2500 2WD/4WD 8' with 8' Box/Short Box

ONLY THE 4WD MODELS ARE RECOMMENDED FOR SHOW PLOW

All units bid must contain the following options:

1. Standard, minimum V8 fuel-injected gasoline engine
2. Manufacturer's standard rear end axle ratio (Ratio: _____)
3. Automatic Transmission (Speeds _____)
4. Air conditioning
5. LH & RH manual mirrors
6. Tires:(4) 10 ply(minimum) light truck, plus full size spare and wheel (Size _____)
7. Minimum 8,600 lbs. GVWR
8. Trailer towing package: Standard manufacturer's to include receiver hitch, 4/7 pin trailer wiring connection & electric brake controller
9. Brakes, 4-wheel anti-lock braking system (ABS)
10. Daytime running lights
11. Speed control and tilt wheel
12. Vinyl/Rubber Flooring
13. Vinyl seats
14. 2 sets of keys

DEALER COMPLETE:

MAKE _____ MODEL 2WD/SHORT BOX _____ GVWR _____ EACH \$ _____

GAS MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

MAKE _____ MODEL 2WD/8' BOX _____ GVWR _____ EACH \$ _____

GAS MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

*MAKE _____ MODEL 4WD/SHORT BOX _____ GVWR _____ EACH \$ _____

GAS MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

*MAKE _____ MODEL 4WD/8' BOX _____ GVWR _____ EACH \$ _____

GAS MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

OPTIONAL EQUIPMENT PRICES, Item # 2

Indicate the cost or deduction for the below listed options. Price should include all required options and special equipment.

Option 2A. Exterior color to be Federal Standard #595C "DOT Highway Yellow" EACH \$ _____

Option 2B. 2 Full length cab steps or running boards.
 (One on drivers side, one on passenger side) SET \$ _____

Option 2C. Bluetooth Capability EACH \$ _____

Option 2D. Optional Rear Axle Ratio Axle Ratio _____ EACH \$ _____

Option 2E. Limited Slip Rear Axle Axle Ratio _____ EACH \$ _____

Option 2F. Commercial grade spray on bed lining to be applied on floors, sides,
 front, tailgate and top of rail. EACH \$ _____

ITEM # 3 - New standard equipped 2017 or Newer Model Crew Cab ¾ Ton Pickup.

EXAMPLES OF ACCEPTABLE MAKES AND MODELS:

Standard Ford F-250 2WD/4WD with 8' Box/Short Box
Standard Chevrolet 2500 2WD/4WD with 8' Box/Short Box
Standard Dodge 2500 2WD/4WD with 8' Box/Short Box

ONLY THE 4WD MODELS ARE RECOMMENDED FOR SNOW PLOW

All units bid must contain the following options:

1. Standard, minimum V8 fuel-injected gasoline engine
2. Manufacturer's standard rear end axle ratio (Ratio: _____)
3. Automatic Transmission (Speeds _____)
4. Air conditioning
5. LH & RH manual mirrors
6. Tires:(4) 10 ply(minimum) light truck, plus full size spare and wheel (Size _____)
7. Minimum 8,600 lbs. GVWR
8. Trailer towing package: Standard manufacturer's to include receiver hitch, 4/7 pin trailer wiring connection & electric brake controller
9. Brakes, 4-wheel anti-lock braking system (ABS)
10. Daytime running lights
11. Speed control and tilt wheel
12. Vinyl/Rubber Flooring
13. Vinyl seats
14. 2 sets of keys

DEALER COMPLETE:

MAKE _____ MODEL 2WD/SHORT BOX _____ GVWR _____ EACH \$ _____

GAS MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

MAKE _____ MODEL 2WD/8' BOX _____ GVWR _____ EACH \$ _____

GAS MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

*MAKE _____ MODEL 4WD SHORT BOX _____ GVWR _____ EACH \$ _____

GAS MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

*MAKE _____ MODEL 4WD/8' BOX _____ GVWR _____ EACH \$ _____

GAS MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

OPTIONAL EQUIPMENT PRICES, Item # 3

Indicate the cost or deduction for the below listed options. Price should include all required options and special equipment.

Option 3A. Exterior color to be Federal Standard #595C "DOT Highway Yellow" EACH \$ _____

Option 3B. 2 Full length cab steps or running boards. SET \$ _____
(One on drivers side, one on passenger side)

Option 3C. Bluetooth Capability EACH \$ _____

Option 3D. Optional Rear Axle Ratio Axle Ratio _____ EACH \$ _____

Option 3E. Limited Slip Rear Axle Axle Ratio _____ EACH \$ _____

Option 3F. Commercial grade spray on bed lining to be applied on floors, sides, front, tailgate and top of rail. EACH \$ _____

- Option 3G.** Bed/Tow Package delete (must include spare wheel and tire) EACH \$ _____ (Deduct)
- Option 3H.** Heavy duty, Class V (2-1/2" square tube) receiver trailer hitch. EACH \$ _____
Includes an adapter to reduce to 2" (Class III/IV) and a seven-wire RV style trailer plug and Electric Trailer Brake Controller (needed if ordering bed delete, Option 3H)
- Option 3I.1** Mounted 8' platform body meeting Specification E1320SRW EACH \$ _____
MAKE _____ MODEL _____
- Option 3I.2** Mounted 8' aluminum platform body meeting Specification E1320SRW EACH \$ _____
(Minimum 1" aluminum extruded floor instead of steel)
MAKE _____ MODEL _____
- Option 3J.** Permanently installed bulkhead to fit truck application EACH \$ _____
(Minimum requirement to top of cab)
- Option 3K.** Mounted standard utility tool body. EACH \$ _____
Acceptable makes and models are:
Knapheide 696J Stahl CHALLENGER II 96VVS - 48.5
Reading Classic II 98A S.W. RKI -L5680
Omaha 96V RKI L5780 (for Dodge)
- Body to include flush mounted LED tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess
MAKE _____ MODEL _____
- Option 3L.** Mounted fiberglass composite utility tool body. EACH \$ _____
Acceptable makes and models are:
Brand FX Composite Service Body (Model 56LS)
Equivalentents accepted if pre-approved at least 5 working days before bid opening.
- Body to include flush mounted LED tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess
- Option 3M.** Utility tool body 3 section, tempered steel telescopic sliding roof and two-piece rigid aluminum end gate cover to protect cargo area from weather and theft EACH \$ _____
- Option 3N.** Additional set of keys (Ignition and door locks) EACH \$ _____
- Option 3O.** Standard diesel engine in lieu of gasoline engine (state size and horsepower)
SIZE _____ HORSEPOWER _____ EACH \$ _____

Please indicate below the percent (%) discount off Manufacturer's Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount _____

Delivery will be made approximately _____ days after receipt of order.

ITEM # 4 - New standard equipped 2017 or Newer Model Regular Cab 1 Ton Pickup

EXAMPLES OF ACCEPTABLE MAKES AND MODELS:

Standard Ford F-350 2WD/4WD, 8' Box/Short Box, SRW/DRW
 Standard Chevrolet 3500 2WD/4WD, 8' Box/Short Box, SRW/DRW
 Standard Dodge 3500 2WD/4WD, 8' Box/Short Box, SRW/DRW

ONLY 4WD MODEL IS RECOMMENDED FOR SNOW PLOW

All units bid must contain the following options:

1. Standard, minimum V8 fuel-injected gasoline engine
2. Manufacturer's standard rear end axle ratio (Ratio: _____)
3. Automatic Transmission (Speeds _____)
4. Air conditioning
5. LH & RH manual mirrors
6. Tires:(6) 10 ply(minimum) light truck, plus full size spare and wheel (Size _____)
7. Minimum 11,000 lbs. GVWR
8. Trailer towing package: Standard manufacturer's to include receiver hitch, 4/7 pin trailer wiring connection & electric trailer brake controller
9. Brakes, 4-wheel anti-lock braking system (ABS)
10. Daytime running lights
11. Speed control and tilt wheel
12. Vinyl/Rubber Flooring
13. Vinyl seats
14. 2 sets of keys

DEALER COMPLETE:

MAKE _____ MODEL 2WD/8' BOX/SRW _____ GVWR _____ EACH \$ _____

GAS MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

MAKE _____ MODEL 2WD 8' BOX/DRW _____ GVWR _____ EACH \$ _____

GAS MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

*MAKE _____ MODEL 4WD/8' BOX/SRW _____ GVWR _____ EACH \$ _____

GAS MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

*MAKE _____ MODEL 4WD 8' BOX/DRW _____ GVWR _____ EACH \$ _____

GAS MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

OPTIONAL EQUIPMENT PRICES, Item # 4

Indicate the cost or deduction for the below listed options. Price should include all required options and special equipment.

Option 4A. Exterior color to be Federal Standard #595C "DOT Highway Yellow" EACH \$ _____

Option 4B. 2 Full length cab steps or running boards.
 (One on drivers side, one on passenger side) SET \$ _____

Option 4C. Optional Rear Axle Ratio Axle Ratio _____ EACH \$ _____

Option 4D. Limited Slip Rear Axle Axle Ratio _____ EACH \$ _____

- Option 4E.** Commercial grade spray on bed lining to be applied on floors, sides, front, tailgate and top of rail. EACH \$ _____
- Option 4F.** Bluetooth Capability EACH \$ _____
- Option 4G.** Additional set of keys (Ignition and door locks) EACH \$ _____
- Option 4H.** Standard diesel engine in lieu of gasoline engine (State size and horsepower) EACH \$ _____
- SIZE _____ HORSEPOWER _____

Please indicate below the percent (%) discount off Manufacturer's Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount _____

Delivery will be made approximately _____ days after receipt of order.

ITEM # 5 - New standard equipped 2017 or Newer Model Extended Cab 1 Ton Pickup

EXAMPLES OF ACCEPTABLE MAKES AND MODELS:

Standard Ford F-350 2WD/4WD, 8' Box/Short Box, SRW/DRW
Standard Chevrolet 3500 2WD/4WD, 8' Box/Short Box, SRW/DRW
Standard Dodge 3500 2WD/4WD, 8' Box/Short Box,

ONLY THE 4WD MODELS ARE RECOMMENDED FOR SNOW PLOW

All units bid must contain the following options:

1. Standard, minimum V8 fuel-injected gasoline engine
2. Manufacturer's standard rear end axle ratio (Ratio: _____)
3. Automatic Transmission (Speeds _____)
4. Air conditioning
5. LH & RH manual mirrors
6. Tires:(6) 10 ply (minimum) light truck, plus full size spare and wheel (Size _____)
7. Minimum 11,000 lbs. GVWR
8. Trailer towing package: Standard manufacturer's to include receiver hitch, 4/7 pin trailer wiring connection & electric brake trailer controller
9. Brakes, 4-wheel anti-lock braking system (ABS)
10. Daytime running lights
11. Speed control and tilt wheel
12. Vinyl/Rubber Flooring
13. Vinyl seats
14. 2 sets of keys

DEALER COMPLETE:

MAKE _____ MODEL 2WD/SHORT BOX/SRW _____ GVWR _____ EACH \$ _____

GAS MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

MAKE _____ MODEL 2WD/8' BOX/SRW _____ GVWR _____ EACH \$ _____

GAS MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

MAKE _____ MODEL 2WD 8' BOX/DRW _____ GVWR _____ EACH \$ _____

GAS MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

*MAKE _____ MODEL 4WD/SHORT BOX/SRW _____ GVWR _____ EACH \$ _____

GAS MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

*MAKE _____ MODEL 4WD/8' BOX/SRW _____ GVWR _____ EACH \$ _____

GAS MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

*MAKE _____ MODEL 4WD 8' BOX/DRW _____ GVWR _____ EACH \$ _____

GAS MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

OPTIONAL EQUIPMENT PRICES, Item # 5

Indicate the cost or deduction for the below listed options. Price should include all required options and special equipment.

- Option 5A. Exterior color to be Federal Standard #595C "DOT Highway Yellow" EACH \$ _____
- Option 5B. 2 Full length cab steps or running boards. SET \$ _____
(One on drivers side, one on passenger side)
- Option 5C. Optional Rear Axle Ratio Axle Ratio _____ EACH \$ _____
- Option 5D. Limited Slip Rear Axle Axle Ratio _____ EACH \$ _____
- Option 5E. Commercial grade spray on bed lining to be applied on floors, sides, front, tailgate and top of rail. EACH \$ _____
- Option 5F. Bluetooth Capability EACH \$ _____
- Option 5G. Additional set of keys (Ignition and door locks) EACH \$ _____
- Option 5H. Standard diesel engine in lieu of gasoline engine EACH \$ _____
(State size and horsepower)
SIZE _____ HORSEPOWER _____

Please indicate below the percent (%) discount off Manufacturer's Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount _____

Delivery will be made approximately _____ days after receipt of order.

ITEM # 6 - New standard equipped 2017 or Newer Model Crew Cab 1 Ton Pickup

EXAMPLES OF ACCEPTABLE MAKES AND MODELS:

Standard Ford F-350 2WD/4WD, 8' Box/Short Box, SRW/DRW
Standard Chevrolet 3500 2WD/4WD, 8' Box/Short Box, SRW/DRW
Standard Dodge 3500 2WD/4WD, 8' Box/Short Box, SRW/DRW

ONLY THE 4WD MODELS ARE RECOMMENDED FOR SNOW PLOW

All units bid must contain the following options:

1. Standard, minimum V8 fuel-injected gasoline engine
2. Manufacturer's standard rear end axle ratio (Ratio: _____)
3. Automatic Transmission (Speeds _____)
4. Air conditioning
5. LH & RH manual mirrors
6. Tires:(6) 10 ply(minimum) light truck, plus full size spare and wheel (Size _____)
7. Minimum 11,000 lbs. GVWR
8. Trailer towing package: Standard manufacturer's to include receiver hitch, 4/7 pin trailer wiring connection & electric trailer brake controller
9. Brakes, 4-wheel anti-lock braking system (ABS)
10. Daytime running lights
11. Speed control and tilt wheel
12. Vinyl/Rubber Flooring
13. Vinyl seats
14. 2 sets of keys

DEALER COMPLETE:

MAKE _____ MODEL 2WD/SHORT BOX/SRW _____ GVWR _____ EACH \$ _____

GAS MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

MAKE _____ MODEL 2WD/8' BOX/SRW _____ GVWR _____ EACH \$ _____

GAS MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

MAKE _____ MODEL 2WD 8' BOX/DRW _____ GVWR _____ EACH \$ _____

GAS MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

*MAKE _____ MODEL 4WD/SHORT BOX/SRW _____ GVWR _____ EACH \$ _____

GAS MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

*MAKE _____ MODEL 4WD/8' BOX/SRW _____ GVWR _____ EACH \$ _____

GAS MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

*MAKE _____ MODEL 4WD 8' BOX/DRW _____ GVWR _____ EACH \$ _____

GAS MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

OPTIONAL EQUIPMENT PRICES, Item # 6

Indicate the cost or deduction for the below listed options. Price should include all required options and special equipment.

- Option 6A. Exterior color to be Federal Standard #595C "DOT Highway Yellow" EACH \$ _____
- Option 6B. 2 Full length cab steps or running boards.
(One on drivers side, one on passenger side) SET \$ _____
- Option 6C. Optional Rear Axle Ratio Axle Ratio _____ EACH \$ _____
- Option 6D. Limited Slip Rear Axle Axle Ratio _____ EACH \$ _____
- Option 6E. Commercial grade spray on bed lining to be applied on floors,
sides, front, tailgate and top of rail. EACH \$ _____
- Option 6F. Bluetooth Capability EACH \$ _____
- Option 6G. Additional set of keys (Ignition and door locks) EACH \$ _____
- Option 6H. Option for Single Rear Wheels (SRW) in lieu of Dual Rear Wheels EACH \$ _____
- Option 6I. Standard diesel engine in lieu of gasoline engine EACH \$ _____
(State size and horsepower)
SIZE _____ HORSEPOWER _____

Please indicate below the percent (%) discount off Manufacturer's Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount _____

Delivery will be made approximately _____ days after receipt of order.

ITEM # 7 - New standard equipped 2017 or Newer Model 1 Ton Regular Chassis-Cab with DRW and 60" CA

EXAMPLES OF ACCEPTABLE MAKES AND MODELS:

Standard Ford F-350 2WD/4WD, 60"CA/ 145"WB and DRW
 Standard Chevrolet 3500HD/GMC 3500HD 2WD/4WD, 60" CA/137" WB and DRW
 Standard Dodge 3500 2WD/4WD, 60" CA/143" WB and DRW

ONLY THE 4WD MODELS ARE RECOMMENDED FOR SNOW PLOWS

All units bid must contain the following options:

1. Standard, diesel engine with the highest cooling capacity
2. Manufacturer's standard rear end axle ratio (Ratio: _____)
3. Automatic Transmission (Speeds _____)
4. Air conditioning
5. LH & RH manual mirrors
6. Tires:(6) 10 ply(minimum) light truck, plus full size spare and wheel (Size _____)
7. Minimum 11,000 lbs. GVWR
8. Brakes, 4-wheel anti-lock braking system (ABS)
9. Daytime running lights
10. Speed control and tilt wheel
11. Vinyl/Rubber Flooring
12. Back up alarm
13. Vinyl seats
14. 2 sets of keys

DEALER COMPLETE IN DETAIL:

MAKE _____ MODEL 2WD/60" CA _____ GVWR _____ EACH \$ _____

FUEL MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

*MAKE _____ MODEL 4WD/60" CA _____ GVWR _____ EACH \$ _____

FUEL MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

OPTIONAL EQUIPMENT PRICES, Item # 7

Indicate the cost or deduction for the below listed options. Price should include all required options and special equipment.

Option 7A.1 Mounted 9' platform body meeting Specification E1320DRW

MAKE _____ MODEL _____ EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

**Option 7A.2 Mounted aluminum 9' platform body meeting Specification E1320DRW
 (Minimum 1 1/4" aluminum extruded floor instead of steel)**

MAKE _____ MODEL _____ EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

Option 7B.1 Mounted 9' platform dump body meeting Specification E1327

MAKE _____ MODEL _____ EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

Option 7B.2 Mounted aluminum 9' platform dump body meeting Specification E1327
(Minimum 1 1/4" aluminum extruded floor instead of steel)

MAKE _____ MODEL _____ EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

Option 7C.1 Mounted 9' dump body meeting Specification E1335

MAKE _____ MODEL _____ EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

Option 7C.2 Mounted 9' aluminum dump body meeting Specification E1335-ALUM

MAKE _____ MODEL _____ EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

Option 7D. Permanently installed bulkhead to fit truck application
(Minimum requirement to top of cab) EACH \$ _____

Option 7E. Provide live hydraulics with under hood clutch pump. Pump shall be cast iron design capable of 3500 PSI; aluminum pumps will not be accepted. Reservoir shall be 7 gallon with filtered breather cap, suction strainer, sight gauge and in tank return filter rated to 25 GPM. Valve shall be cable operated. Control valve must have a main relief and a relief for the hoist down function. This shall control the hoist only. EACH \$ _____

Option 7F. Provide hydraulics and controls 12VDC activated for dump hoist only EACH \$ _____

Option 7G. Mounted standard utility tool body

Acceptable makes and models are:
Knapheide 6108D54J, Stahl CHALLENGER II 108VVD- 54,
Reading CLASSIC II 108A D.W. RKI L60DW94.
Omaha 108D54V,

Body to include flush mounted LED tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

MAKE _____ MODEL _____ EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

Option 7H. Mounted fiberglass composite utility tool body.

Acceptable makes and models are:
Brand FX Composite Service Body (Model 60LS)
Equivalents accepted if pre-approved at least 5 working days before bid opening.

Body to include flush mounted LED tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess

MAKE _____ MODEL _____ EACH \$ _____

- Option 7I.** Six - 2” deep full width 250 lb. capacity, free-sliding tool drawers mounted approximately 1 ½” from top of compartment with approximately 2 ½” between trays in lieu of two shelves and dividers in one of the full height vertical compartment. EACH \$ _____
- Option 7J.** Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4” centers with first tray mounted 5 ¼ “ from bottom of compartment with approximately 1 ½” between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments. EACH \$ _____
- Option 7K.** Flip top for Utility Body: Top of compartment opens for storage. Can be either side or both sides. Telescopic roof and crane mounting kit will impact flip top application. Latch is located in center horizontal compartment. EACH \$ _____
- Option 7L.** One - double bottle gas drop well and retainers in lieu of three shelves and dividers in one of the full height vertical compartments, maintaining an interior height of 48”. EACH \$ _____
- Option 7M.** Minimum 25” high panel extension cover with minimum 42” locking rear doors which will provide a minimum 48” interior height for storage and work area (Canopy Roof Style). EACH \$ _____
- Option 7N.** Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, end gate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and end gate cover. EACH \$ _____
- Option 7O.** Raise Telescopic Roof to get 36” clearance for the above option. EACH \$ _____
- Option 7P.** Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves) EACH \$ _____
- Option 7Q.** Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper EACH \$ _____
- Option 7R.** Heavy - duty, Class V (2-1/2” square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV), seven-wire RV style trailer plug and electric trailer brake controller EACH \$ _____
- Option 7S.** Exterior color to be Federal Standard #595C “DOT Highway Yellow” EACH \$ _____
- Option 7T.** Automatic transmission power take-off provision EACH \$ _____
- Option 7U.** 2 Full length cab steps or running boards. (One on drivers side, one on passenger side.) SET \$ _____
- Option 7V.** Optional Rear Axle Ratio Axle Ratio _____ EACH \$ _____
- Option 7W.** Limited Slip Rear Axle Axle Ratio _____ EACH \$ _____

- Option 7X. Bluetooth Capability EACH \$ _____
- Option 7Y. Additional set of keys (Ignition and door locks) EACH \$ _____
- Option 7Z. Standard gasoline engine in lieu of diesel engine with the highest cooling capacity EACH \$ _____
DEDUCT (State size and horsepower)
- SIZE _____ HORSEPOWER _____

Please indicate below the percent (%) discount off Manufacturer's Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount _____

Delivery will be made approximately _____ days after receipt of order.

ITEM # 8 - New standard equipped 2017 or Newer Model 1 Ton Crew Chassis-Cab with DRW and 60" CA

EXAMPLES OF ACCEPTABLE MAKES AND MODELS:

Standard Ford F-350 2WD/4WD with 60"CA/179"WB and DRW
Standard Chevrolet 3500HD/GMC 3500HD 2WD/4WD with 60"CA/167"WB and DRW
Standard Dodge 3500 2WD/4WD with 60"CA/168"WB and DRW

ONLY THE 4WD MODELS ARE RECOMMENDED FOR SNOW PLOW

All units bid must contain the following options:

1. Standard, diesel engine with the highest cooling capacity
2. Manufacturer's standard rear end axle ratio (Ratio: _____)
3. Automatic Transmission (Speeds _____)
4. Air conditioning
5. LH & RH manual mirrors
6. Tires:(6) 10 ply(minimum) light truck, plus full size spare and wheel (Size _____)
7. Minimum 11,000 lbs. GVWR
8. Brakes, 4-wheel anti-lock braking system (ABS)
9. Daytime running lights
10. Speed control and tilt wheel
11. Vinyl/Rubber Flooring
12. Back up alarm
13. Vinyl seats
14. 2 sets of keys

DEALER COMPLETE IN DETAIL:

MAKE _____ MODEL 2WD/60" CA _____ GVWR _____ EACH \$ _____

FUEL MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

*MAKE _____ MODEL 4WD/60" CA _____ GVWR _____ EACH \$ _____

FUEL MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

OPTIONAL EQUIPMENT PRICES, Item # 8

Indicate the cost or deduction for the below listed options. Price should include all required options and special equipment.

Option 8A.1 Mounted 9' platform body meeting Specification E1320DRW

MAKE _____ MODEL _____ EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

**Option 8A.2 Mounted aluminum 9' platform body meeting Specification E1320DRW
(Minimum 1 1/4" aluminum extruded floor instead of steel)**

MAKE _____ MODEL _____ EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

Option 8B.1 Mounted 9' platform dump body meeting Specification E1327

MAKE _____ MODEL _____ EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

**Option 8B.2 Mounted aluminum 9' platform dump body meeting Specification E1327
(Minimum 1 1/4" aluminum extruded floor instead of steel)**

MAKE _____ MODEL _____ EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

Option 8C.1 Mounted 9' dump body meeting Specification E1335

MAKE _____ MODEL _____ EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

Option 8C.2 Mounted 9' aluminum dump body meeting Specification E1335-ALUM

MAKE _____ MODEL _____ EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

**Option 8D. Permanently installed bulkhead to fit truck application
(Minimum requirement to top of cab)**

EACH \$ _____

Option 8E. Provide live hydraulics with under hood clutch pump. Pump shall be cast iron design capable of 3500 PSI; aluminum pumps will not be accepted. Reservoir shall be 7 gallon with filtered breather cap, suction strainer, sight gauge and in tank return filter rated to 25 GPM. Valve shall be cable operated. Control valve must have a main relief and a relief for the hoist down function. This shall control the hoist only.

EACH \$ _____

Option 8F. Provide hydraulics and controls 12VDC activated for dump hoist only

EACH \$ _____

Option 8G. Mounted standard utility tool body

Acceptable makes and models are:
Knapheide 6108D54J,
Reading CLASSIC II 108A D.W.
Omaha 108D54V,

Stahl CHALLENGER II 108VVD- 54,
RKI L60DW94.

Body to include flush mounted LED tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

MAKE _____ MODEL _____ EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

Option 8H. Mounted fiberglass composite utility tool body.

Acceptable makes and models are:
Brand FX Composite Service Body (Model 60LS)
Equivalentents accepted if pre-approved at least 5 working days before bid opening.

Body to include flush mounted LED tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess

MAKE _____ MODEL _____ EACH \$ _____

Option 8I. Six - 2" deep full width 250 lb. capacity, free-sliding tool drawers mounted

EACH \$ _____

approximately 1 ½” from top of compartment with approximately 2 ½” between trays in lieu of two shelves and dividers in one of the full height vertical compartment.

- Option 8J. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4” centers with first tray mounted 5 ¼ “ from bottom of compartment with approximately 1 ½” between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments. EACH \$ _____
- Option 8K. Flip top for Utility Body: Top of compartment opens for storage. Can be either side or both sides. Telescopic roof and crane mounting kit will impact flip top application. Latch is located in center horizontal compartment. EACH \$ _____
- Option 8L. One - double bottle gas drop well and retainers in lieu of three shelves and dividers in one of the full height vertical compartments, maintaining an interior height of 48”. EACH \$ _____
- Option 8M. Minimum 25” high panel extension cover with minimum 42” locking rear doors which will provide a minimum 48” interior height for storage and work area (Canopy Roof Style). EACH \$ _____
- Option 8N. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, end gate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and end gate cover. EACH \$ _____
- Option 8O. Raise Telescopic Roof to get 36” clearance for the above option. EACH \$ _____
- Option 8P. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves) EACH \$ _____
- Option 8Q. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper EACH \$ _____
- Option 8R. Heavy - duty, Class V (2-1/2 “ square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV), seven-wire RV style trailer plug and electric trailer brake controller EACH \$ _____
- Option 8S. Exterior color to be Federal Standard #595C “DOT Highway Yellow” EACH \$ _____
- Option 8T. Automatic transmission power take-off provision EACH \$ _____
- Option 8U. 2 Full length cab steps or running boards. (One on drivers side, one on passenger side.) SET \$ _____
- Option 8V. Optional Rear Axle Ratio Axle Ratio _____ EACH \$ _____
- Option 8W. Limited Slip Rear Axle Axle Ratio _____ EACH \$ _____
- Option 8X. Bluetooth Capability EACH \$ _____

Option 8Y. Additional set of keys (Ignition and door locks) EACH \$ _____

Option 8Z. Standard gasoline engine in lieu of diesel engine with the highest cooling capacity EACH \$ _____
DEDUCT (State size and horsepower) SIZE _____ HORSEPOWER _____

Please indicate below the percent (%) discount off Manufacturer's Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount _____

Delivery will be made approximately _____ days after receipt of order.

ITEM # 9 - New standard equipped 2017 or Newer Model 1 Ton Regular Cab Chassis-Cab with DRW and 84" CA

EXAMPLES OF ACCEPTABLE MAKES AND MODELS:

Standard Ford F-350 2WD/4WD with 84"CA/169"WB and DRW
Standard Chevrolet 3500 HD/GMC 3500 HD 2WD/4WD with 84"CA/161"WB and DRW
Standard Dodge Ram 3500 2WD/4WD with 84"CA/167"WB and DRW

ONLY THE 4WD MODELS ARE RECOMMENDED FOR SNOW PLOW

All units bid must contain the following options:

1. Standard, diesel engine with the highest cooling capacity
2. Manufacturer's standard rear end axle ratio (Ratio: _____)
3. Automatic Transmission (Speeds _____)
4. Air conditioning
5. LH & RH manual mirrors
6. Tires:(6) Minimum 10 ply light truck, plus full size spare and wheel (Size _____)
7. Minimum 11,000 lbs. GVWR
8. Brakes, 4-wheel anti-lock braking system (ABS)
9. Daytime running lights
10. Speed control and tilt wheel
11. Vinyl/Rubber Flooring
12. Back up alarm
13. Vinyl seats
14. 2 sets of keys

DEALER COMPLETE IN DETAIL:

MAKE _____ MODEL 2WD/84" CA _____ GVWR _____ EACH \$ _____

FUEL MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

*MAKE _____ MODEL 4WD/84" CA _____ GVWR _____ EACH \$ _____

FUEL MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

OPTIONAL EQUIPMENT PRICES, Item # 9

Indicate the cost or deduction for the below listed options. Price should include all required options and special equipment.

Option 9A.1 Mounted 11' platform body meeting Specification E1320DRW:

MAKE _____ MODEL _____ EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

**Option 9A.2 Mounted 11' aluminum platform body meeting Specification E1320DRW:
(Minimum 1 1/4" aluminum extruded floor instead of steel)**

MAKE _____ MODEL _____ EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

Option 9B.1 Mounted 11' platform dump body meeting Specification E1327:

MAKE _____ MODEL _____ EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

- Option 9K. Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area (Canopy roof style). EACH \$ _____
- Option 9L. Body to have 3 sections, tempered steel telescopic sliding roof and two-piece, rigid aluminum, end gate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and end gate cover. EACH \$ _____
- Option 9M. Raise Telescopic Roof to get 36" clearance for the above option. EACH \$ _____
- Option 9N. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves). EACH \$ _____
- Option 9O. One - double bottle gas drop well with minimum 55" clearance height (for large Bottle use) and retainers in lieu of the interior 48" full height vertical compartment. EACH \$ _____
- Option 9P. Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper. EACH \$ _____
- Option 9Q. Heavy duty, Class V (2-1/2" square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV), seven-wire RV style trailer plug and electric trailer brake controller. EACH \$ _____
- Option 9R. Exterior color to be Federal Standard #595C "DOT Highway Yellow". EACH \$ _____
- Option 9S. Automatic transmission power take off provision. EACH \$ _____
- Option 9T. 2 Full-length cab steps or running boards. (One on drivers side, one on passenger side). SET \$ _____
- Option 9U. Optional Rear Axle Ratio Axle Ratio _____ EACH \$ _____
- Option 9V. Limited Slip Rear Axle Axle Ratio _____ EACH \$ _____
- Option 9W. Bluetooth Capability. EACH \$ _____
- Option 9X. Additional set of keys (Ignition and door locks). EACH \$ _____
- Option 9Y. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine- DEDUCT (State size and horsepower). EACH \$ _____
- SIZE _____ HORSEPOWER _____

Please indicate below the percent (%) discount off Manufacturer's Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount _____

Delivery will be made approximately _____ days after receipt of order.

ITEM # 10 - New standard equipped 2017 or Newer Model 15,000 LB. GVWR Chassis-Cab with DRW and 60" CA.

EXAMPLES OF ACCEPTABLE MAKES AND MODELS:

Standard Ford Super Duty F450 2WD/4WD with 60"CA/145" WB and DRW

Standard Dodge 4500 2WD/4WD with 60"CA/144.5" WB and DRW

ONLY THE 4WD MODELS ARE RECOMMENDED FOR SNOW PLOW

All units bid must contain the following options:

1. Standard, diesel engine with the highest cooling capacity
2. Manufacturer's standard rear end axle ratio (Ratio: _____)
3. Automatic Transmission (Speeds _____)
4. Air conditioning
5. LH & RH manual mirrors
6. Tires:(6) Minimum 10 ply light truck, highway all season, plus full size spare and wheel (Size _____)
7. Minimum 15,000 lbs. GVWR
8. Brakes, 4-wheel anti-lock braking system (ABS)
9. Daytime running lights
10. Speed control and tilt wheel
11. Vinyl/Rubber Flooring
12. Back up alarm
13. Vinyl seats
14. 2 sets of keys

DEALER COMPLETE IN DETAIL

MAKE _____ MODEL 2WD/60" CA _____ GVWR _____ EACH \$ _____

FUEL MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

*MAKE _____ MODEL 4WD/60" CA _____ GVWR _____ EACH \$ _____

FUEL MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

OPTIONAL EQUIPMENT PRICES, Item # 10

Indicate the cost or deduction for the below listed options. Price should include all required options and special equipment.

Option 10A.1 Mounted 9' platform body meeting Specification E1320DRW

MAKE _____ MODEL _____ EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

**Option 10A.2 Mounted 9' aluminum platform body meeting Specification E1320DRW
(Minimum 1 1/4" aluminum extruded floor instead of steel)**

MAKE _____ MODEL _____ EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

Option 10B.1 Mounted 9' platform dump body meeting Specification E1327

MAKE _____ MODEL _____ EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

- Option 10B.2** Mounted 9' aluminum platform dump body meeting Specification E1327
(Minimum 1 1/4" aluminum extruded floor instead of steel)
- MAKE _____ MODEL _____ EACH \$ _____
- MAKE _____ MODEL _____ EACH \$ _____
- Option 10C.1** Mounted 9' dump body meeting Specification E1335
- MAKE _____ MODEL _____ EACH \$ _____
- MAKE _____ MODEL _____ EACH \$ _____
- Option 10C.2** Mounted 9' aluminum dump body meeting Specification E1335-ALUM
- MAKE _____ MODEL _____ EACH \$ _____
- MAKE _____ MODEL _____ EACH \$ _____
- Option 10D.** Permanently installed bulkhead to fit truck application (minimum requirement to top of cab) EACH \$ _____
- Option 10E.** Provide live hydraulics with under hood clutch pump. Pump shall be cast iron design capable of 3500 PSI; aluminum pumps will not be accepted. Reservoir shall be 15 gallon with filtered breather cap, suction strainer, sight gauge and in tank return filter rated to 25 GPM. Control valve shall be 3 section mobile stack valve for hoist, plow and spreader. Valve shall be 12VDC activated capable of a minimum 12 GPM and installed in a valve enclosure. Control valve must have a main relief and a relief for the hoist down function. The hoist, plow and spreader functions shall be controlled by a Certified Power Freedom 2.0 12VDC control console with automated spreading for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in a salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck. EACH \$ _____
- Option 10F.** Hydraulic system to run body, plow and spreader, hoist and plow controls to be manual cable controlled and the spreader control shall be a Certified Power Freedom 2.0 automated spreader control. The hydraulic system requirements shall match the 13E specifications. EACH \$ _____
- Option 10G.** Provide hydraulics and controls 12VDC activated for dump hoist only EACH \$ _____
- Option 10H.** Mounted standard utility tool body.
Acceptable makes and models are:
Knapheide 6108D54J RKI L60DW94.
Reading CLASSIC II 108A DW Stahl CHALLENGER II 108VVD-54
Omaha 108D54V,

Body to include flush mounted LED tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess
- MAKE _____ MODEL _____ EACH \$ _____
- MAKE _____ MODEL _____ EACH \$ _____

- Option 10I. **Mounted fiberglass composite utility tool body.**
 Acceptable makes and models are:
Brand FX Composite Service Body (Model 84LS)
 Equivalents accepted if pre-approved at least 5 working days before bid opening.
- Body to include flush mounted LED tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess
- MAKE _____ MODEL _____ EACH \$ _____
- Option 10J. **Six - 2” deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 ½” from top of compartment with approximately 2 ½” between trays in lieu of two shelves and dividers in one of the full height vertical compartments** EACH \$ _____
- Option 10K. **Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4” centers with first tray mounted 5 ¼” from bottom of compartment with approximately 1 ½” between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments** EACH \$ _____
- Option 10L. **Flip top for Utility Body: Top of compartment opens for storage. Can be either side or both sides. Telescopic roof and crane mounting kit will impact flip top application. Latch is located in center horizontal compartment** EACH \$ _____
- Option 10M. **One - double bottle gas drop well and retainers in lieu of two shelves and dividers in one of the full height vertical compartments, maintaining an interior height of 48”** EACH \$ _____
- Option 10N. **Minimum 25” high panel extension cover with minimum 42” locking rear doors which will provide a minimum 48” interior height for storage and work area (Canopy roof style).** EACH \$ _____
- Option 10O. **Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, end gate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and end gate cover** EACH \$ _____
- Option 10P. **Raise Telescopic Roof to get 36” clearance for the above option** EACH \$ _____
- Option 10Q. **Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)** EACH \$ _____
- Option 10R. **Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper** EACH \$ _____
- Option 10S. **Heavy duty, Class V (2-1/2 “ square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV), seven-wire RV style trailer plug and electric trailer brake controller** EACH \$ _____
- Option 10T. **Exterior color to be Federal Standard #595C “DOT Highway Yellow”** EACH \$ _____
- Option 10U. **Automatic transmission power take-off provision** EACH \$ _____

- Option 10V. 2 Full length cab steps or running boards.
(One on drivers side, one on passenger side) SET \$ _____
- Option 10W. Optional Rear Axle Ratio Axle Ratio _____ EACH \$ _____
- Option 10X. Limited Slip Rear Axle Axle Ratio _____ EACH \$ _____
- Option 10Y. Bluetooth Capability EACH \$ _____
- Option 10Z. Additional set of keys (Ignition and door locks) EACH \$ _____
- Option 10AA. Standard gasoline engine with the highest cooling capacity in lieu of
diesel engine– DEDUCT (State size and horsepower) EACH \$ _____
- SIZE _____ HORSEPOWER _____

Please indicate below the percent (%) discount off Manufacturer's Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount _____

Delivery will be made approximately _____ days after receipt of order.

ITEM # 11 - New standard equipped 2017 or Newer Model 15,000 LB. GVWR Crew Cab Chassis Cab with DRW and 60" CA.

EXAMPLES OF ACCEPTABLE MAKES AND MODELS:

Standard Ford Super Duty F450 2WD/4WD with 60"CA/179"WB with DRW

Standard Dodge 4500 2WD/4WD with 60"CA/173.4" WB and DRW

ONLY THE 4WD MODELS ARE RECOMMENDED FOR SNOW PLOW

All units bid must contain the following options:

1. Standard, diesel engine with the highest cooling capacity Size _____ Horsepower _____)
2. Manufacturer's standard rear end axle ratio (Ratio: _____)
3. Automatic Transmission (Speeds _____)
4. Air conditioning
5. LH & RH manual mirrors
6. Tires:(6) Minimum 10 ply light truck, highway all season, plus full size spare and wheel (Size _____)
7. Minimum 15,000 lbs. GVWR
8. Brakes, 4-wheel anti-lock braking system (ABS)
9. Daytime running lights
10. Speed control and tilt wheel
11. Vinyl/Rubber Flooring
12. Back up alarm
13. Vinyl seats
14. 2 sets of keys

DEALER COMPLETE IN DETAIL

MAKE _____ MODEL 2WD/60" CA _____ GVWR _____ EACH \$ _____

FUEL MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

*MAKE _____ MODEL 4WD/60" CA _____ GVWR _____ EACH \$ _____

FUEL MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

OPTIONAL EQUIPMENT PRICES, Item # 11

Indicate the cost or deduction for the below listed options. Price should include all required options and special equipment.

Option 11A.1 Mounted 9' platform body meeting Specification E1320DRW

MAKE _____ MODEL _____ EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

**Option 11A.2 Mounted 9' aluminum platform body meeting Specification E1320DRW
(Minimum 1 1/4" aluminum extruded floor instead of steel)**

MAKE _____ MODEL _____ EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

Option 11B.1 Mounted 9' platform dump body meeting Specification E1327

MAKE _____ MODEL _____ EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

- Option 11B.2** Mounted 9' aluminum platform dump body meeting Specification E1327
(Minimum 1 1/4" aluminum extruded floor instead of steel)
- MAKE _____ MODEL _____ EACH \$ _____
- MAKE _____ MODEL _____ EACH \$ _____
- Option 11C.1** Mounted 9' dump body meeting Specification E1335
- MAKE _____ MODEL _____ EACH \$ _____
- MAKE _____ MODEL _____ EACH \$ _____
- Option 11C.2** Mounted 9' aluminum dump body meeting Specification E1335-ALUM
- MAKE _____ MODEL _____ EACH \$ _____
- MAKE _____ MODEL _____ EACH \$ _____
- Option 11D.** Permanently installed bulkhead to fit truck application (minimum requirement to top of cab) EACH \$ _____
- Option 11E.** Provide live hydraulics with under hood clutch pump. Pump shall be cast iron design capable of 3500 PSI; aluminum pumps will not be accepted. Reservoir shall be 15 gallon with filtered breather cap, suction strainer, sight gauge and in tank return filter rated to 25 GPM. Control valve shall be 3 section mobile stack valve for hoist, plow and spreader. Valve shall be 12VDC activated capable of a minimum 12 GPM and installed in a valve enclosure. Control valve must have a main relief and a relief for the hoist down function. The hoist, plow and spreader functions shall be controlled by a Certified Power Freedom 2.0 12VDC control console with automated spreading for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in a salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck. EACH \$ _____
- Option 11F.** Hydraulic system to run body, plow and spreader, hoist and plow controls to be manual cable controlled and the spreader control shall be a Certified Power Freedom 2.0 automated spreader control. The hydraulic system requirements shall match the 13E specifications. EACH \$ _____
- Option 11G.** Provide hydraulics and controls 12VDC activated for dump hoist only EACH \$ _____
- Option 11H.** Mounted standard utility tool body.
Acceptable makes and models are:
Knapheide 6108D54J RKI L60DW94.
Reading CLASSIC II 108A DW Stahl CHALLENGER II 108VVD-54
Omaha 108D54V,

Body to include flush mounted LED tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess
- MAKE _____ MODEL _____ EACH \$ _____
- MAKE _____ MODEL _____ EACH \$ _____

- Option 11I. **Mounted fiberglass composite utility tool body.**
Acceptable makes and models are:
Brand FX Composite Service Body (Model 84LS)
Equivalents accepted if pre-approved at least 5 working days before bid opening.
- Body to include flush mounted LED tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess**
- MAKE _____ MODEL _____ EACH \$ _____**
- Option 11J. **Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of two shelves and dividers in one of the full height vertical compartments** **EACH \$ _____**
- Option 11K. **Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4" from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments** **EACH \$ _____**
- Option 11L. **Flip top for Utility Body: Top of compartment opens for storage. Can be either side or both sides. Telescopic roof and crane mounting kit will impact flip top application. Latch is located in center horizontal compartment** **EACH \$ _____**
- Option 11M. **One - double bottle gas drop well and retainers in lieu of two shelves and dividers in one of the full height vertical compartments, maintaining an interior height of 48"** **EACH \$ _____**
- Option 11N. **Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area (Canopy roof style).** **EACH \$ _____**
- Option 11O. **Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, end gate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and end gate cover** **EACH \$ _____**
- Option 11P. **Raise Telescopic Roof to get 36" clearance for the above option** **EACH \$ _____**
- Option 11Q. **Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)** **EACH \$ _____**
- Option 11R. **Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper** **EACH \$ _____**
- Option 11S. **Heavy duty, Class V (2-1/2 " square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV), seven-wire RV style trailer plug and electric trailer brake controller** **EACH \$ _____**
- Option 11T. **Exterior color to be Federal Standard #595C "DOT Highway Yellow"** **EACH \$ _____**
- Option 11U. **Automatic transmission power take-off provision** **EACH \$ _____**

- Option 11V. 2 Full length cab steps or running boards.
(One on drivers side, one on passenger side) SET \$ _____**
- Option 11W. Optional Rear Axle Ratio Axle Ratio _____ EACH \$ _____**
- Option 11X. Limited Slip Rear Axle Axle Ratio _____ EACH \$ _____**
- Option 11Y. Bluetooth Capability EACH \$ _____**
- Option 11Z. Additional set of keys (Ignition and door locks) EACH \$ _____**
- Option 11AA. Standard gasoline engine with the highest cooling capacity in lieu of
diesel engine – DEDUCT (State size and horsepower) EACH \$ _____**
- SIZE _____ HORSEPOWER _____**

Please indicate below the percent (%) discount off Manufacturer's Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount _____

Delivery will be made approximately _____ days after receipt of order.

ITEM # 12 - New standard equipped 2017 or Newer Model 15000 LB. GVWR Reg Cab Chassis-Cab 84" CA with DRW.

EXAMPLES OF ACCEPTABLE MAKES AND MODELS:

Standard Ford Super Duty F450 2WD/4WD with 84"CA/169" WB and DRW

Standard Dodge 4500 with 168.5" Wheelbase, Cab to Axle 84"

ONLY THE 4WD MODELS ARE RECOMMENDED FOR SNOW PLOW

All units bid must contain the following options:

1. Standard, diesel engine with the highest cooling capacity
2. Manufacturer's standard rear end axle ratio (Ratio: _____)
3. Automatic Transmission (Speeds _____)
4. Air conditioning
5. LH & RH manual mirrors
6. Tires:(6) Minimum 10 ply light truck, highway all season, plus full size spare and wheel (Size _____)
7. Minimum 15,000 lbs. GVWR
8. Brakes, 4-wheel anti-lock braking system (ABS)
9. Daytime running lights
10. Speed control and tilt wheel
11. Vinyl/Rubber Flooring
12. Back up alarm
13. Vinyl seats
14. 2 sets of keys

DEALER COMPLETE IN DETAIL:

MAKE _____ MODEL 2WD/84" CA _____ GVWR _____ EACH \$ _____

FUEL MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

*MAKE _____ MODEL 4WD/84" CA _____ GVWR _____ EACH \$ _____

FUEL MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

OPTIONAL EQUIPMENT PRICES, Item # 12

Indicate the cost or deduction for the below listed options. Price should include all required options and special equipment.

Option 12A.1 Mounted 12' platform body meeting Specification E1320DRW

MAKE _____ MODEL _____ EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

**Option 12A.2 Mounted 12' aluminum platform body meeting Specification E1320DRW
(Minimum 1 1/4" aluminum extruded floor instead of steel)**

MAKE _____ MODEL _____ EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

Option 12B.1 Mounted 11' platform dump body meeting Specification E1327

MAKE _____ MODEL _____ EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

Option 12B.2 Mounted 11' aluminum platform dump body meeting Specification E1327 (Minimum 1 1/4" aluminum extruded floor instead of steel)

MAKE _____ MODEL _____ EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

Option 12C. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab) EACH \$ _____

Option 12D. Provide live hydraulics with under hood clutch pump. Pump shall be cast iron design capable of 3500 PSI; aluminum pumps will not be accepted. Reservoir shall be 15 gallon with filtered breather cap, suction strainer, sight gauge and in tank return filter rated to 25 GPM. Control valve shall be 3 section mobile stack valve for hoist, plow and spreader. Valve shall be 12VDC activated capable of a minimum 12 GPM and installed in a valve enclosure. Control valve must have a main relief and a relief for the hoist down function. The hoist, plow and spreader functions shall be controlled by a Certified Power Freedom 2.0 12VDC control console with automated spreading for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in a salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck. EACH \$ _____

Option 12E. Hydraulic system to run body, plow and spreader, hoist and plow controls to be manual cable controlled and the spreader control shall be a Certified Power Freedom 2.0 automated spreader control. The hydraulic system requirements shall match the 14D specifications. EACH \$ _____

Option 12F. Provide hydraulics and controls 12VDC activated for dump hoist only EACH \$ _____

Option 12G. Mounted standard utility tool body.

Acceptable makes and models are:
Knapheide 6132D54J , Stahl CHALLENGER II 132VVD-54
Reading CLASSIC II 132A DW Omaha 132D54V
RKI L84DW94

Body to include flush mounted LED tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.

MAKE _____ MODEL _____ EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

Option 12H. Mounted fiberglass composite utility tool body.

Acceptable makes and models are:
Brand FX Composite Service Body (Model 84LS)
Equivalentents accepted if pre-approved at least 5 working days before bid opening.

Body to include flush mounted LED tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess

MAKE _____ MODEL _____ EACH \$ _____

- Option 12I.** Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of two shelves and dividers in one of the full height vertical compartments EACH \$ _____
- Option 12J.** Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4" from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments EACH \$ _____
- Option 12K.** Flip top for Utility Body: Top of compartment opens for storage. Can be either side or both sides. Telescopic roof and crane mounting kit will impact flip top application. Latch is located in center horizontal compartment. EACH \$ _____
- Option 12L.** Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area (Canopy roof style). EACH \$ _____
- Option 12M.** Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and end gate cover EACH \$ _____
- Option 12N.** Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves) EACH \$ _____
- Option 12O.** Raise Telescopic Roof to get 36" clearance for the above option EACH \$ _____
- Option 12P.** One - double bottle gas drop well with minimum 55" clearance height (for large bottle use) and retainers EACH \$ _____
- Option 12Q.** Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper EACH \$ _____
- Option 12R.** Heavy duty, Class V (2-1/2" square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV), seven-wire RV style trailer plug and electric trailer brake controller EACH \$ _____
- Option 12S.** Exterior color to be Federal Standard #595C "DOT Highway Yellow" EACH \$ _____
- Option 12T.** Automatic transmission power take-off provision EACH \$ _____
- Option 12U.** 2 Full-length cab steps or running boards. (one on drivers side, one on passenger side) SET \$ _____
- Option 12V.** Optional Rear Axle Ratio Axle Ratio _____ EACH \$ _____
- Option 12W.** Limited Slip Rear Axle. Axle Ratio _____ EACH \$ _____

Option 12X. Bluetooth Capability EACH \$ _____

Option 12Y. Additional set of keys (Ignition and door locks) EACH \$ _____

Option 12Z. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine— DEDUCT (state size and horsepower) EACH \$ _____

SIZE _____ **HORSEPOWER** _____

Please indicate below the percent (%) discount off Manufacturer's Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount _____

Delivery will be made approximately _____ days after receipt of order.

ITEM # 13 - New standard equipped 2017 or Newer Model 17,500 LB, GVWR Reg Cab Chassis-Cab 60" CA and DRW

EXAMPLES OF ACCEPTABLE MAKES AND MODELS:

Ford Super Duty F550 2WD/4WD with 60" CA/145" WB and DRW

Dodge 55002WD/4WD with 60 "CA/144.5" WB and DRW

Freightliner M2106 2WD/4WD with 61.4"CA/130" WB and DRW (Installation of a body may require modifications)

ONLY THE 4WD MODELS ARE RECOMMENDED FOR SNOW PLOW

All units bid must contain the following options:

1. Standard, diesel engine with the highest cooling capacity Size _____ Horsepower _____)
2. Manufacturer's standard rear end axle ratio (Ratio: _____)
3. Automatic Transmission (Speeds _____)
4. Air conditioning
5. LH & RH manual mirrors
6. Tires:(6) Minimum 10 ply light truck, highway all season, plus full size spare and wheel (Size _____)
7. Minimum 17,500 lbs. GVWR
8. Brakes, 4-wheel anti-lock braking system (ABS)
9. Daytime running lights
10. Speed control and tilt wheel
11. Vinyl/Rubber Flooring
12. Back up alarm
13. Vinyl seats
14. 2 sets of keys

DEALER COMPLETE IN DETAIL:

MAKE _____ MODEL 2WD CA/WB as noted above _____ GVWR _____ EACH \$ _____

FUEL MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

*MAKE _____ MODEL 4WD CA/WB as noted above _____ GVWR _____ EACH \$ _____

FUEL MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

OPTIONAL EQUIPMENT PRICES, Item # 13

Indicate the cost or deduction for the below listed options. Price should include all required options and special equipment.

Option 13A.1 Mounted 9' platform body meeting Specification E1320DRW

MAKE _____ MODEL _____ EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

**Option 13A.2 Mounted 9' aluminum platform body meeting Specification E1320DRW
(Minimum 1 1/4" aluminum extruded floor instead of steel)**

MAKE _____ MODEL _____ EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

Option 13B.1 Mounted 9' platform dump body meeting Specification E1327

MAKE _____ MODEL _____ EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

- Option 13B.2** Mounted 9' aluminum platform dump body meeting Specification E1327
(Minimum 1 1/4" aluminum extruded floor instead of steel)
- MAKE _____ MODEL _____ EACH \$ _____
- MAKE _____ MODEL _____ EACH \$ _____
- Option 13C.1** Mounted 9' dump body meeting Specification E1335
- MAKE _____ MODEL _____ EACH \$ _____
- MAKE _____ MODEL _____ EACH \$ _____
- Option 13C.2** Mounted 9' aluminum dump body meeting Specification E1335-ALUM
- MAKE _____ MODEL _____ EACH \$ _____
- MAKE _____ MODEL _____ EACH \$ _____
- Option 13D** Permanently installed bulkhead to fit truck application
(minimum requirement to top of cab) EACH \$ _____
- Option 13E.** Provide live hydraulics with under hood clutch pump. Pump shall be cast iron design capable of 3500 PSI; aluminum pumps will not be accepted. Reservoir shall be 15 gallon with filtered breather cap, suction strainer, sight gauge and in tank return filter rated to 25 GPM. Control valve shall be 3 section mobile stack valve for hoist, plow and spreader. Valve shall be 12VDC activated capable of a minimum 12 GPM and installed in a valve enclosure. Control valve must have a main relief and a relief for the hoist down function. The hoist, plow and spreader functions shall be controlled by a Certified Power Freedom 2.0 12VDC control console with automated spreading for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in a salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck. EACH \$ _____
- Option 13F.** Hydraulic system to run body, plow and spreader, hoist and plow controls to be manual cable controlled and the spreader control shall be a Certified Power Freedom 2.0 automated spreader control. The hydraulic system requirements shall match the 15E specifications. EACH \$ _____
- Option 13G.** Provide hydraulics and controls 12VDC activated for dump hoist only EACH \$ _____
- Option 13H.** Mounted standard utility tool body.
Acceptable makes and models are:
Knapheide 6108D54J, Stahl CHALLENGER II 108VVD- 54
Reading CLASSIC II 108A DW Omaha 108D54V
RKI L60DW94.
- Body to include flush mounted LED tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.
- MAKE _____ MODEL _____ EACH \$ _____
- MAKE _____ MODEL _____ EACH \$ _____

- Option 13I.** Mounted *fiberglass* composite utility tool body.
Acceptable makes and models are:
Brand FX Composite Service Body (Model 60LS)
Equivalents accepted if pre-approved at least 5 working days before bid opening.
- Body to include flush mounted LED tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess
- MAKE _____ MODEL _____ EACH \$ _____
- Option 13J.** Six - 2” deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 ½” from top of compartment with approximately 2 ½” between trays in lieu of two shelves and dividers in one of the full height vertical compartments EACH \$ _____
- Option 13K.** Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4” centers with first tray mounted 5 ¼ “ from bottom of compartment with approximately 1 ½” between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments. EACH \$ _____
- Option 13L.** Flip top for Utility Body: Top of compartment opens for storage. Can be either side or both sides. Telescopic roof and crane mounting kit will impact flip top application. Latch is located in center horizontal compartment. EACH \$ _____
- Option 13M.** One full- length (or from crane mounting point) 4” deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4” centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2” into side compartment (The side compartment shall be 27” from floor to top of side body plus excess for flip top compartment) EACH \$ _____
- Option 13N.** One double- bottle gas drop well and retainers in lieu of two shelves and dividers in one of the full height vertical compartments EACH \$ _____
- Option 13O.** Minimum 25” high panel extension cover with minimum 42” locking rear doors which will provide a minimum 48” interior height for storage and work area (Canopy roof style). EACH \$ _____
- Option 13P.** Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and end gate cover EACH \$ _____
- Option 13Q.** Raise Telescopic Roof to get 36” clearance for the above option EACH \$ _____
- Option 13R.** Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. cap. crane (with no mounting holes or bolt holes, we will drill to suit ourselves) EACH \$ _____
- Option 13S.** Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, side’s tailgate, front, and horizontal surface of bumper EACH \$ _____
- Option 13T.** Heavy duty, Class V (2-1/2” square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV), seven-wire RV style trailer plug and electric brake controller EACH \$ _____

- Option 13U. Exterior color to be Federal Standard #595C "DOT Highway Yellow" EACH \$ _____
- Option 13V. Automatic transmission power take-off provision EACH \$ _____
- Option 13W. 2 cab steps. (One on driver's side, one on passenger side) SET \$ _____
- Option 13X. Optional Rear Axle Ratio Axle Ratio _____ EACH \$ _____
- Option 13Y. Limited Slip Rear Axle. Axle Ratio _____ EACH \$ _____
- Option 13Z. Bluetooth Capability EACH \$ _____
- Option 13AA. Additional set of keys (Ignition and door locks) EACH \$ _____
- Option 13BB. Standard gasoline engine with the highest cooling capacity in lieu (Deduct) of diesel engine– DEDUCT (state size and horsepower) EACH \$ _____
- SIZE _____ HORSEPOWER _____

Please indicate below the percent (%) discount off Manufacturer's Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount _____

Delivery will be made approximately _____ days after receipt of order.

ITEM # 14 - New standard equipped 2017 or Newer Model 17,500 LB. GVWR Crew Chassis-Cab with DRW and 60" CA

EXAMPLES OF ACCEPTABLE MAKES AND MODELS:

Ford Super Duty F550 2WD/4WD with 60"CA/179" WB and DRW
 Dodge 5500 2WD/4WD with 60"CA/173.4" WB and DRW
 Freightliner M2106 2WD/4WD with 60.2"CA/176" WB and DRW (Installation of a body may require modifications)
ONLY THE 4WD MODELS ARE RECOMMENDED FOR SNOW PLOW

All units bid must contain the following options:

1. Standard, diesel engine with the highest cooling capacity
2. Manufacturer's standard rear end axle ratio (Ratio: _____)
3. Automatic Transmission (Speeds _____)
4. Air conditioning
5. LH & RH manual mirrors
6. Tires:(6) Minimum 10 ply light truck, highway all season, plus full size spare and wheel (Size _____)
7. Minimum 17,500 lbs. GVWR
8. Brakes, 4-wheel anti-lock braking system (ABS)
9. Daytime running lights
10. Speed control and tilt wheel
11. Vinyl/Rubber Flooring
12. Back up alarm
13. Vinyl seats
14. 2 sets of keys

DEALER COMPLETE IN DETAIL:

MAKE _____ MODEL 2WD CA/WB as noted above _____ GVWR _____ EACH \$ _____
 FUEL MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____
 *MAKE _____ MODEL 4WD CA/WB as noted above _____ GVWR _____ EACH \$ _____
 FUEL MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

OPTIONAL EQUIPMENT PRICES. Item # 14

Indicate the cost or deduction for the below listed options. Price should include all required options and special equipment.

Option 14A.1 Mounted 9' platform body meeting Specification E1320DRW

MAKE _____	MODEL _____	EACH \$ _____
MAKE _____	MODEL _____	EACH \$ _____

Option 14A.2 Mounted 9' aluminum platform body meeting Specification E1320DRW
 (Minimum 1 1/4" aluminum extruded floor instead of steel)

MAKE _____	MODEL _____	EACH \$ _____
MAKE _____	MODEL _____	EACH \$ _____

Option 14B.1 Mounted 9' platform dump body meeting Specification E1327

MAKE _____	MODEL _____	EACH \$ _____
MAKE _____	MODEL _____	EACH \$ _____

- Option 14B.2** Mounted 9' aluminum platform dump body meeting Specification E1327
(Minimum 1 1/4" aluminum extruded floor instead of steel)
- MAKE _____ MODEL _____ EACH \$ _____
- MAKE _____ MODEL _____ EACH \$ _____
- Option 14C.1** Mounted 9' dump body meeting Specification E1335
- MAKE _____ MODEL _____ EACH \$ _____
- MAKE _____ MODEL _____ EACH \$ _____
- Option 14C.2** Mounted 9' aluminum dump body meeting Specification E1335-ALUM
- MAKE _____ MODEL _____ EACH \$ _____
- MAKE _____ MODEL _____ EACH \$ _____
- Option 14D** Permanently installed bulkhead to fit truck application
(minimum requirement to top of cab) EACH \$ _____
- Option 14E.** Provide live hydraulics with under hood clutch pump. Pump shall be cast iron design capable of 3500 PSI; aluminum pumps will not be accepted. Reservoir shall be 15 gallon with filtered breather cap, suction strainer, sight gauge and in tank return filter rated to 25 GPM. Control valve shall be 3 section mobile stack valve for hoist, plow and spreader. Valve shall be 12VDC activated capable of a minimum 12 GPM and installed in a valve enclosure. Control valve must have a main relief and a relief for the hoist down function. The hoist, plow and spreader functions shall be controlled by a Certified Power Freedom 2.0 12VDC control console with automated spreading for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in a salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck. EACH \$ _____
- Option 14F.** Hydraulic system to run body, plow and spreader, hoist and plow controls to be manual cable controlled and the spreader control shall be a Certified Power Freedom 2.0 automated spreader control. The hydraulic system requirements shall match the 15E specifications. EACH \$ _____
- Option 14G.** Provide hydraulics and controls 12VDC activated for dump hoist only EACH \$ _____
- Option 14H.** Mounted standard utility tool body.
Acceptable makes and models are:
Knapheide 6108D54J, Stahl CHALLENGER II 108VVD- 54
Reading CLASSIC II 108A DW Omaha 108D54V
RKI L60DW94.
- Body to include flush mounted LED tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.
- MAKE _____ MODEL _____ EACH \$ _____
- MAKE _____ MODEL _____ EACH \$ _____

- Option 14I.** Mounted *fiberglass* composite utility tool body.
Acceptable makes and models are:
Brand FX Composite Service Body (Model 60LS)
Equivalents accepted if pre-approved at least 5 working days before bid opening.
- Body to include flush mounted LED tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess
- MAKE _____ MODEL _____ EACH \$ _____
- Option 14J.** Six - 2” deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 ½” from top of compartment with approximately 2 ½” between trays in lieu of two shelves and dividers in one of the full height vertical compartments EACH \$ _____
- Option 14K.** Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4” centers with first tray mounted 5 ¼ “ from bottom of compartment with approximately 1 ½” between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments. EACH \$ _____
- Option 14L.** Flip top for Utility Body: Top of compartment opens for storage. Can be either side or both sides. Telescopic roof and crane mounting kit will impact flip top application. Latch is located in center horizontal compartment. EACH \$ _____
- Option 14M.** One full- length (or from crane mounting point) 4” deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4” centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2” into side compartment (The side compartment shall be 27” from floor to top of side body plus excess for flip top compartment) EACH \$ _____
- Option 14N.** One double- bottle gas drop well and retainers in lieu of two shelves and dividers in one of the full height vertical compartments EACH \$ _____
- Option 14O.** Minimum 25” high panel extension cover with minimum 42” locking rear doors which will provide a minimum 48” interior height for storage and work area (Canopy roof style). EACH \$ _____
- Option 14P.** Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and end gate cover EACH \$ _____
- Option 14Q.** Raise Telescopic Roof to get 36” clearance for the above option EACH \$ _____
- Option 14R.** Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. cap. crane (with no mounting holes or bolt holes, we will drill to suit ourselves) EACH \$ _____
- Option 14S.** Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, side’s tailgate, front, and horizontal surface of bumper EACH \$ _____
- Option 14T.** Heavy duty, Class V (2-1/2” square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV), seven-wire RV style trailer plug and electric brake controller EACH \$ _____
- Option 14U.** Exterior color to be Federal Standard #595C “DOT Highway Yellow” EACH \$ _____

- Option 14V. Automatic transmission power take-off provision EACH \$ _____
- Option 14W. 2 cab steps. (One on driver's side, one on passenger side) SET \$ _____
- Option 14X. Optional Rear Axle Ratio Axle Ratio _____ EACH \$ _____
- Option 14Y. Limited Slip Rear Axle. Axle Ratio _____ EACH \$ _____
- Option 14Z. Bluetooth Capability EACH \$ _____
- Option 14AA. Additional set of keys (Ignition and door locks) EACH \$ _____
- Option 14BB. Standard gasoline engine with the highest cooling capacity in lieu (Deduct of diesel engine– DEDUCT (state size and horsepower) EACH \$ _____
 SIZE _____ HORSEPOWER _____

Please indicate below the percent (%) discount off Manufacturer's Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount _____

Delivery will be made approximately _____ days after receipt of order.

ITEM # 15 - New standard equipped 2017 or Newer Model 17,500 GVWR Reg Cab Chassis-Cab 84" CA and DRW.

EXAMPLES OF ACCEPTABLE MAKES AND MODELS:

Ford Super Duty F550 2WD/4WD with 84"CA/169" WB and DRW

Dodge 5500 2WD/4WD with 94"CA/168.5" WB and DRW

Freightliner M2 106 2WD/4WD with 84.4"CA/153" WB and DRW (Installation of a body may require modifications)

ONLY THE 4WD MODELS ARE RECOMMENDED FOR SNOW PLOW

All units bid must contain the following options:

1. Standard, diesel engine with the highest cooling capacity Size _____ Horsepower _____)
2. Manufacturer's standard rear end axle ratio (Ratio: _____)
3. Automatic Transmission (Speeds _____)
4. Air conditioning
5. LH & RH manual mirrors
6. Tires:(6) Minimum 10 ply light truck, highway all season, plus full size spare and wheel (Size _____)
7. Minimum 17,500 lbs. GVWR
8. Brakes, 4-wheel anti-lock braking system (ABS)
9. Daytime running lights
10. Speed control and tilt wheel
11. Vinyl/Rubber Flooring
12. Back up alarm
13. Vinyl seats
14. 2 sets of keys

DEALER COMPLETE IN DETAIL:

MAKE _____ MODEL 2WD CA/WB as noted above _____ GVWR _____ EACH \$ _____

FUEL MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

*MAKE _____ MODEL 4WD CA/WB as noted above _____ GVWR _____ EACH \$ _____

FUEL MPG: CITY _____ HWY _____ ENGINE SIZE _____ HP _____ E-85 COMPATIBLE? _____

OPTIONAL EQUIPMENT PRICES, Item #15

Indicate the cost or deduction for the below listed options. Price should include all required options and special equipment.

Option 15A.1 Mounted 12' platform body meeting Specification E1320DRW

MAKE _____ MODEL _____ EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

**Option 15A.2 Mounted 12' aluminum platform body meeting Specification E1320DRW
(Minimum 1 1/4" aluminum extruded floor instead of steel)**

MAKE _____ MODEL _____ EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

Option 15B.1 Mounted 11' platform dump body meeting Specification E1327

MAKE _____ MODEL _____ EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

Option 15B.2 Mounted 11' aluminum platform dump body meeting Specification E1327 (Minimum 1 1/4" aluminum extruded floor instead of steel)

MAKE _____ MODEL _____ EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

Option 15C. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab) EACH \$ _____

Option 15D. Provide live hydraulics with under hood clutch pump. Pump shall be cast iron design capable of 3500 PSI; aluminum pumps will not be accepted. Reservoir shall be 15 gallon with filtered breather cap, suction strainer, sight gauge and in tank return filter rated to 25 GPM. Control valve shall be 3 section mobile stack valve for hoist, plow and spreader. Valve shall be 12VDC activated capable of a minimum 12 GPM and installed in a valve enclosure. Control valve must have a main relief and a relief for the hoist down function. The hoist, plow and spreader functions shall be controlled by a Certified Power Freedom 2.0 12VDC control console with automated spreading for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in a salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck. EACH \$ _____

Option 15E. Hydraulic system to run body, plow and spreader, hoist and plow controls to be manual cable controlled and the spreader control shall be a Certified Power Freedom 2.0 automated spreader control. The hydraulic system requirements shall match the 16D specifications. EACH \$ _____

Option 15F. Provide hydraulics and controls 12VDC activated for dump hoist only EACH \$ _____

Option 15G. Mounted standard utility tool body. Acceptable makes and models are: Knapheide 6132D54J Stahl CHALLENGER II 132 VVD-54 Reading CLASSIC II 132A DW RKI L84DW94 Omaha 132D54V Body to include flush mounted LED tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess. EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

Option 15H. Mounted fiberglass composite utility tool body. Acceptable makes and models are: Brand FX Composite Service Body (Model 84LS) Equivalentents accepted if pre-approved at least 5 working days before bid opening. Body to include flush mounted LED tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess. EACH \$ _____

MAKE _____ MODEL _____ EACH \$ _____

- Option 15I.** Six - 2” deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 ½” from top of compartment with approximately 2 ½” between trays in lieu of three shelves and dividers in one of the full height vertical compartments **EACH \$ _____**
- Option 15J.** Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4” centers with first tray mounted 5 ¼ “ from bottom of compartment with approximately 1 ½” between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments **EACH \$ _____**
- Option 15K.** Flip top for Utility Body: Top of compartment opens for storage. Can be either side or both sides. Telescopic roof and crane mounting kit will impact flip top application. Latch is located in center horizontal compartment **EACH \$ _____**
- Option 15L.** Minimum 25” high panel extension cover with minimum 42” locking rear doors which will provide a minimum 48” interior height for storage and work area (Canopy roof style). **EACH \$ _____**
- Option 15M.** Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and end gate cover **EACH \$ _____**
- Option 15N.** Raise Telescopic Roof to get 36” clearance for the above option **EACH \$ _____**
- Option 15O.** Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. cap. crane (with no mounting holes or bolt holes, we will drill to suit ourselves) **EACH \$ _____**
- Option 15P.** One - double bottle gas drop well with minimum 55” clearance height (for large bottle use) and retainers in lieu of the interior 48” full height vertical compartment **EACH \$ _____**
- Option 13Q.** Heavy duty, Class V (2-1/2 “square tube) receiver trailer hitch. Includes an adapter to reduce to 2” (Class III/IV), a seven - wire RV style trailer plug and electric brake controller **EACH \$ _____**
- Option 15R.** Exterior color to be Federal Standard #595C “DOT Highway Yellow” **EACH \$ _____**
- Option 15S.** Automatic transmission power take-off provision **EACH \$ _____**
- Option 15T.** 2 Full-length cab steps or running boards. (one on drivers side, one on passenger side) **SET \$ _____**
- Option 15U.** Optional Rear Axle Ratio **Axle Ratio _____** **EACH \$ _____**
- Option 15V.** Limited Slip Rear Axle. **Axle Ratio _____** **EACH \$ _____**
- Option 15W.** Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper **EACH \$ _____**
- Option 15X.** Bluetooth Capability **EACH \$ _____**

Option 15Y. Additional set of keys (Ignition and door locks) EACH \$ _____

Option 15Z. 19,000 GVWR Package in lieu of the 17,500 GVWR. EACH \$ _____
(State Wheelbase and Cab to Axle)

WHEELBASE _____ CA _____

Option 15AA. Standard gasoline engine with the highest cooling capacity in lieu (Deduct) EACH \$ _____
of diesel engine– DEDUCT (state size and horsepower)

SIZE _____ HORSEPOWER _____

Please indicate below the percent (%) discount off Manufacturer's Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount _____

Delivery will be made approximately _____ days after receipt of order.

Item #16 – New standard equipped 2017 or Newer Model 15 Passenger Van

ACCEPTABLE MAKES AND MODELS:

Ford Transit Wagon Wheelbase 148” with Extended Body
Chevrolet / GMC Model Extended Wheelbase 155” Model G33706

All units bid must contain the following options:

1. Standard minimum gas engine (Size _____ Horsepower _____)
2. Manufacturer’s standard rear end axle ratio (Ratio: _____)
3. Automatic Transmission (Speeds _____)
4. Factory installed front and rear heat/air conditioning
5. LH & RH manual mirrors
6. Tires:(4) Minimum 10 ply light truck, highway all season, plus standard size spare and wheel (Size _____)
7. Deep tinted windows (privacy glass)
8. Brakes, 4-wheel anti-lock braking system (ABS)
9. Daytime running lights
10. Speed control and tilt wheel
11. Vinyl/Rubber Flooring
12. Minimum GVWR 9000 lb
13. Vinyl seats
14. 2 sets of keys

DEALER COMPLETE IN DETAIL:

MAKE _____ MODEL _____ GVWR _____ EACH \$ _____

GAS MPG: CITY _____ HWY _____

OPTIONAL EQUIPMENT PRICES, Item #16

Indicate the cost or deduction for the below listed options. Price should include all required options and special equipment.

- Option 16A. Sliding side door EACH \$ _____
- Option 16B. Exterior color to be Federal Standard #595C “DOT Highway Yellow” EACH \$ _____
- Option 16C. Bluetooth Capability EACH \$ _____
- Option 16D. Back-up Camera EACH \$ _____
- Option 16E. Larger gas engine Size _____ HP _____ EACH \$ _____
- Option 16F. Diesel engine in lieu of standard gas engine Size _____ HP _____ EACH \$ _____
- Option 16G. Additional set of keys (Ignition and door locks) EACH \$ _____

Please indicate below the percent (%) discount off Manufacturer’s Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount _____

Delivery will be made approximately _____ days after receipt of order.

RFB 3-170105TV Snow Removal Equipment Options

These items may be bid directly by the supplier.

Electric/Hydraulic Plows

Item A – 7’ 6” Electric/Hydraulic Front End Snow Plow EACH \$ _____
 Minimum 12 gauge construction
 In cab command with on/off switch
 Light Kit
 Note: Compatible with Items 1, 2 & 3

Item B – 8’ Electric/Hydraulic Front End Snow Plow EACH \$ _____
 Minimum 12 gauge construction
 In cab command with on/off switch
 Light Kit
 Note: Compatible with Items 1, 2 & 3

Item C – 8’ 6” Electric/Hydraulic Front End Snow Plow EACH \$ _____
 Minimum 12 gauge construction
 In cab command with on/off switch
 Light Kit
 Note: Compatible with Items 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 & 15

Hydraulic Plows

Item D – 8’6” Hydraulic Front End Snow Plow EACH \$ _____
 Minimum 12 gauge construction
 In cab command
 Quick couplers for all hose connections
 Light Kit
 Note: Central Hydraulics option needed for this item
 Note: Compatible with Items 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 & 15

Item E – 9’ Hydraulic Front End Snow Plow EACH \$ _____
 Minimum 12 gauge construction
 In cab command
 Quick couplers for all hose connections
 Light Kit
 Note: Central Hydraulics option needed for this item
 Note: Compatible with Items 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 & 15

Stainless Steel Salt Spreader

Item F – 9’ Stainless Steel Salt Spreader (3.5 cubic yard capacity) Electric power EACH \$ _____
 Note: Compatible with Items 7, 8, 9, 10, 11, 12, 13, 14 & 15

Hydraulic power EACH \$ _____

Gas engine power EACH \$ _____

Item G – 10’ Stainless Steel Salt Spreader (4.5 cubic yard capacity) Electric power EACH \$ _____
 Note: Compatible with Items 12 and 15

Hydraulic power EACH \$ _____

Gas engine power EACH \$ _____

Please indicate below the percent (%) discount off Manufacturer’s Suggested Retail Prices (MSRP) for all plow/spreader/bed items, options or accessories available in your data book or pricing guides that were not specifically included in this bid.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount _____

Delivery will be made approximately _____ days after receipt of order.

Body Equipment Supplier Information

For each Body Company Supplier that is included in Bid Items 1 - 15, please complete below the location of the service center(s), company contact information and any available MSRP discount % for the purchase of any additional equipment options or accessories for the equipment that is to be provided.

Body Company _____

Service Location(s) _____

Contact Name _____ Contact Number _____

Supplier Offered Discount off MSRP Data Book or Pricing Guide Options - % Discount _____

Body Company _____

Service Location(s) _____

Contact Name _____ Contact Number _____

Supplier Offered Discount off MSRP Data Book or Pricing Guide Options - % Discount _____

Body Company _____

Service Location(s) _____

Contact Name _____ Contact Number _____

Supplier Offered Discount off MSRP Data Book or Pricing Guide Options - % Discount _____

Body Company _____

Service Location(s) _____

Contact Name _____ Contact Number _____

Supplier Offered Discount off MSRP Data Book or Pricing Guide Options - % Discount _____

5. VENDOR INFORMATION & PREFERENCE CERTIFICATION FORM

Vendor Information

All bidders must furnish **ALL** applicable information requested below

Vendor Name/Mailing Address: Email Address:	Vendor Contact Information (including area codes): Phone #: Cellular #: Fax #:
Printed Name of Responsible Officer or Employee:	Signature:
For Corporations - State in which incorporated:	For Others - State of domicile:

If the address listed in the Vendor Name/Mailing Address block above is not located in the State of Missouri, list the address of Missouri offices or places of business:

*If additional space is required, please attach an additional sheet and identify it as **Addresses of Missouri Offices or Places of Business.***

M/WBE INFORMATION: List all certified Minority or Women Business Enterprises (**M/WBE**) utilized in the fulfillment of this bid. Include percentages for subcontractors and identify the M/WBE certifying agency:

<u>M/WBE Name</u>	<u>Percentage of Contract</u>	<u>M/WBE Certifying Agency</u>

*If additional space is required, please attach an additional sheet and identify it as **M/WBE Information***

Preference Certification

All bidders must furnish **ALL** applicable information requested below

GOODS/PRODUCTS MANUFACTURED OR PRODUCED IN USA: If any or all of the goods or products offered in the attached bid which the bidder proposes to supply to the MHTC are **not** manufactured or produced in the "United States", or imported in accordance with a qualifying treaty, law, agreement, or regulation, list below, by item or item number, the country other than the United States where each good or product is manufactured or produced.

Item (or item number)	Location Where Item is Manufactured or Produced

*If additional space is required, please attach an additional sheet and identify it as **Location Products are Manufactured or Produced.***

MISSOURI SERVICE-DISABLED VETERAN BUSINESS: Please complete the following if applicable. Additional information may be requested if preference is applicable. See below definitions for qualification criteria:

Service-Disabled Veteran is defined as any individual who is disabled as certified by the appropriate federal agency responsible for the administration of veterans' affairs.

Service-Disabled Veteran Business is defined as a business concern:

- a. Not less than fifty-one (51) percent of which is owned by one or more service-disabled veterans or, in the case of any publicly owned business, not less than fifty-one (51) percent of the stock of which is owned by one or more service-disabled veterans; and
- b. The management and daily business operations of which are controlled by one or more service-disabled veterans.

Veteran Information

Business Information

Service-Disabled Veteran's Name (Please Print)	Service-Disabled Veteran Business Name
Service-Disabled Veteran's Signature	Missouri Address of Service Disabled Veteran Business

6. NOTICE OF COOPERATIVE PURCHASING

MODOT IS INTERESTED IN ASSISTING MISSOURI GOVERNMENTAL ENTITIES, ETC. IN PURCHASING EQUIPMENT, VARIOUS MATERIALS, AND SUPPLIES THAT MEET THE MISSOURI DEPARTMENT OF TRANSPORTATION SPECIFICATIONS.

Each bidder is asked to indicate below whether they would be willing to offer **medium duty vehicles** listed in the attached "Request for Bid" for sale to these local political entities at the same bid price offered to MoDOT.

It is understood MoDOT will not issue purchase orders, accept delivery nor make payment for these items ordered by any of these agencies. It is further understood the price is based on the medium duty vehicle meeting MoDOT specifications. Any added options, deletions, or extra freight costs would be negotiated between the local agency and the successful vendor.

Indicate below whether your company is willing to offer such cooperative purchasing for Missouri counties, cities or other political entities.

YES _____ NO _____

If the price varies throughout the state on MoDOT bids because of different delivery destinations, please indicate the price F.O.B. your location that would be offered as described.

F.O.B. Location _____

Indicate the deadline date that orders will be accepted. _____

COMPANY NAME _____

ADDRESS _____

E-MAIL _____

PHONE NUMBER _____

SIGNATURE _____

TITLE _____

DATE _____

Missouri Highways and Transportation Commission
Standard Bid Provisions, General Terms and Conditions and Special Terms and Conditions

STANDARD SOLICITATION PROVISIONS

- a. The solicitation for the procurement of the supplies referenced therein, to which these "Standard Bid Provisions, General Terms and Conditions and Special Terms and Conditions" are attached, is being issued under, and governed by, the provisions of Title 7 – Missouri Department of Transportation, Division 10 – Missouri Highways and Transportation Commission, Chapter 11 – Procurement of Supplies, of the Code of State Regulations. The Missouri Highways and Transportation Commission (MHTC), acting by and through its operating arm, the Missouri Department of Transportation (MoDOT), draws the Bidder's attention to said 7 CSR 10-11 for all the provisions governing solicitation and receipt of bids/quotes and the award of the contract pursuant to this solicitation.
- b. All bids/quotes must be signed with the firm name and by a responsible officer or employee. Obligations assumed by such signature must be fulfilled.

GENERAL TERMS AND CONDITIONS

Definitions

Capitalized terms as well as other terms used but not defined herein shall have the meaning assigned to them in section 7 CSR 10-11.010 Definition of Terms.

Nondiscrimination

- a. The Contractor shall comply with all state and federal statutes applicable to the Contractor relating to nondiscrimination, including, but not limited to, Chapter 213, RSMo; Title VI and Title VII of Civil Rights Act of 1964 as amended (42 U.S.C. Sections 2000d and 2000e, *et seq.*); and with any provision of the "Americans with Disabilities Act" (42 U.S.C. Section 12101, *et seq.*).
- b. **Sanctions for Noncompliance:** In the event of the Contractor's noncompliance with the nondiscrimination provisions of this contract, MHTC shall impose such contract sanctions as it or the Federal Highway Administration may determine to be appropriate, including, but not limited to:
 - i. withholding of payments to the Contractor under the contract until the Contractor complies, and/or,
 - ii. cancellation, termination or suspension of the contract, in whole or in part.

Contract/Purchase Order

- a. By submitting a bid/quote, the Bidder agrees to furnish any and all equipment, supplies and/or services specified in the solicitation documents, at the prices quoted, pursuant to all requirements and specifications contained therein.
- b. A binding contract shall consist of: (1) the solicitation documents, amendments thereto, and/or Best and Final Offer (BAFO) request(s) with any changes/additions, (2) the Contractor's bid response, and (3) the MHTC's acceptance of the bid by post-award contract or purchase order.
- c. A notice of award does not constitute an authorization for shipment of equipment or supplies or a directive to proceed with services. Before providing equipment, supplies and/or services, the Contractor must receive a properly authorized notice to proceed and/or purchase order.

Applicable Laws and Regulations

- a. The contract shall be construed according to the laws of the State of Missouri. The Contractor shall comply with all local, state, and federal laws and regulations related to the performance of the contract. The exclusive venue for any legal proceeding relating to or arising, out of the contract shall be in the Circuit Court of Cole County, Missouri.
- b. The Contractor must be registered and maintain good standing with the Secretary of State of the State of Missouri, Missouri Department of Revenue, and other regulatory agencies, as may be required by law or regulations. Prior to the issuance of a purchase order and/or notice to proceed, the Contractor may be required to submit to MHTC a copy of their current Authority Certificate from the Secretary of State of the State of Missouri and/or a copy of their Certificate of No Tax Due from the Missouri Department of Revenue.
- c. Prior to the issuance of a purchase order and/or notice to proceed, all **out-of-state** Contractors **providing services** within the state of Missouri must submit to MHTC a copy of their current Transient Employer Certificate from the Missouri Department of Revenue, in addition to a copy of their current Authority Certificate from the Secretary of State of the State of Missouri.

Executive Order:

The Contractor shall comply with all the provisions of Executive Order 07-13, issued by the Honorable Matt Blunt, Governor of Missouri, on the sixth (6th) day of March, 2007. This Executive Order, which promulgates the State of Missouri's position to not tolerate persons who contract with the state engaging in or supporting illegal activities of employing individuals who are not eligible to work in the United States, is incorporated herein by reference and made a part of this Agreement.

- 1) "By signing this Agreement, the Contractor hereby certifies that any employee of the Contractor assigned to perform services under the contract is eligible and authorized to work in the United States in compliance with federal law."
- 2) In the event the Contractor fails to comply with the provisions of the Executive Order 07-13, or in the event the Commission has reasonable cause to believe that the contractor has knowingly employed individuals who are not eligible to work in the United States in violation of federal law, the Commission reserves the right to impose such contract sanctions as it may determine to be appropriate, including but not limited to contract cancellation, termination or suspension in whole or in part or both.
- 3) The Contractor shall include the provisions of this paragraph in every subcontract. The Contractor shall take such action with respect to any subcontract as the Commission may direct as a means of enforcing such provisions, including sanctions for noncompliance.

Preferences

- a. In the evaluation of bids/quotes, preferences shall be applied in accordance with 7 CSR 10-11.020(7). Contractors should apply the same preferences in selecting subcontractors. The attached document entitled "**VENDOR INFORMATION AND PREFERENCE CERTIFICATION FORM**" must be completed and returned with the solicitation documents.
- b. Bidders are encouraged to obtain minority business enterprise (MBE) and women business enterprise (WBE) participation in this work through the use of subcontractors, suppliers, joint ventures, or other arrangements that afford meaningful participation for M/WBEs. Bidders are encouraged to obtain 10% MBE and 5% WBE participation.

Missouri Highways and Transportation Commission
Standard Bid Provisions, General Terms and Conditions and Special Terms and Conditions

Cancellation of Contract

The MHTC may cancel the Contract at any time for a material breach of contractual obligations or for convenience by providing Contractor with written notice of cancellation. Should the MHTC exercise its right to cancel the contract for such reasons, cancellation will become effective upon the date specified in the notice of cancellation sent to the Contractor.

Bankruptcy or Insolvency

Upon filing for any bankruptcy or insolvency proceeding by or against the Contractor, whether voluntarily, or upon the appointment of a receiver, trustee, or assignee, for the benefit of creditors, the Commission reserves the right and sole discretion to either cancel the Agreement or affirm the Agreement and hold the Contractor responsible for damages.

Warranty

The Contractor expressly warrants that all equipment, supplies, and/or services provided shall: (1) conform to each and every specification, drawing, sample or other description which was furnished to or adopted by the MHTC, (2) be fit and sufficient for the purpose expressed in the solicitation documents, (3) be merchantable, (4) be of good materials and workmanship, and (5) be free from defect.

Status of Independent Contractor

The Contractor represents itself to be an independent Contractor offering such services to the general public and shall not represent itself or its employees to be an employee of the MHTC. Therefore, the Contractor shall assume all legal and financial responsibility for taxes, FICA, employee fringe benefits, workers' compensation, employee insurance, minimum wage requirements, overtime, etc., and agrees to indemnify, save and hold the MHTC, its officers, agents and employees harmless from and against any and all losses (including attorney fees) and damage of any kind related to such matters.

Non-Waiver

If one of the parties agrees to waive its right to enforce any term of this Contract, that party does not waive its right to enforce such term at any other time or to enforce any or all other terms of this Contract.

Indemnification

The Contractor shall defend, indemnify and hold harmless MHTC, including its members and department employees, from any claim or liability whether based on a claim for damages to real or personal property or to a person for any matter relating to or arising out of the Contractor's performance of its obligations under the contract awarded pursuant to this solicitation.

Missouri Highways and Transportation Commission
Standard Bid/Proposal Provisions, General Terms and Conditions and Special Terms and Conditions

SPECIAL TERMS AND CONDITIONS

Tax Exempt Status:

MHTC is exempt from paying Missouri Sales Tax, Missouri Use Tax and Federal Excise Tax. However, the Contractor may themselves be responsible for the payment of taxes on materials they purchase to fulfill the contract. A Project Tax Exemption Certificate will be furnished to the successful Bidder upon request if applicable.

Liquidated Damages

- a. In the event the successful Contractor fails to deliver the material within the time specified, the Department and the public will sustain damages because of such delay in delivery, the exact extent of which would be difficult to ascertain, and in order to liquidate such damage in advance it is agreed that the **sum of \$50 per day, per item**, for each assessable calendar day on which the delivery has not been completed, is reasonable and the best estimate which the parties can arrive at as liquidated damages, and it is therefore agreed that said amount will be withheld from payments due the Contractor or otherwise collected from the Contractor as liquidated damages.
- b. **Saturdays, Sundays, holidays and days whereas the Department has suspended work** shall not be assessable days.

CERTIFIED COPY OF ORDER

STATE OF MISSOURI

February Session of the January Adjourned

Term. 20 18

County of Boone

} ca.

In the County Commission of said county, on the 27th day of February 20 18


the following, among other proceedings, were had, viz:


Now on this day the County Commission of the County of Boone does hereby approve the attached Contract Amendment Number Three to 127-123117SS – Tasers and Equipment for the Boone County Sheriff’s Department.


The terms of the amendment are stipulated in the attached Amendment. It is further ordered the Presiding Commissioner is hereby authorized to sign said Contract Amendment Number Three for Tasers and Equipment.


Done this 27th day of February, 2018.

ATTEST:


Taylor W. Burks
Clerk of the County Commission


Daniel K. Atwill
Presiding Commissioner


Fred J. Parry
District I Commissioner


Janet M. Thompson
District II Commissioner

108-2018

Boone County Purchasing

Liz Palazzolo
Senior Buyer



613 E. Ash, Room 109
Columbia, MO 65201
Phone: (573) 886-4392
Fax: (573) 886-4390

MEMORANDUM

TO: Boone County Commission
FROM: Liz Palazzolo, CPPO, C.P.M.
DATE: January 19, 2018
RE: Amendment #3 to Contract 127-123116SS – Tasers and Equipment for the Boone County Sheriff's Department

Amendment #3 to contract #127-123116SS for Tasers and Equipment for the Boone County Sheriff's Department that was awarded February 8, 2016 (Commission Order 80-2016) is being amended to incorporate 2018 pricing. All other terms and conditions of the original agreement remain unchanged.

Invoices will continue to be paid from the following departments/accounts:

2901 – Sheriff Operations – LE Sales Tax, 23201 – Law Enforcement Services Fund;
2901 – Sheriff Operations – LE Sales Tax, 92300 – Replacement Machinery & Equipment;
and 1255- Corrections, 23201– Ammunition.

/lp

cc: Leasa Quick, Sheriff's Department
Contract File #127-123116SS

**CONTRACT AMENDMENT NUMBER THREE
AGREEMENT FOR
TASERS AND EQUIPMENT – TERM AND SUPPLY**

The Agreement **127-123116SS** dated February 18, 2016 made by and between Boone County, Missouri and **Axon Enterprise, Inc.** for and in consideration of the performance of the respective obligations of the parties set forth herein, is amended as follows:


1. The 2018 Taser X2 CEW Law Enforcement Pricing document as attached and the 2018 Taser X26P CEW Law Enforcement Pricing document as attached are incorporated into the contract, and supersede all previously submitted pricing.
2. Except as specifically amended hereunder, all other terms, conditions and provisions of the original agreement, including prices, shall remain in full force and effect.

IN WITNESS WHEREOF the parties through their duly authorized representatives have executed this agreement on the day and year first above written.


Axon Enterprise, Inc.

By: 
Signature


By: ROBERT DAISCOTT, VP, SALES OPS.
Printed Name/ Title

Boone County, Missouri
By: Boone County Commission

Daniel K. Atwill, Presiding Commissioner

APPROVED AS TO FORM:



County Counselor

ATTEST:


Taylor W. Burks, County Clerk

AUDITOR CERTIFICATION: In accordance with §RSMo 50.660, I hereby certify that a sufficient unencumbered appropriation balance exists and is available to satisfy the obligation(s) arising from this contract. (Note: Certification of this contract is not required if the terms of this contract do not create a measurable county obligation at this time.)

2901-23201; 2901-92300; 1255-23201

 by js 02/15/2018
Signature Date Appropriation Account



17800 N. 85th St. Scottsdale, AZ 85255-6311

Toll Free: 800.978.2737 • Fax: 480.991.0791

www.axon.com • Sales@axon.com

2018 TASER X2 CEW Law Enforcement Pricing

Model	Product Description	Agency Price
X2 Conducted Electrical Weapons (Handle Only without Power Magazine, choose one)		
22002	Black X2 CEW	\$1,170.00 ea
22003	Yellow X2 CEW	\$1,170.00 ea
X2 Power Magazines (Choose one)		
22010	Performance Power Magazine (PPM)	\$62.00 ea
22012	Tactical Performance Power Magazine (TPPM)	\$62.00 ea
X2 Power Magazine (Optional)		
22011	Automatic Shut-Down Power Magazine (APPM)	\$75.00 ea
70116	Signal Performance Power Magazine (SPPM) ¹	\$96.00 ea
Optional Accessories		
X2 Holsters		
22501	Holster, X2, Right Hand, Blackhawk!	\$75.00 ea
22504	Holster, X2, Left Hand, Blackhawk!	\$75.00 ea
Customer Care Extended Warranty		
22014	4-year Extended Warranty	\$363.00 ea
TASER Assurance Plan (TAP)		
85049	TAP CEW Annual Payment, X2	\$232.00 ea
Professional Services		
85147	CEW Starter Package	\$2,500.00 ea
85150	CEW Add-on Services ²	\$2,000.00 ea
85168	CEW Full Service with Instructor Training	\$15,000.00 ea
X2 Smart Cartridges³		
22150	15' Live Smart Cartridge	\$34.00 ea
22151	25' Live Smart Cartridge	\$36.00 ea
22152	35' Live Smart Cartridge	\$38.00 ea
22155	Inert Simulator 25' Smart Cartridge	\$49.00 ea
22157	25' Training Smart Cartridge (Blue Blast Door/Non-conductive)	\$35.00 ea
33112	Alligator Clip Smart Cartridge	\$38.00 ea
TASER CAM HD Recorders		
26810	TASER CAM HD	\$548.96 ea
26820	TASER CAM HD with Automatic Shut-Down (AS) Feature	\$576.44 ea
26762	TASER CAM HD USB download kit	\$17.00 ea
26763	TASER CAM HD 4-Year Extended Warranty	\$159.86 ea
26764	TASER CAM HD Replacement Battery	\$59.00 ea
X2 Dataport Download Kits		
22013	Kit, Dataport Download, USB, X2	\$188.00 ea
HOGUE HANDALL Grips		
22018	Grip, CEW, Hogue, packaged	\$18.00 ea

¹ When the CEW's safety switch is shifted to the up (ARMED) position, the SPPM sends a signal recognizable by Axon Body 2 cameras and Axon Flex systems that are equipped with Axon Signal technology.

² Part 85147 must be purchased before 85150 can be purchased.

³ 15-foot, 25-foot, and 35-foot X2 cartridges are compatible with TASER X2 and X3 CEWs. X3 cartridges (part numbers 33100, 33101, 33102, 33103, 33104, and 33106) are NOT compatible with the X2 CEW.



Training Equipment

80004	Target, Conductive, 2-Part, Top and Bottom	\$31.00 ea
44550	Sim Suit Model II	\$644.00 ea

Axon Enterprise, Inc.'s Sales Terms and Conditions for Direct Sales to End User Purchasers apply to all sales and are available at <http://www.axon.com/sales-terms-and-conditions>.

For delivery status or to place an order, call Axon's sales department at 800-978-2737 or fax the order to: 480-991-0791.

BLACKHAWK! is a trademark of BLACKHAWK! Products Group, HANDALL is a trademark of Hogue, Inc., and HOGUE is a registered trademark of Hogue, Inc.

Axon Body 2, Axon Flex, Axon Signal, Smart Cartridge, TASER CAM, X2, X2 and Design, X3, TASER, "Protect Life," and  are trademarks of Axon Enterprise, Inc., some of which are registered in the US and other countries. For more information, visit www.axon.com/legal. All rights reserved. © 2018 Axon Enterprise, Inc.



17800 N. 85th St. Scottsdale, AZ 85255-6311

Toll Free: 800.978.2737 • Fax: 480.991.0791

www.axon.com • Sales@axon.com

2018 TASER X26P CEW Law Enforcement Pricing

Model	Product Description	Agency Price
X26P Conducted Electrical Weapons (CEW Only without Power Magazine, choose one)		
11002	Black X26P CEW, class III LASER	\$1,022.00 ea
11003	Yellow X26P CEW, class III LASER	\$1,022.00 ea
X26P Power Magazines (Choose one)		
22010	Performance Power Magazine (PPM)	\$62.00 ea
22012	Tactical Performance Power Magazine (TPPM)	\$62.00 ea
11010	eXtended Performance Power Magazine (XPPM)	\$73.00 ea
X26P Power Magazine (Optional)		
22011	Automatic Shut-Down Power Magazine (APPM)	\$75.00 ea
11015	eXtended Automatic Shut-Down Power Magazine (XAPPM)	\$78.00 ea
70116	Signal Performance Power Magazine (SPPM) ¹	\$96.00 ea
Optional Accessories		
X26P Holsters		
11501	Holster, X26P, Right Hand, Blackhawk!	\$61.00 ea
11504	Holster, X26P, Left Hand, Blackhawk!	\$61.00 ea
Customer Care Extended Warranty		
11004	4-year Extended Warranty	\$318.00 ea
TASER Assurance Plan (TAP)		
85059	TAP CEW Annual Payment, X26P	\$210.00 ea
Professional Services		
85147	CEW Starter Package	\$2,500.00 ea
85150	CEW Add-on Services ²	\$2,000.00 ea
85168	CEW Full Service with Instructor Training	\$15,000.00 ea
TASER CAM HD Recorders		
26810	TASER CAM HD	\$548.96 ea
26820	TASER CAM HD with Automatic Shut-Down (AS) Feature	\$576.44 ea
26762	TASER CAM HD USB download kit	\$17.00 ea
26763	TASER CAM HD 4-Year Extended Warranty	\$159.86 ea
26764	TASER CAM HD Replacement Battery	\$59.00 ea
Dataport Download Kits		
22013	Kit, Dataport Download, USB	\$188.00 ea
HOGUE HANDALL Grips		
22018	Grip, CEW, Hogue, packaged	\$18.00 ea
Training Equipment		
80004	Target, Conductive, 2-Part, Top and Bottom	\$31.00 ea
44550	Sim Suit Model II	\$644.00 ea

¹ When the CEW's safety switch is shifted to the up (ARMED) position, the SPPM sends a signal recognizable by Axon Body 2 cameras and Axon Flex systems that are equipped with Axon Signal technology.

² Part 85147 must be purchased before 85150 can be purchased.



X26P Cartridges

34200	15' Field Use ³	\$26.00 ea
44200	21' Field Use	\$28.00 ea
44203	25' XP Field Use	\$32.00 ea
44205	21' Non-Conductive Sim	\$27.00 ea
85000	Alligator Clip Cartridge	\$53.00 ea

2018 TASER X26 Accessories Law Enforcement Pricing

Model	Product Description	Agency Price
-------	---------------------	--------------

X26 Power Magazines

26700	Digital Power Magazine (DPM)	\$42.00 ea
26701	eXtended Digital Power Magazine (XDPM)	\$48.00 ea

X26 Holsters

44952	Holster, X26, Right Hand, Blade-Tech	\$41.00 ea
44953	Holster, X26, Left Hand, Blade-Tech	\$41.00 ea
44972	Holster, X26, Right Hand, BLACKHAWK!	\$41.00 ea
44973	Holster, X26, Left Hand, BLACKHAWK!	\$41.00 ea

Dataport Download Kit

26500	X26 Dataport Download Kit	\$188.00 ea
-------	---------------------------	-------------

Axon Enterprise, Inc.'s Sales Terms and Conditions for Direct Sales to End User Purchasers apply to all sales and are available at <http://www.axon.com/sales-terms-and-conditions>.

For delivery status or to place an order, call Axon's sales department at 800-978-2737 or fax the order to: 480-991-0791.

BLACKHAWK is a trademark of BLACKHAWK! Products Group, HANDALL is a trademark of Hogue, Inc., and HOGUE is a trademark of Hogue, Inc.

Axon Body 2, Axon Flex, Axon Signal, TASER CAM, X26P, X26P and Design, X26, XP, TASER, 'Protect Life,' and  are trademarks of Axon Enterprise, Inc., some of which are registered in the US and other countries. For more information, visit www.axon.com/legal. All rights reserved. © 2018 Axon Enterprise, Inc.

³ The 15-foot cartridges are recommended for training, due to their relatively short range. However, these 15-foot cartridges are conductive, and must NOT be used against a person wearing a Sim Suit.

CERTIFIED COPY OF ORDER

STATE OF MISSOURI

} ea.

February Session of the January Adjourned

Term. 20 18

County of Boone

In the County Commission of said county, on the 27th day of February 20 18

the following, among other proceedings, were had, viz:

Now on this day the County Commission of the County of Boone does hereby award Professional Services Contract 06-31MAR18C – Consulting Services for Radio Tower Project at the Boone County Barn Tower Site to Malicoat-Winslow engineers, P.C. of Columbia, MO.

Terms of the award are stipulated in the attached Consultant Services Agreement. It is further ordered the Presiding Commissioner is hereby authorized to sign said Services Agreement.

Done this 27th day of February, 2018

ATTEST:

Taylor W. Burks
Taylor W. Burks
Clerk of the County Commission

Daniel K. Atwill
Daniel K. Atwill
Presiding Commissioner

Fred J. Parry
Fred J. Parry
District I Commissioner

Janet M. Thompson
Janet M. Thompson
District II Commissioner

109-2018

Boone County Purchasing

Melinda Bobbitt, CPPO
Director of Purchasing



613 E. Ash St, Room 110
Columbia, MO 65201
Phone: (573) 886-4391
Fax: (573) 886-4390

MEMORANDUM

TO: Boone County Commission
FROM: Melinda Bobbitt, CPPO, CPPB
DATE: February 21, 2018
RE: Professional Services Contract: 06-31MAR18C – Consulting Services for Radio Tower Project at the Boone County Barn (BCB) Tower Site with Malicoat-Winslow Engineers

Dave Dunford, on behalf of Boone County as our Radio Consultant, requests Consulting Services for the Radio Tower Project for Hallsville Maintenance Building and Pole Barn with Malicoat-Winslow Engineers, P.C. of Columbia, MO as follows:

Gas piping design & specifications, electrical design & specifications, tower compound design, prepare site drawings, coordinate with utility companies, develop permit documents detailing the planned building &/or alterations, shop drawing review, coordination with County.

Cost of services is \$1,950 and will be paid from 2706 – Radio Network Improvements, 91300 – Machinery & Equipment. \$504,194 is budgeted for the Boone County Barn (BCB) Radio Tower Project.

cc: Chad Martin, Patricia Schreiner, Joint Communications
Dave Dunford, Radio Consultant
Contract File

109-2018

APPROVAL OF PROPOSAL FOR CONSULTANT SERVICES

Contract # 06-31MAR18C –Consulting Services for Boone County Barn Radio Tower Project at the Boone County Hallsville Maintenance Building & Pole Barn, 780 E. Hwy. 124, Hallsville, Missouri 65255

Effective this 27th day of February 2018, Boone County, Missouri, a first-class county and political subdivision of the state of Missouri through its County Commission, (herein "Owner") hereby approves and authorizes professional services by the Consultant referred to below for the services specified herein.

Consultant Name: Malicoat-Winslow Engineers, P.C., 5649 North Clearview Road, Columbia, Missouri 65202-9687.

Project / Work Description: Consulting work for Boone County Barn Radio Tower Project per the attached proposal to include gas piping, design & specifications, electrical design & specifications, tower compound design, prepare site drawings, coordinate with utility companies, develop permit documents detailing the planned building &/or alterations, shop drawing review, coordination with County.

Proposal Description: Consultant to provide all services set out in the attached Proposal.

Modifications to Proposal: Fees and expenses shall not exceed \$1,950.00 without prior written approval of Owner.

This form agreement and any attachments to it shall be considered the approved proposal; signature by all parties below constitutes a contract for services in accordance with the above described proposal and any approved modifications to the proposal, both of which shall be in accordance with the terms and conditions of the General Consultant Services Agreement signed by the Consultant and Owner for the current calendar year on file with the Boone County Resource Management Department, which is hereby incorporated by reference. Performance of Consultant's services and compensation for services shall be in accordance with the approved proposal and any approved modifications to it and shall be subject to and consistent with the General Consultant Services Agreement for the current calendar year. In the event of any conflict between the proposal approved herein and the General Consultant Services Agreement, or the inclusion of additional terms in the Consultant's proposal not found in the General Consultant Services Agreement, the terms and conditions of the General Consultant Services Agreement shall control unless this Approval of Proposal indicates agreement with a specific term or terms of Consultant's proposal not found in the General Consultant Services Agreement.

MALICOAT-WINSLOW ENGINEERS, P.C.

BOONE COUNTY, MISSOURI

By Fred Malicoat
Title President

By Daniel K. Atwill
Daniel K. Atwill, Presiding Commissioner

APPROVED AS TO FORM:
[Signature]
County Attorney

ATTEST:
Taylor W. Burks
Taylor W. Burks, County Clerk

In accordance with RSMo 50.660, I hereby certify that a sufficient unencumbered appropriation balance exists and is available to satisfy the obligation(s) arising from this contract. (Note: Certification of this contract is not required if the terms of this contract do not create a measurable county obligation at this time.)

Jane Pitchford by jx 02/17/2018 2706/91300/1101/ \$1,950
Signature Date Appropriation Account

MALICOAT-WINSLOW ENGINEERS, P.C.
MECHANICAL AND ELECTRICAL ENGINEERS

109-2018

5649 NORTH CLEARVIEW ROAD
COLUMBIA, MISSOURI 65202-9687

FREDDIE L. MALICOAT, P.E
Email: fredm@mwengrs.com

Phone: (573) 875-1300
Fax: (573) 875-1305

January 30, 2018

Melinda Bobbitt
Director of Purchasing
Boone County Purchasing
613 E Ash
Columbia, MO 65201

RE: Agreement for Professional Services – Permit Only
BOCO Hallsville Maintenance Building & Pole Barn, MWE Proposed Project # 2017917

Dear Melinda Bobbitt:

Thank you for considering Malicoat Winslow Engineers, P.C. to provide professional engineering design services in conjunction with:

BOCO Hallsville Maintenance Building & Pole Barn, 780 E HWY 124, Hallsville, MO 65255.

Malicoat Winslow Engineers, P.C. understands that the Client is requesting Malicoat Winslow Engineers, P.C. to provide the following services for the proposed project. Our fee is for permit plans only and is based upon all information being provided for our use.

Scope of Work includes all the services named below:

Gas Piping design & specifications
Electrical design & specifications
Tower Compound design (pre-fab structure)
Prepare Site drawings
Coordinate with utility companies
Develop permit documents detailing the planned building &/or alterations
Shop drawing review
Coordination with Owner

Our compensation for completing the services listed above will be a **proposed sum of \$1,950.00.**

This fee may not include reimbursable expenses, such as cost of permits, some travel, etc, which will be agreed upon in advance of charging.

Additional Services (at your request) include:

- Revisions made because of plan changes with the exception of those due to compliance with city/county comments;
- Construction Administration;
- Additional services will be charged at our hourly rates and will be verified by written notification from our office.

Excluded Services

Excluded services include those not specifically included as part of the Scope of Work and shall not be the responsibility of Malicoat Winslow Engineers. For this project, the following would also be considered Excluded Services:

TERMS AND CONDITIONS

ASSIGNMENT. Neither party to this Agreement shall transfer or assign any rights under or interest in this Agreement (including but not limited to monies that are due or monies that may be due) without the prior written consent to the other party. Subcontracting to sub-consultants normally contemplated by Consultant shall not be considered an assignment for purposes of this Agreement.

BETTERMENT. If a required item or component of the project should be omitted from construction documents, Consultant shall not be responsible for paying the cost required to add such item or component to the extent that such item or component would have been required and included in the original construction documents. In no event will Consultant be responsible for any cost or expense that provides betterment or upgrades or enhances the value of the project.

BILLING AND PAYMENT. Invoices submitted by Consultant are due within thirty (30) calendar days of the invoice date and shall be considered PAST DUE if not paid within thirty (30) calendar days of the invoice date. If payment is not received by Consultant within thirty (30) calendar days of the invoice date, invoices shall bear interest at one-and-one-half (1.5) percent (or the maximum allowable by law, whichever is less) of the PAST DUE amount per month, which shall be calculated from the invoice due date. Payment thereafter shall first be applied to accrued interest and then to the unpaid principal. If the Client fails to make payments when due and Consultant incurs any costs in order to collect overdue sums from the Client, the Client agrees that all such collection costs incurred shall immediately become due and payable to Consultant. Collection costs shall include, without limitation, legal fees, collection agency fees and expenses, court costs, collection bonds and Consultant's staff's costs at standard billing rates for Consultant time spent in efforts to collect. If the Client fails to make payments when due or otherwise is in breach of this Agreement, Consultant may suspend performance of services upon seven (7) calendar days' written notice to the Client. Consultant shall have no liability whatsoever to the Client for any costs or damages as a result of suspension caused by any breach of this Agreement by the Client.

CERTIFICATIONS, GUARANTEES AND WARRANTIES. Consultant will, as a matter of professional practice, affix a professional seal to the final copy of all completed plans or reports. Should the Client's project needs require Consultant to sign specific certifications or other documents, either for the Client or for second parties (such as lenders or potential buyers), the Client shall provide Consultant with copies of all such documents, containing the language to be signed, prior to entering into this contract. Consultant will review the certifications or documents submitted by the Client to determine whether complete and sufficient information is being collected or generated as part of the proposed Scope of Work to allow Consultant, as licensed professionals, to sign the documents and, if not, Consultant may propose a modified Scope of Work and cost. Any certifications or document language that Consultant has reviewed and agreed to sign as part of the Scope of Work shall be attached and made part of this agreement. Consultant shall not be required to sign any certifications or documents, no matter by who requested, that have not been submitted to Consultant prior to entering into the contract or that would result in Consultant having to certify, guarantee or warrant the existence of conditions that cannot be ascertained. The client also agrees not to make resolution of any dispute with Consultant or payment of any amount due to Consultant in any way contingent upon Consultant signing any such certification.

CONSEQUENTIAL DAMAGES. Notwithstanding any other provision of the Agreement, neither party shall be liable to the other for any consequential damages incurred due to the fault of the other party, regardless of the nature of this fault or whether it was committed by the Client or Consultant, their employees, agents, sub-consultants or subcontractors. Consequential damages include, but are not limited to, loss of use, loss of income, loss of profit, loss of business, and/or loss of reputation. The Parties will attempt in good faith to resolve any dispute or claim arising out of or in relation to the Agreement through negotiations between a director of each of the Parties with authority to settle the relevant dispute. If the dispute cannot be settled amicably within fourteen (14) days from the date on which either Party has served written notice on the other of the dispute then the parties will be free to institute other actions to enforce this Agreement.

GOVERNING LAW. The laws of the State in which the Consultant office is located where this contract originates will govern the validity of this Agreement, its interpretation and performance. Any litigation arising from this Agreement shall be brought in the courts of that State.

HAZARDOUS MATERIALS. It is acknowledged by both parties that Consultant's Scope of Work does not include any services related to asbestos or hazardous or toxic materials. In the event Consultant or any other party encounters asbestos or hazardous or toxic materials at the jobsite, or should it become known in any way that such materials may be present at the jobsite or any adjacent areas that may affect the performance of Consultant, Consultant may, at its option and without liability for consequential or any other damages, suspend performance of services on the project until the Client retains appropriate specialist consultant(s) or contractor(s) to identify, abate and/or remove the asbestos or hazardous or toxic materials, and warrant that the jobsite is in full compliance with applicable laws and regulations.

INSURANCE. During the term of this Agreement, Consultant agrees to maintain insurance coverage for professional liability. Upon request of Client, Consultant will provide a certification of coverage which documents the existence of insurance.

LIMITATION OF LIABILITY. In recognition of the relative risks and benefits of the project to both the Client and Consultant, the risks have been allocated such that the Client agrees, to the fullest extent permitted by law, to limit the liability of Consultant to the Client for any and all claims, losses, costs, damages of any nature whatsoever or claims expenses from any cause or causes, including attorneys' fees and costs and expert-witness fees and costs, so that the total aggregate liability of Consultant to the Client shall not exceed the amounts actually paid by the Client to the Consultant on the project at issue. This limitation of liability will not apply to the extent that Consultant's insurance carrier provides coverage for Client's claim, but in that event, Consultant's liability will be limited to the insurance proceeds paid by Consultant's insurance carrier to the Client.

OPINIONS OF PROBABLE COST. In providing any opinions of probable construction cost for the Project, the Client understands that Consultant has no control over the cost or availability of labor, equipment or materials, market



VEHICLE OR EQUIPMENT CERTIFICATE OF INSURANCE

DATE (MM/DD/YYYY)
02/13/2018

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

This form is used to report coverages provided to a single specific vehicle or equipment. Do not use this form to report liability coverage provided to multiple vehicles under a single policy. Use ACORD 25 for that purpose.

PRODUCER DALE PARKER INSURANCE AGENCY, INC 503 E NIFONG SUITE A1 COLUMBIA MO 65201	CONTACT NAME: JAMES MCLARREN PHONE (A/C, No, Ext): 5732567744 FAX (A/C, No): 5732567733 E-MAIL ADDRESS: PRODUCER CUSTOMER ID #:
	INSURER(S) AFFORDING COVERAGE INSURER A: State Farm Mutual Automobile Insurance Company INSURER B: INSURER C: INSURER D: INSURER E:
INSURED MALICOAT, FREDDIE DBA MALICOAT-WINSLOW ENGR PC 5649 N CLEARVIEW RD COLUMBIA MO 65202	

DESCRIPTION OF VEHICLE OR EQUIPMENT

YEAR	MAKE / MANUFACTURER	MODEL	BODY TYPE	VEHICLE IDENTIFICATION NUMBER
2010	FORD	F150	PICKUP	1FTFW1EV3AFD66570
DESCRIPTION		VEHICLE/EQUIPMENT VALUE	SERIAL NUMBER	
		\$		

COVERAGES CERTIFICATE NUMBER: REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICY(IES) OF INSURANCE LISTED BELOW HAS/HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD(S) INDICATED, NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICY(IES) DESCRIBED HEREIN IS/ARE SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICY(IES).

INSR LTR	ADD'L INSRD	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YYYY)	POLICY EXPIRATION DATE (MM/DD/YYYY)	LIMITS	
	<input checked="" type="checkbox"/>	VEHICLE LIABILITY	G05 9275-A28-25K	01/28/2018	01/28/2019	COMBINED SINGLE LIMIT	\$ 1,000,000.00
						BODILY INJURY (Per person)	\$
						BODILY INJURY (Per accident)	\$
						PROPERTY DAMAGE	\$
		GENERAL LIABILITY				EACH OCCURENCE	\$
		<input type="checkbox"/> OCCURRENCE				GENERAL AGGREGATE	\$
		<input type="checkbox"/> CLAIMS MADE					\$
INSR LTR	LOSS PAYEE	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YYYY)	POLICY EXPIRATION DATE (MM/DD/YYYY)	LIMITS / DEDUCTIBLE	
		VEH COLLISION LOSS				<input type="checkbox"/> ACV <input type="checkbox"/> AGREED AMT	\$ LIMIT
						<input type="checkbox"/> STATED AMT	\$ DED
		VEH COMP <input type="checkbox"/> VEH OTC				<input type="checkbox"/> ACV <input type="checkbox"/> AGREED AMT	\$ LIMIT
						<input type="checkbox"/> STATED AMT	\$ DED
		EQUIPMENT				<input type="checkbox"/> ACV <input type="checkbox"/> AGREED AMT	\$ LIMIT
		<input type="checkbox"/> BASIC <input type="checkbox"/> BROAD				<input type="checkbox"/> RC <input type="checkbox"/> STATED AMT	\$ DED
		<input type="checkbox"/> SPECIAL				<input type="checkbox"/>	\$ DED

REMARKS (INCLUDING SPECIAL CONDITIONS / OTHER COVERAGES) (Attach ACORD 101, Additional Remarks Schedule, if more space is required)

ADDITIONAL INTEREST

Select one of the following:

The additional interest described below has been added to the policy(ies) listed herein by policy number(s).

A request has been submitted to add the additional interest described below to the policy(ies) listed herein by policy number(s).

VEHICLE / EQUIPMENT INTEREST: LEASED FINANCED

NAME AND ADDRESS OF ADDITIONAL INTEREST

County of Boone, Missouri
 C/O Purchasing Department
 613 E. Ash Street
 Columbia, MO 65201

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

DESCRIPTION OF THE ADDITIONAL INTEREST

ADDITIONAL INSURED LOSS PAYEE

LENDER'S LOSS PAYEE

LOAN / LEASE NUMBER

AUTHORIZED REPRESENTATIVE

© 1997-2015 ACORD CORPORATION. All rights reserved.

CERTIFIED COPY OF ORDER

STATE OF MISSOURI

February Session of the January Adjourned

Term. 20 18

County of Boone

} ea.

In the County Commission of said county, on the

27th

day of February

20 18

the following, among other proceedings, were had, viz:

Now on this day the County Commission of the County of Boone does hereby approve the attached Cooperative Agreements for K-9 Basic Training Services between Boone County and:


- Audrain County, Missouri Sheriff's Department
- Centralia, Missouri Police Department
- Marion County, Missouri Sheriff's Department


The terms of the Agreements are stipulated in the attached Agreements. It is further ordered the Presiding Commissioner is hereby authorized to sign said Cooperative Agreements for K-9 Basic Training Services.

Done this 27th day of February, 2018.

ATTEST:


 Taylor W. Burks
 Clerk of the County Commission


 Daniel K. Atwill
 Presiding Commissioner


 Fred J. Parry
 District I Commissioner


 Janet M. Thompson
 District II Commissioner

**COOPERATIVE AGREEMENT
FOR K-9 BASIC TRAINING SERVICES**

THIS AGREEMENT dated the 15th day of January, 2018, is entered into by and between Boone County, Missouri (County), by and through the Boone County Sheriff's Department (BCSD), and Audrain County Mo. Sheriff's Department (Agency):

WHEREAS, BCSD can provide K-9 basic training through its certified K-9 training staff; and

WHEREAS, BCSD can assist Agency in selecting a canine for purchase from an approved vendor to receive the training; and

WHEREAS, Agency desires to procure a canine to receive training from a vendor approved by County and train one of Agency's officers as that canine's handler through the BCSD's K-9 basic training program; and

WHEREAS, County and Agency have the authority to cooperate with each other for the purposes of this Agreement pursuant to RSMo §70.220;

NOW, THEREFORE, it is agreed by and between the parties as follows:

1. **ASSISTANCE WITH PROCUREMENT OF CANINE.** County's K-9 trainer will provide advice on the selection of an appropriate canine from a vendor approved by County. The approved vendor will provide a minimum of a 6-month trainability guarantee and a 1-year health guarantee on a purchased canine that will run to the benefit of Agency. County will provide Agency with information about approved vendors.
2. **TRAINING.** BCSD agrees to provide Agency's K-9 handler and canine basic training by and through BCSD's certified staff. Training areas will include obedience, tracking, area search, article search, building search, and narcotics detection with respect to marijuana, cocaine, heroin, and methamphetamines. The training shall consist of not less than forty (40) sessions, with each session consisting of approximately one, 8-hour day. The training will be conducted over a period of eight (8) weeks, Monday – Friday, in regularly-scheduled sessions during that 8-week period. Agency will receive a certificate documenting successful completion of the BCSD's program if the K-9 team meets the standards and requirements of the Missouri Police Canine Association at the conclusion of the training contemplated herein.
3. **EMPLOYED STATUS OF K-9 HANDLER.** Agency agrees that the training contemplated herein is within the scope and course of its handler's employment and Agency will be responsible for all appropriate compensation and the provision of Worker's Compensation coverage to Agency's employee. Agency's handler will execute a Waiver & Release as set out in the attached Exhibit "A" prior to being permitted to participate in the training.
4. **CONTRACT PRICE AND PAYMENT.** Agency shall pay County a total sum of Three Thousand Six Hundred Dollars (\$3,600.00) for the training contemplated herein, calculated at a rate of \$90.00/session. Agency may pay the full amount upon execution of this contract or, at Agency's option, Agency shall pay one-half, or \$1,800.00, upon execution of this contract and the remaining one-half, or \$1,800.00, after twenty (20) sessions have been completed.

5. **TERM AND TERMINATION.** The Agreement contemplates training sessions to commence on or about the 15th day of January, 2018, and sessions will proceed consecutively, Monday – Friday, for a period of eight (8) weeks as scheduled by County. Either party may terminate this Agreement at any time by providing the other written notice of their intent to terminate. Upon termination for convenience by either party, the parties will reconcile the payments paid and/or due based on the number of sessions attended at the rate of \$90.00 per session (with each session being approximately one, 8-hour day).
6. **MODIFICATION AND WAIVER.** No modification or waiver of any provision of this Agreement nor consent to any departure therefrom, shall in any event be effective, unless the same shall be in writing and signed by County and Agency and then such modification, waiver or consent shall be effective only in the specific instance and for the specific purpose for which mutually agreed.
7. **FUTURE COOPERATION.** The parties agree to fully cooperate with each other to give full force and effect to the terms and intent of this Agreement.
8. **ENTIRE AGREEMENT.** The parties state that this document contains the entire agreement between the parties, and there are no other oral, written, express or implied promises, agreements, representations or inducements not specified herein.
9. **AUTHORITY.** The signatories to this Agreement warrant and certify that they have obtained the necessary authority, by resolution or otherwise, to execute this Agreement on behalf of the named party for whom they are signing.

SO AGREED.

AGENCY: ANDAMAN COUNTY SHERIFF

By: [Signature]

Printed Name: MATT OLLER - SHERIFF

Dated: 1/23/2018

ATTEST: [Signature]

STEVE HOBBS - PRESIDING COMMISSIONER

BOONE COUNTY, MISSOURI

By: [Signature]
Daniel K. Atwill, Presiding Commissioner

Dated: 2.27-18

ATTEST: [Signature]
Wendy S. Noren, County Clerk
Wendy S. Noren

APPROVED - BCSD: [Signature]
Dwayne Carey, Sheriff

APPROVED AS TO FORM: [Signature]
C.J. Dykhouse, Boone County Counselor

CERTIFICATION:
I certify that this contract is within the purpose of the appropriation to which it is to be charged and there is an unencumbered balance of such appropriation sufficient to pay the costs arising from this contract.
[Signature] Date 02/15/2018
Auditor Revenue Only

COOPERATIVE AGREEMENT FOR K-9 BASIC TRAINING SERVICES

THIS AGREEMENT dated the 15th day of January, 2018, is entered into by and between Boone County, Missouri (County), by and through the Boone County Sheriff's Department (BCSD), and Centralia Mo. Police Department (Agency):

WHEREAS, BCSD can provide K-9 basic training through its certified K-9 training staff; and

WHEREAS, BCSD can assist Agency in selecting a canine for purchase from an approved vendor to receive the training; and

WHEREAS, Agency desires to procure a canine to receive training from a vendor approved by County and train one of Agency's officers as that canine's handler through the BCSD's K-9 basic training program; and

WHEREAS, County and Agency have the authority to cooperate with each other for the purposes of this Agreement pursuant to RSMo §70.220;

NOW, THEREFORE, it is agreed by and between the parties as follows:

1. **ASSISTANCE WITH PROCUREMENT OF CANINE.** County's K-9 trainer will provide advice on the selection of an appropriate canine from a vendor approved by County. The approved vendor will provide a minimum of a 6-month trainability guarantee and a 1-year health guarantee on a purchased canine that will run to the benefit of Agency. County will provide Agency with information about approved vendors.
2. **TRAINING.** BCSD agrees to provide Agency's K-9 handler and canine basic training by and through BCSD's certified staff. Training areas will include obedience, tracking, area search, article search, building search, and narcotics detection with respect to marijuana, cocaine, heroin, and methamphetamines. The training shall consist of not less than forty (40) sessions, with each session consisting of approximately one, 8-hour day. The training will be conducted over a period of eight (8) weeks, Monday – Friday, in regularly-scheduled sessions during that 8-week period. Agency will receive a certificate documenting successful completion of the BCSD's program if the K-9 team meets the standards and requirements of the Missouri Police Canine Association at the conclusion of the training contemplated herein.
3. **EMPLOYED STATUS OF K-9 HANDLER.** Agency agrees that the training contemplated herein is within the scope and course of its handler's employment and Agency will be responsible for all appropriate compensation and the provision of Worker's Compensation coverage to Agency's employee. Agency's handler will execute a Waiver & Release as set out in the attached Exhibit "A" prior to being permitted to participate in the training.
4. **CONTRACT PRICE AND PAYMENT.** Agency shall pay County a total sum of Three Thousand Six Hundred Dollars (\$3,600.00) for the training contemplated herein, calculated at a rate of \$90.00/session. Agency may pay the full amount upon execution of this contract or, at Agency's option, Agency shall pay one-half, or \$1,800.00, upon execution of this contract and the remaining one-half, or \$1,800.00, after twenty (20) sessions have been completed.

5. **TERM AND TERMINATION.** The Agreement contemplates training sessions to commence on or about the 15th day of January, 2018, and sessions will proceed consecutively, Monday – Friday, for a period of eight (8) weeks as scheduled by County. Either party may terminate this Agreement at any time by providing the other written notice of their intent to terminate. Upon termination for convenience by either party, the parties will reconcile the payments paid and/or due based on the number of sessions attended at the rate of \$90.00 per session (with each session being approximately one, 8-hour day).
6. **MODIFICATION AND WAIVER.** No modification or waiver of any provision of this Agreement nor consent to any departure therefrom, shall in any event be effective, unless the same shall be in writing and signed by County and Agency and then such modification, waiver or consent shall be effective only in the specific instance and for the specific purpose for which mutually agreed.
7. **FUTURE COOPERATION.** The parties agree to fully cooperate with each other to give full force and effect to the terms and intent of this Agreement.
8. **ENTIRE AGREEMENT.** The parties state that this document contains the entire agreement between the parties, and there are no other oral, written, express or implied promises, agreements, representations or inducements not specified herein.
9. **AUTHORITY.** The signatories to this Agreement warrant and certify that they have obtained the necessary authority, by resolution or otherwise, to execute this Agreement on behalf of the named party for whom they are signing.

SO AGREED.

AGENCY: CENTRALIA POLICE DEPT
 By: [Signature]
 Printed Name: L. A. DUDGEON
 Dated: 1-22-18

BOONE COUNTY, MISSOURI
 By: [Signature]
 Daniel K. Atwill, Presiding Commissioner
 Dated: 2-27-18

ATTEST:
[Signature]

ATTEST:
[Signature]
 Wendy S. Noren, County Clerk
 Taylor W. Burtis

APPROVED – BCSD:
[Signature]
 Dwayne Carey, Sheriff

APPROVED AS TO FORM:
[Signature]
 C.J. Dykhouse, Boone County Counselor

CERTIFICATION:
 I certify that this contract is within the purpose of the appropriation to which it is to be charged and there is an unencumbered balance of such appropriation sufficient to pay the costs arising from this contract.
[Signature] Auditor Date 02/15/2018 Revenue Only

COOPERATIVE AGREEMENT FOR K-9 BASIC TRAINING SERVICES

THIS AGREEMENT dated the 15th day of January, 2018, is entered into by and between Boone County, Missouri (County), by and through the Boone County Sheriff's Department (BCSD), and Marion County Mo. Sheriff's Department (Agency):

WHEREAS, BCSD can provide K-9 basic training through its certified K-9 training staff; and

WHEREAS, BCSD can assist Agency in selecting a canine for purchase from an approved vendor to receive the training; and

WHEREAS, Agency desires to procure a canine to receive training from a vendor approved by County and train one of Agency's officers as that canine's handler through the BCSD's K-9 basic training program; and


WHEREAS, County and Agency have the authority to cooperate with each other for the purposes of this Agreement pursuant to RSMo §70.220;

NOW, THEREFORE, it is agreed by and between the parties as follows:


1. **ASSISTANCE WITH PROCUREMENT OF CANINE.** County's K-9 trainer will provide advice on the selection of an appropriate canine from a vendor approved by County. The approved vendor will provide a minimum of a 6-month trainability guarantee and a 1-year health guarantee on a purchased canine that will run to the benefit of Agency. County will provide Agency with information about approved vendors.
2. **TRAINING.** BCSD agrees to provide Agency's K-9 handler and canine basic training by and through BCSD's certified staff. Training areas will include obedience, tracking, area search, article search, building search, and narcotics detection with respect to marijuana, cocaine, heroin, and methamphetamines. The training shall consist of not less than forty (40) sessions, with each session consisting of approximately one, 8-hour day. The training will be conducted over a period of eight (8) weeks, Monday – Friday, in regularly-scheduled sessions during that 8-week period. Agency will receive a certificate documenting successful completion of the BCSD's program if the K-9 team meets the standards and requirements of the Missouri Police Canine Association at the conclusion of the training contemplated herein.
3. **EMPLOYED STATUS OF K-9 HANDLER.** Agency agrees that the training contemplated herein is within the scope and course of its handler's employment and Agency will be responsible for all appropriate compensation and the provision of Worker's Compensation coverage to Agency's employee. Agency's handler will execute a Waiver & Release as set out in the attached Exhibit "A" prior to being permitted to participate in the training.
4. **CONTRACT PRICE AND PAYMENT.** Agency shall pay County a total sum of Three Thousand Six Hundred Dollars (\$3,600.00) for the training contemplated herein, calculated at a rate of \$90.00/session. Agency may pay the full amount upon execution of this contract or, at Agency's option, Agency shall pay one-half, or \$1,800.00, upon execution of this contract and the remaining one-half, or \$1,800.00, after twenty (20) sessions have been completed.

5. **TERM AND TERMINATION.** The Agreement contemplates training sessions to commence on or about the 15th day of January, 2018, and sessions will proceed consecutively, Monday – Friday, for a period of eight (8) weeks as scheduled by County. Either party may terminate this Agreement at any time by providing the other written notice of their intent to terminate. Upon termination for convenience by either party, the parties will reconcile the payments paid and/or due based on the number of sessions attended at the rate of \$90.00 per session (with each session being approximately one, 8-hour day).
6. **MODIFICATION AND WAIVER.** No modification or waiver of any provision of this Agreement nor consent to any departure therefrom, shall in any event be effective, unless the same shall be in writing and signed by County and Agency and then such modification, waiver or consent shall be effective only in the specific instance and for the specific purpose for which mutually agreed.
7. **FUTURE COOPERATION.** The parties agree to fully cooperate with each other to give full force and effect to the terms and intent of this Agreement.
8. **ENTIRE AGREEMENT.** The parties state that this document contains the entire agreement between the parties, and there are no other oral, written, express or implied promises, agreements, representations or inducements not specified herein.
9. **AUTHORITY.** The signatories to this Agreement warrant and certify that they have obtained the necessary authority, by resolution or otherwise, to execute this Agreement on behalf of the named party for whom they are signing.

SO AGREED.


AGENCY: MMow County S.O.
 By: 
 Printed Name: Jimmy Starn
 Dated: 1-23-18

ATTEST:

BOONE COUNTY, MISSOURI
 By: 
 Daniel K. Atwill, Presiding Commissioner
 Dated: 2-27-18

ATTEST:

 Wendy S. Noren, County Clerk
 Taylor W. Buckner

APPROVED – BCSD:

 Dwayne Carey, Sheriff

APPROVED AS TO FORM:

 C.J. Dykhouse, Boone County Counselor

CERTIFICATION:
 I certify that this contract is within the purpose of the appropriation to which it is to be charged and there is an unencumbered balance of such appropriation sufficient to pay the costs arising from this contract.
 02/15/2018
 Auditor Date
 Revenue Only

CERTIFIED COPY OF ORDER

STATE OF MISSOURI

February Session of the January Adjourned

Term. 20 18

County of Boone

} ea.

In the County Commission of said county, on the

27th

day of

February

20


18

the following, among other proceedings, were had, viz:

Now on this day the County Commission of the County of Boone does hereby approve the attached 2018-2019 STOP Violence Against Women Grant (VAWA) award in the amount of \$177,083.75 for the 13th Judicial Circuit Court.

Done this 27th day of February, 2018.

ATTEST:



Taylor W. Burks
Clerk of the County Commission



Daniel K. Atwill
Presiding Commissioner



Fred J. Parry
District I Commissioner



Janet M. Thompson
District II Commissioner

ERIC R. GREITENS

Governor

CHARLES A. (DREW) JUDEN

Director

GREGGORY J. FAVRE

Deputy Director



Lewis & Clark State Office Bldg.

Mailing Address: P.O. Box 749

Jefferson City, MO 65101-0749

Telephone: 573-751-4905

Fax: 573-751-5399

STATE OF MISSOURI
DEPARTMENT OF PUBLIC SAFETY
OFFICE OF THE DIRECTOR

February 8, 2018

Mary Epping
13th Judicial Circuit Court
705 East Walnut Street
Columbia, MO 65201

Re: *2018-VAWA-01- Integrated Domestic Violence Program*

Dear Ms. Epping:

On behalf of Director Drew Juden, it is my pleasure to inform you that the Department of Public Safety has approved your application for funding under the 2018-2019 STOP Violence Against Women Grant Program in the amount of \$177,083.75 for the 13th Judicial Circuit Court.

Enclosed you will find the Subaward and Certified Assurances documents. This subaward is subject to all administrative and financial requirements, including the timely submission of all financial and programmatic reports and resolution of all interim audit findings.

Should you not adhere to these requirements, you will be in violation of the terms of this agreement and the subaward will be subject to termination for cause or other administrative action as appropriate.

Original signatures are required; stamped signatures will not be accepted. If there has been a change in either the Authorized Official or the Project Director, please contact your Grant Specialist immediately to initiate an award document revision

In order to accept this Subaward, the following documents must be received by our office no later than February 16, 2018:

- Original of properly signed Subaward document
- Original of properly signed Certified Assurances document; with each page initialed by the Authorized Official

The above referenced documents should be mailed or hand-delivered to:

Missouri Department of Public Safety
Attn: Crime Victim Services/Juvenile Justice Unit
PO Box 749
Jefferson City, MO 65102

You will be notified via the WebGrants system when a signed copy of the fully executed Subaward Document and Certified Assurances and/or Special Conditions, if applicable, are available for you to download for your records.

This subaward is not final until fully executed by the Missouri Department of Public Safety.

Please contact your Grant Specialist with any programmatic and/or financial questions related to this Subaward. Congratulations! I look forward to working with you!

Sincerely,

A handwritten signature in black ink that reads "Connie A. Berhorst". The signature is written in a cursive style with a long horizontal flourish extending to the right.

Connie Berhorst, Program Manager
Crime Victim Services/Juvenile Justice Unit

cc: Bruce Clemonds, Director
Administrative Services

Enclosures

cc File



MISSOURI DEPARTMENT OF PUBLIC SAFETY
OFFICE OF THE DIRECTOR
SUBAWARD

P.O. Box 749
Jefferson City, MO 65102
Phone: (573) 751-4905

Subrecipient Name:		Subrecipient DUNS Number:	
13th Judicial Circuit Court		73755977	
DPS Funding Opportunity Title:	Project Period Start Date:	Project Period End Date:	
2018-2019 STOP Violence Against Women Grant	January 1, 2018	December 31, 2019	
Project Title:		Subaward Number:	
Integrated Domestic Violence Program		2018-VAWA-01	
Project Description:			
<p>The integrated Domestic Violence Program consists of the specialized domestic violence dockets; the utilization of MEND(Men Exploring Non-Violent Directions) and EMBRACE/EMBRACE U programs (Batterer's Intervention Program that offers classes for both men and women)as part of a graduated range of sanctions for offenders; and the DACC (Domestic Assault Court Coordinator), a court employee dedicated to the domestic violence dockets, who tracks and reports on participants in both BIP programs as well as all domestic cases, acts as a liaison to domestic violence docket stakeholders, and assists with the processing of domestic violence cases.</p>			
Subaward Total:		CFDA Number and Name:	
\$177,083.75		16.588	
Research and Development Project:		Indirect Cost Rate for Federal Award:	
No		N/A	
Name of Federal Awarding Agency:			Federal Award Date:
Department of Justice Office on Violence Against Women			09/26/2014 09/23/2015 09/27/2016
Name of State Administering Agency (SAA):			SAA Federal Award Number:
Missouri Department of Public Safety, Office of the Director P.O. Box 749 Jefferson City, MO 65102			2014-WF-AX-0031 2015-WF-AX-0011 2016-WF-AX-0008
<p>This Subaward is made in the amount and for the project period referenced above to the Subrecipient identified above. This Subaward is subject to compliance with the general conditions governing grants and subawards and any attached Certified Assurances or Special Conditions. This Subaward is subject to compliance with all federal and state laws and all guidelines identified in the above mentioned DPS Funding Opportunity.</p> <p>The undersigned Subrecipient Authorized Official hereby acknowledges he/she is authorized to legally bind the Subrecipient and certifies acceptance of the above-described Subaward on the terms and conditions specified or incorporated by reference above and those stated in the approved application.</p>			
Subrecipient Authorized Official (AO) Name:		Subrecipient Project Director (PD) Name:	
Dan Atwill, Presiding Commissioner		Mary Epping	
Subrecipient AO Signature:	Date:	Subrecipient PD Signature:	Date:
	2/27/18		2/20/17
<p>This Subaward shall be in effect for the duration of the project period stated above and funds shall be made available on the Subaward Date with return of this signed document to the Missouri Department of Public Safety and upon full execution by signature of the Authorized Official of the Missouri Department of Public Safety, Office of the Director.</p>			
Authorized Official, Missouri Department of Public Safety			Subaward Date
			01/01/2018



MISSOURI DEPARTMENT OF PUBLIC SAFETY
OFFICE OF THE DIRECTOR
STOP Violence Against Women Act (VAWA)



2018-2019 CERTIFIED ASSURANCES

Applicant Agency: 13th Judicial Circuit Court
Project Title: Integrated Domestic Violence Program
Subaward No: 2018-VAWA-01

The Subrecipient hereby assures and certifies compliance with all the following certified assurances:

General:

1. The Subrecipient assures that it shall comply, and all its Subrecipients shall comply, with the applicable provisions of the 2018-2019 STOP VAWA Notice of Funding Opportunity, the DPS Financial and Administrative Guidelines, the DPS Subrecipient Travel Guidelines, any applicable nondiscrimination provisions, which may include the Omnibus Crime Control and Safe Streets Act of 1968 (42 U.S.C. § 3789d); the Victims of Crime Act (42 U.S.C. § 10604(e)); The Juvenile Justice and Delinquency Prevention Act of 2002 (42 U.S.C. § 5672(b)); the Civil Rights Act of 1964 (42 U.S.C. § 2000d); the Rehabilitation Act of 1973 (29 U.S.C. § 794); the Americans with Disabilities Act of 1990 (42 U.S.C. § 12131-34); the Education Amendments of 1972 (20 U.S.C. §§1681, 1683, 1685-86); and the Age Discrimination Act of 1975 (42 U.S.C. §§ 6101-07); see Ex. Order 13279 (equal protection of the laws for faith-based and community organizations).

Pursuant to 2 CFR §200.315(b), the recipient may copyright any work that is subject to copyright and was developed, or for which ownership was acquired, under this award. The Office on Violence Against Women reserves a royalty-free, nonexclusive and irrevocable right to reproduce, publish or otherwise use the work, in whole or in part (including in the creation of derivative works), for Federal purposes, and to authorize others to do so. The Office on Violence Against Women also reserves a royalty-free, nonexclusive and irrevocable right to reproduce publish or otherwise use, in whole or in part (including in the creation of derivative works), any work developed by a subrecipient of this award, for Federal purposes, and to authorize others to do so. In addition, the recipient (or subrecipient, contractor or subcontractor) must obtain advance written approval from the Office on Violence Against Women program manager assigned to this award, and must comply with all conditions specified by the program manager in connection with that approval, before: 1) using award funds to purchase ownership of, or a license to use, a copyrighted work; or 2) incorporating any copyrighted work, or portion thereof, into a new work developed under this award. It is the responsibility of the recipient (and of each subrecipient, contractor or subcontractor as applicable) to ensure that this condition is included in any subaward, contract or subcontract under this award.

2. **Compliance Training:** As a recipient of federal or state funds, the Subrecipient is required to attend the Compliance Training hosted by the Missouri Department of Public Safety. The Compliance Training may be hosted in-person or as a webinar to provide post-award information to include, but not limited to, award acceptance, project implementation, reporting requirements, subaward changes, civil rights compliance, monitoring responsibilities, record retention, internal controls, and accounting responsibilities
3. **Non-Supplanting:** The Subrecipient assures that federal or state funds made available under this subaward will be used to supplement, not supplant, non-federal funds that would otherwise be available for the activities under this grant. These funds will be used to increase the amount of funds that would, in the absence of these funds, be made available for the activities of this project.
4. **Change in Personnel:** The Subrecipient agrees to notify, within a timely manner, the Missouri Department of Public Safety if there is a change in or temporary absence of personnel as it affects the 'My Profile' module, 'Contact Information' form, and/or 'Budget' form within WebGrants. The notification shall be sent through the 'Correspondence' component of WebGrants to the appropriate Internal Contact.

Authorized Official Initials: _____

5. **Subaward Adjustments:** The Subrecipient understands that any deviation from the approved subaward must have prior approval from the Missouri Department of Public Safety. No additional funding shall be awarded to a Subrecipient but changes from one budget line to another budget line may be possible if the request is allowable and within the scope of the guidelines. Prior approval must be requested via the Subaward Adjustment component in WebGrants.
6. **Monitoring:** The Subrecipient agrees to maintain the records necessary to evaluate the effectiveness of the project. In addition, the Subrecipient assures that all documentation or records relating to this subaward shall be made available to monitoring representatives of the Missouri Department of Public Safety, Office of the Director, immediately upon request. The Subrecipient assures that fund accounting, auditing, monitoring, and such evaluation procedures as may be necessary to keep such records as the Missouri Department of Public Safety, Office of the Director, shall prescribe, will be provided to assure fiscal control, proper management, and efficient disbursement of funds received under this subaward.
7. **Criminal Activity:** The Subrecipient assures that they will formally report to the Missouri Department of Public Safety within 48 hours of notification that a Department of Public Safety grant-funded individual is arrested for or formally charged with a misdemeanor or felony regardless if the criminal offense is related to the individual's employment. The Department of Public Safety reserves the right to suspend or terminate grant funding pending the adjudication of the criminal offense.

The Subrecipient shall not make false statements or claims in connection with any Office of Justice Programs or DPS state funded grant. The result of such false statements or claims includes fines, imprisonment, and debarment from participating in state and federal grants or contracts, and/or other remedy by law. The subrecipient ("subgrantee") must promptly refer to the DOJ Office of the Inspector General (OIG) any credible evidence that a principal, employee, agent, subrecipient, contractor, subcontractor, or other person has, in connection with funds under this award –

- 1) submitted a claim that violates the False Claims Act; or
- 2) committed a criminal or civil violation of laws pertaining to fraud, conflict of interest, bribery, gratuity, or similar misconduct.

For Subrecipients of federal grant funding, potential fraud, waste, abuse, or misconduct must be reported to the DPS and OIG by mail or e-mail at following addresses:

Missouri Department of Public Safety
Office of the Director
Attention: Crime Victim Services Unit (VAWA)
P.O. Box 749
1101 Riverside Drive
Jefferson City, MO 65102-0749
cvsu@dps.mo.gov

Office of Inspector General
U.S. Department of Justice, Investigations Division
950 Pennsylvania Avenue, N.W., Room 4706
Washington D.C. 20530
oig.hotline@usdoj.gov

You may also contact the DOJ OIG hotline: (contact information in English and Spanish) at (800) 869-4499 (phone) or (202)616-9881 (fax). Additional information is available from the DOJ OIG website at <http://www.usdoj.gov/oig>.

The Department of Public Safety reserves the right to suspend or terminate grant funding pending the adjudication of the criminal offense.

8. **Lobbying:** As required by Section 1352, Title 31 of the U.S. Code, and implemented at 28 CFR Part 69, for persons entering into a grant or cooperative agreement over \$100,000, as defined at 28 CFR Part 69, the applicant certifies that:

Authorized Official Initials: _____

(a) No Federal appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the making of any Federal grant, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any Federal grant or cooperative agreement;

(b) If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this Federal grant or cooperative agreement, the undersigned shall complete and submit Standard Form - LLL, "Disclosure of Lobbying Activities," in accordance with its instructions;

The signature of the authorized organizational official on the application serves as the required certification of compliance for the applicant organization.

9. **Fair Labor Standards Act:** All Subrecipients of federal funds will comply with the minimum wage and maximum hour's provisions of the Federal Fair Labor Standards Act.
10. **Employment of Unauthorized Aliens:** Pursuant to Section 285.530.1 RSMo, the Subrecipient assures that it does not knowingly employ, hire for employment, or continue to employ an unauthorized alien to perform work within the State of Missouri, and shall affirm, by sworn affidavit and provision of documentation, its enrollment and participation in a federal work authorization program with respect to the employees working in connection with the contracted services. Further, the Subrecipient shall sign an affidavit affirming that it does not knowingly employ any person who is an unauthorized alien in connection with the contracted services.

In accordance with Sections 285.525 to 285.550, RSMo a general Subrecipient or Subrecipient of any tier shall not be liable when such Subrecipient or Subrecipient contracts with its direct Subrecipient who violates subsection 1 of Section 285.530, RSMo if the contract binding the Subrecipient and Subrecipient affirmatively states that the direct Subrecipient is not knowingly in violation of subsection 1 of Section 285.530, RSMo and shall not henceforth be in such violation and the Subrecipient or Subrecipient receives a sworn affidavit under the penalty of perjury attesting to the fact that the direct Subrecipient's employees are lawfully present in the United States.
11. **Relationship:** The Subrecipient agrees that they will represent themselves to be an independent Subrecipient offering such services to the general public and shall not represent themselves or their employees to be employees of the Missouri Department of Public Safety or the Office of the Director. This provision is not applicable to the Missouri Department of Public Safety or any of its divisions or programs. Therefore, the Subrecipient shall assume all legal and financial responsibility for taxes, FICA, employee fringe benefits, workers' compensation, employee insurance, minimum wage requirements, overtime, etc.
12. **Uniform Crime Reporting (UCR):** If the Subrecipient is a law enforcement agency, the Subrecipient assures that its law enforcement agency is in full compliance with Section 43.505 RSMo relating to uniform crime reporting and will remain in full compliance for the duration of the project period.
13. **Racial Profiling:** If the Subrecipient is a law enforcement agency, the Subrecipient assures that its law enforcement agency is in full compliance with Section 590.650 RSMo relating to racial profiling and will remain in full compliance for the duration of the project period.
14. **Federal Equitable Sharing Funds:** If the Subrecipient is a law enforcement agency, the Subrecipient assures that its law enforcement agency is in compliance with Section 513.653 RSMo relating to participation in the federal forfeiture system and the reporting of proceeds received therefrom to the Missouri Department of Public Safety and the Missouri State Auditor.
15. **Custodial Interrogations:** If the Subrecipient is a law enforcement agency, the Subrecipient assures that its law enforcement agency is in full compliance with Section 590.700 RSMo relating to custodial interrogations and has adopted a written policy to record custodial interrogations of persons suspected of committing or attempting to commit the felony crimes described in subsection 2 of this section.

Authorized Official Initials: _____

16. **DWI Law:** If the Subrecipient is a law enforcement agency, the Subrecipient assures that its law enforcement agency is in full compliance with Section 43.544 RSMo relating to the "DWI Law" and has adopted a written policy to forward arrest information for all intoxication-related traffic offenses to the central repository as required by Section 43.503 RSMo. In addition, the Subrecipient assures that its county prosecuting attorney or municipal prosecutor is in full compliance with Section 43.544 RSMo relating to the "DWI Law" and has adopted a written policy to forward all charge information for intoxication-related traffic offenses to the central repository as required by Section 43.503 RSMo.

17. **Texting While Driving:** Pursuant to Executive Order 13513, "Federal Leadership on Reducing Text Messaging While Driving," 74 Fed. Reg. 51225 (October 1, 2009), the Missouri Department of Public Safety encourages the subrecipients (subgrantees) to adopt and enforce policies banning employees from text messaging while driving any vehicle during the course of performing work funded by this grant, and to establish workplace safety policies and conduct education, awareness, and other outreach to decrease crashes caused by distracted drivers.

18. **Drug-Free Workplace:** As required by the Drug-Free Workplace Act of 1988, and implemented at 28 CFR Part 83, Subpart F, for grantees, as defined at 28 CFR Sections 83.620 and 83.650:

A. The applicant certifies that it will or will continue to provide a drug-free workplace by:

- (a) Publishing a statement notifying employees that the unlawful manufacture, distribution, dispensing, possession, or use of a controlled substance is prohibited in the grantee's workplace and specifying the actions that will be taken against employees for violation of such prohibition;
- (b) Establishing an on-going drug-free awareness program to inform employees about (1) The dangers of drug abuse in the workplace; (2) The grantee's policy of maintaining a drug-free workplace; (3) Any available drug counseling, rehabilitation, and employee assistance programs; and (4) The penalties that may be imposed upon employees for drug abuse violations occurring in the workplace;
- (c) Making it a requirement that each employee to be engaged in the performance of the grant be given a copy of the statement required by paragraph (a);
- (d) Notifying the employee in the statement required by paragraph (a) that, as a condition of employment under the grant, the employee will (1) Abide by the terms of the statement; and (2) Notify the employer in writing of his or her conviction for a violation of a criminal drug statute occurring in the workplace no later than five calendar days after such conviction;
- (e) Notifying the agency, in writing, within 10 calendar days after receiving notice under subparagraph (d)(2) from an employee or otherwise receiving actual notice of such conviction. Employers of convicted employees must provide notice, including position title, to: Department of Justice, Office of Justice Programs, ATTN: Control Desk, 810 7th Street, N.W., Washington, D.C. 20531. Notice shall include the identification number(s) of each affected grant;
- (f) Taking one of the following actions, within 30 calendar days of receiving notice under subparagraph (d)(2), with respect to any employee who is so convicted (1) Taking appropriate personnel action against such an employee, up to and including termination, consistent with the requirements of the Rehabilitation Act of 1973, as amended; or (2) Requiring such employee to participate satisfactorily in a drug abuse assistance or rehabilitation program approved for such purposes by a Federal, State, or local health, law enforcement, or other appropriate agency;
- (g) Making a good faith effort to continue to maintain a drug-free workplace through implementation of paragraphs (a), (b), (c), (d), (e), and (f).

19. **ACORN:** Subrecipients understand and agree that it cannot use any federal funds, either directly or indirectly, in support of any contract or sub-award to either the Association of Community Organizations for Reform Now (ACORN) or any of its affiliates, subsidiaries, allied organizations, or successors, without the express prior written approval from OVW.

20. **Computer Networks:** The recipient understands and agrees that - (a) No award funds may be used to maintain or establish a computer network unless such network blocks the viewing, downloading, and exchanging of pornography, and (b) Nothing in subsection (a) limits the use of funds necessary for any Federal, State, tribal, or local law enforcement agency or any other entity carrying out criminal investigations, prosecution, adjudication, or other law enforcement- or victim assistance-related activities.

Authorized Official Initials: _____

Civil Rights:

1. **Enforcing Civil Rights Laws:** The Subrecipient acknowledges that all recipients of Federal financial assistance, regardless of the particular source, the amount of the grant award, or the number of employees in the workforce, are subject to the prohibitions against unlawful discrimination. Accordingly, the Office for Civil Rights (OCR) investigates subrecipients that are the subject of discrimination complaints from both individuals and groups.
2. **Discrimination:** The Subrecipient acknowledges that federal laws prohibit recipients of financial assistance from discriminating on the basis of race, color, national origin, religion, sex, or disability in funded programs or activities, not only in respect to employment practices but also in the delivery of services or benefits. Federal law also prohibits funded programs or activities from discriminating on the basis of age in the delivery of services or benefits.
3. **Limited English Proficiency (LEP):** The Subrecipient assures that, in accordance with the *Guidance to Federal Financial Assistance Recipients Regarding Title VI Prohibition Against national Origin Discrimination Affecting Limited English Persons*, 67 Fed. Reg. 41455 (June 18, 2012) as it pertains to Title VI of the Civil Rights Act of 1964, 42 U.S.C. 2000d, recipients of Federal financial assistance must take reasonable steps to ensure meaningful access to their programs and activities for persons with limited English proficiency (LEP). "Meaningful access" will generally involve some combination of oral interpretation services and written translation of vital documents. For more information, visit <http://www.lep.gov>.

4. **Equal Employment Opportunity Plan (EEO):** The Subrecipient agrees to comply with the applicable requirements of 28 C.F.R. pt 42, subpt. E., DOJ's Equal Employment Opportunity Program (EEO) Guidelines. The Subrecipient will maintain an EEO *Utilization Report* if the Subrecipient (1) is a state or local government agency or any business; and (2) has 50 or more employees; and (3) receives a single award of \$25,000 or more from the Office of Justice Programs (OJP), Office on Violence Against Women (OVW), or Community Oriented Policing Services (COPS).

If the Subrecipient does not meet all the aforementioned criteria, the Subrecipient is exempt from preparing the EEO *Utilization Report*; however, all Subrecipients, regardless of their EEO obligations, must complete the EEO *Certification Form*, in which the Subrecipient declares its satisfaction of its obligations.

For more information, visit <http://ojp.gov/about/ocr/eeop.htm>.

5. **Using Arrest and Conviction Records for Employment Decisions:** The Subrecipient understands the Office for Civil Rights (OCR) issued an advisory document for recipients of federal financial assistance on the proper use of arrest and conviction records in making hiring decisions. Refer to Advisory for Recipients of Financial Assistance from the U.S. Department of Justice on the U.S. Equal Employment Opportunity Commission's Enforcement Guidance: Consideration of Arrest and Conviction Records in Employment Decisions Under Title VII of the Civil Rights Act of 1964 (June 2013), available at http://ojp.gov/about/orc/pdfs/UseofConviction_Advisory.pdf. Subrecipients should be mindful that the misuse of arrest or conviction records to screen either applicants for employment or employees for retention or promotion may have a disparate impact based on race or national origin, result in unlawful employment discrimination. In light of the Advisory, Subrecipients should consult local counsel in reviewing their employment practices. If warranted, Subrecipients should also incorporate an analysis of the use of arrest and conviction records in their Equal Employment Opportunity Plans (EEOs).
6. **Finding of Discrimination:** The Subrecipient assures that, in the event a federal or state court or federal or state administrative agency makes a finding of discrimination after a due process hearing on the grounds of race, color, religion, national origin or sex against a recipient of funds, the Subrecipient will forward a copy of the court judgment to the Missouri Department of Public Safety within 30 days of the court judgment date. The Missouri Department of Public Safety will act as the liaison in all civil rights matters with the Office of Civil Rights, Office of Justice Programs.

Authorized Official Initials: _____

7. **Unlawful Employment Practices:** The Subrecipient assures compliance with Section 213.055 RSMo in regards to non-discrimination in employment practices as it relates to race, color, religion, national origin, sex, ancestry, age, or disability.
8. **Discrimination in Public Accommodations:** The Subrecipient assures compliance with Section 213.065 RSMo in regards to non-discrimination in public accommodations as it relates to accommodations, advantages, facilities, services, or privileges made available in place of public accommodations.
9. **Faith-based Organizations:** The Subrecipient agrees to comply with the applicable requirements of 28 C.F.R. Part 38, the Department of Justice regulation governing "Partnerships with Faith-Based and Other Neighborhood Organization". This regulation provides in part that organizations that receive direct financial assistance from the Department may not engage in explicitly religious activities, such as proselytizing, scripture study, or worship, as part of the programs or services funded with direct financial assistance from the Department. If an organization conducts such explicitly religious activities, the activities must be offered separately, in time or location, from the programs or services funded with direct financial assistance from the Department, and participation must be voluntary for beneficiaries of the programs or services funded with such assistance. The regulation also makes clear that any organization that participates in programs funded by Federal financial assistance from the Department shall not discriminate against a program beneficiary or prospective program beneficiary on the basis of religion in the delivery of services or benefits. Notwithstanding any other special condition of this award, faith-based organizations may, in some circumstances, consider religion as a basis for employment.
10. **Discrimination - VAWA Exception:** Subrecipients are prohibited from excluding, denying benefits to, or discriminating against any person on the basis of actual or perceived race, color, religion, national origin, sex, gender identity, sexual orientation, or disability in any program or activity funded in whole or in part by OVW.
 - a. If sex segregation or sex-specific programming is necessary to the essential operation of a program, nothing in this paragraph shall prevent any such program or activity from consideration of an individual's sex. In such circumstances, grantees may meet the requirements of this paragraph by providing comparable services to individuals who cannot be provided with the sex-segregated or sex-specific programming.

Financial:

1. **Fund Availability:** The Subrecipient understands all awards are subject to the availability of appropriated funds and any modifications or additional requirements that may be imposed by law. It is understood and agreed upon that, in the event funds from state sources are not appropriated and continued at an aggregate level sufficient to cover the subaward costs, or in the event of a change in state law relevant to these costs, the obligations of each party hereunder shall thereupon be terminated immediately upon receipt of written notice.
2. **Release of Funds:** No funds will be disbursed under this subaward until such time as all required documents are signed by the Authorized Official and Project Director and returned to the Missouri Department of Public Safety, Office of the Director for final review and signature by the Director or his/her designee.
3. **Financial Guide:** The recipient agrees to comply with the Uniform Administrative Requirements, Cost Principles, and Audit Requirements in 2 C.F.R. Part 200, as adopted and supplemented by the Department of Justice (DOJ) in 2 C.F.R. Part 2800 (together, the "Part 200 Uniform Requirements"), and the current edition of the DOJ Grants Financial Guide and the Missouri Department of Public Safety Financial and Administrative Guide.
4. **Allowable Costs:** The Subrecipient understands that only allowable and approved expenditures will be reimbursed under this subaward. These monies may not be utilized to pay debts incurred by other activities. The Subrecipient agrees to obligate funds no later than the last day of the project period. Any deviation from the approved subaward must have prior approval from the Missouri Department of Public Safety. The Subrecipient shall fully coordinate all activities in the performance of the project with those of the Missouri Department of Public Safety. The Subrecipient certifies that all expendable and non-expendable property purchased with funds under this subaward shall be used for approved project purposes only.

Authorized Official Initials: _____

5. **Financial Reporting Requirements:** The Subrecipient agrees to complete and submit any financial reports required for this program as outlined in the VAWA Notice of Funding Opportunity. Failure to submit reports by the deadline dates may result in delay for reimbursement requests and/or cancellation of the subaward.
6. **Project Income:** The Subrecipient agrees to account for project income generated by the activities of this subaward, and shall report receipts and expenditures of this income on the monthly Claim report. The Subrecipient understands that all project income generated as a result of this subaward shall be expended during the life of the project period.
7. **Procurement:** The Subrecipient assures that all procurement transactions whether negotiated or competitively bid and without regard to dollar value shall be conducted in a manner to provide maximum open and free competition. In addition, the Subrecipient assures that all procurement transactions will meet the minimum standards set forth in the *DPS & CVSU Financial and Administrative Guidelines* and identified here:
 - A. All quotations and the rationale behind the selection of a source of supply shall be retained, attached to the purchase order copy, and placed in the accounting files.
 - B. Purchases to a single vendor totaling less than \$3,000 may be purchased with prudence on the open market.
 - C. Purchases estimated to total between \$3,000 but less than \$24,999 to a single vendor, must be competitively bid, but need not be solicited by mail or advertisement.
 - D. Purchases with an estimated total of \$25,000 or over to a single vendor shall be advertised for bids in at least two daily newspapers of general circulation in such places as are most likely to reach prospective bidders at least five days before bids for such purchases are to be opened.
 - E. Where only one bid or positive proposal is received, it is deemed to be sole source procurement.
 - F. Sole source procurement on purchases to a single vendor of \$3,000 and over requires prior approval from the Missouri Department of Public Safety.
8. **Buy American:** The Subrecipient acknowledges Sections 34.350-34.359 RSMo regarding the Domestic Product Procurement Act (or commonly referred to as the Buy American Act) and the requirement to purchase or lease goods manufactured or produced in the United States, unless exceptions to the Buy American mandate in Section 34.353 RSMo are met.
9. **Buy Missouri:** The Subrecipient also acknowledges Sections 34.070 and 34.073 RSMo regarding the preference given to all commodities and tangible personal property manufactured, mined, produced, or grown within the state of Missouri and to all firms, corporations, or individuals doing business as Missouri firms, corporations, or individuals, or which maintain Missouri offices or places of business, when quality is equal or better and delivered price is the same or less, quality of performance promised is equal or better and the price quoted is the same or less, or when competing bids are comparable.
10. **Debarment:** This certification is required by Executive Order 12549, Debarment and Suspension, implemented at 2 CFR Part 2867, for prospective participants in primary covered transactions, as defined at 2 CFR Section 2867.20(a), and other requirements:

The Subrecipient certifies that it and its principals:

- A. Are not presently debarred, suspended, proposed for debarment, declared ineligible, sentenced to a denial of Federal benefits by a State or Federal court, or voluntarily excluded from covered transactions by any Federal department or agency;
- B. Have not within a three-year period preceding this application been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State, or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;
- C. Have not within a two-year period preceding this application been convicted of a felony criminal violation under any Federal law, unless such felony criminal conviction has been disclosed in writing to the Office of Justice Programs (OJP) at Ojpcompliancereporting@usdoj.gov, and, after such disclosure, the

Authorized Official Initials: _____

applicant has received a specific written determination from OJP that neither suspension nor debarment of the applicant is necessary to protect the interests of the Government in this case.

- D. Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State, or local) with commission of any of the offenses enumerated in paragraph (b) of this certification;
 - E. Have not within a three-year period preceding this application had one or more public transactions (Federal, State, or local) terminated for cause or default.
11. **Audit:** The Subrecipient agrees to comply with the organizational audit requirements of OJP Financial Guide, Chapter 3.19, Audit Requirements. This guidance states that non-federal entities that expend \$750,000 or more in federal funds (from all sources including pass-through subawards) in the agency's fiscal year (12-month turnaround reporting period) shall have a single organization wide audit conducted in accordance with the provisions of Title 2 C.F.R. Subpart F (§ 200.500 et seq.). An audit is required for the agency fiscal year when state financial assistance (which consists of all monies received from State Government or state funds passed through state agencies), of \$375,000 or more is expended by the Subrecipient. The Subrecipient assures a copy of the financial audit report will be submitted to the Missouri Department of Public Safety if they have met or exceeded this federal or state threshold within 60 days of the project period start date.
12. **Termination of Award:** The Missouri Department of Public Safety, Office of the Director, reserves the right to terminate any subaward entered into as a result of this application at its sole discretion and without penalty or recourse by giving written notice to the Subrecipient of the effective date of termination. In the event of termination pursuant to this paragraph, all documents, data, and reports prepared by the Subrecipient under the subaward shall, at the option of the Missouri Department of Public Safety, become property of the State of Missouri.

In the event that the Missouri Department of Public Safety determines that a Subrecipient is operating in a manner inconsistent with the provisions of the application or is failing to comply with the applicable state requirements governing these funds, the Missouri Department of Public Safety may permanently or temporarily terminate the subaward. In the event a subaward is permanently terminated, the Missouri Department of Public Safety may take action as deemed appropriate to recover any portion of the subaward funds remaining or an amount equal to the portion of the subaward funds wrongfully used.

13. **Enforceability:** If a Subrecipient fails to comply with all applicable federal and state requirements governing these funds, the State of Missouri may withhold or suspend, in whole or in part, funds awarded under the program, or recover misspent funds following an audit. This provision is in addition to all other remedies provided to the State of Missouri for recovery of misspent funds available under all applicable state and federal laws.
14. **Compensation:** The Subrecipient understands that funds may not be used to pay cash compensation (salary plus bonuses) to any employee of this grant at a rate that exceeds 110% of the maximum annual salary payable to a member of the federal government's Senior Executive Service (SES) at an agency with a Certified SES Performance Appraisal System. The Subrecipient understands it may compensate an employee at a higher rate, provided the amount in excess of this compensation limitation is paid with non-federal funds.

Programmatic:

1. **Services to Victims of Domestic and/or Sexual Violence and their children:** The Subrecipient, if providing services to victims of domestic and/or sexual violence and their children through this subaward, shall comply with the service standards and guidelines set forth by the Missouri Coalition Against Domestic and Sexual Violence Service Standards and Guidelines for Domestic Violence Programs and/or Sexual Violence Programs, as they relate to the provision of services required herein.
2. **Services to All Other Victims of Crime:** The Subrecipient, if not primarily providing services to victims of domestic and/or sexual violence through this subaward, shall comply with the program standards and guidelines set forth by the Missouri Department of Public Safety Crime Victim Services Unit Program Standards and Guidelines, as they relate to the provision of services required herein.

Authorized Official Initials: _____

3. **Coordination of activities:** The Subrecipient shall fully coordinate all activities in the performance of the project with those of the Missouri Department of Public Safety, Office of the Director.
4. **Data Collection:** The Subrecipient assures that it shall maintain such data and information and submit such reports, in such form, at such times, and containing such information as the Missouri Department of Public Safety, Office of the Director, may require. This includes any additional information that may be necessary in follow-up to monitoring and/or audit issues and in response to requests from the Department of Justice, Office of Justice Programs or Office of Violence Against Women. In addition to information that may be necessary in follow up to monitoring and/or audit issues, and in response to requests from the Missouri Department of Public Safety.
5. **Access to Records:** The Subrecipient authorizes the Missouri Department of Public Safety and/or the Office for Violence Against Women and/or the Office of the Comptroller, and its representatives, access to and the right to examine all records, books, paper or documents related to the VAWA grant.
6. **Publications:** All materials and publications (written, visual, or sound) resulting from award activities shall contain the following statements: "This project was supported by funding made available through the Fund administered by the Missouri Department of Public Safety, Office of the Director. The opinions, findings, conclusions, and recommendations expressed in this publication/program/exhibition are those of the author(s) and do not necessarily reflect the views of the Missouri Department of Public Safety, Office of the Director or the Department of Justice."
7. **Client-Counselor Confidentiality:** The Subrecipient assures that they will maintain confidentiality of client-counselor information as required by state and federal law.
8. **Code of Professional Ethics:** The Subrecipient shall comply with and assures that the program adheres to the Missouri Department of Public Safety Code of Professional Ethics for Victim Service Provider Subrecipients.
9. **Victims' Rights Compliance:** The Subrecipient assures that it will provide the eligible direct victim services, as may be required, set forth in Missouri's Constitutional Amendment for **Victims' Rights and Section 595.209, RSMo.** (These eligible direct victim services do not include general witness assistance)
10. **Criminal or Civil Filings:** The Subrecipient assures that its laws, policies, and practices do not require, in connection with the prosecution of any misdemeanor or felony domestic violence, dating violence, sexual assault, or stalking offense, or in connection with the filing, issuance, registration, modification, enforcement, dismissal, withdrawal, or service of a protection order, or a petition for a protection order, to protect a victim of domestic violence, dating violence, stalking, or sexual assault, that the victim bear the costs associated with the filing of criminal charges against the offender, or the costs associated with the filing, issuance, registration, modification, dismissal, withdrawal, or service of a warrant, protection order, petition for a protection order, or witness subpoena, whether issued inside or outside the state, tribal, or local jurisdiction.
11. **Forensic Medical Exams:** The state or territory or another governmental entity must incur the full out of pocket cost of forensic medical exams for victims of sexual assault. The state or territory must coordinate with health care providers in the region to notify victims of sexual assault of the availability of rape exams at no cost to victims. No state or territory or other governmental entity shall require a victim of sexual assault to participate in the criminal justice system or cooperate with law enforcement in order to be provided with a forensic medical exam, reimbursement for charges incurred on account of such an exam, or both.
12. **Polygraph/Voice Stress Analysis:** No law enforcement officer, prosecuting officer or other government official shall ask or require an adult, youth, or child victim of an alleged sex offense as defined under federal, tribal, state, territorial, or local law to submit to a polygraph examination or other truth telling device as a condition for proceeding with the investigation of such an offense, and the refusal of a victim to submit to a polygraph examination or other truth telling device shall not prevent the investigation, charging, or prosecution of an alleged sex offense.

Authorized Official Initials: _____

13. **Consultation with Victim Services:** Prosecution, law enforcement and court based applicants must consult with tribal, territorial, State, or local victim service programs during the course of developing their grant applications in order to ensure that the proposed services, activities and equipment acquisitions are designed to promote the safety, confidentiality and economic independence of victims of domestic violence, sexual assault, stalking and dating violence.
14. **Nondisclosure of Confidential or Private Information:** Subrecipients may not disclose personally identifying information or individual information collected in connection with services requested, utilized, or denied without a written release unless the disclosure of the information is required by a statutory or court mandate. This applies whether the information is being requested for a Department of Justice grant program or another Federal agency, State, tribal, or territorial grant program. This provision also limits disclosures by subgrantees to grantees, including disclosures to Statewide or regional databases.
15. **Victim eligibility for services:** Victim eligibility for direct services is not dependent on the victim's immigration status.
16. **Historic Preservation Act:** Subrecipients must be in compliance with the National Historic Preservation Act (16 USC 470) stating that you must consult the State Historic Preservation Officer to identify protected properties and agree to avoid or mitigate adverse effects to such properties.
17. **Time Records Requirement:** The applicant assures that, all project personnel funded through the VAWA grant (federal or local funds) will maintain timesheets that detail 100% of their time along with the activities/services provided. These timesheets must be provided to DPS upon request.
18. **Claims that are Late:** Subrecipients assure the Claim for Reimbursement, Detail of Expenditures, and supporting documentation will be submitted by the 5th of each month. If specified due date falls on a weekend or holiday, the Claim must be received by the first working day after the weekend or holiday. Claims submitted after deadline will not be processed until the following month. Claims are due each month whether or not the subrecipient expended any grant or local match funds.

Failure to submit the required forms on time shall be taken as failure to adhere to the terms of the subaward and may result in the delay of reimbursement and/or termination of the subaward.
19. **Timely Reporting:** Subrecipients assure that expenses will be submitted within 60 days from the time the expense was incurred. The Missouri Department of Public Safety reserves the right to deny reimbursement of any expense that falls outside the 60 day requirement.
20. **Claims with Errors:** Subrecipients assure that accurate claims will be submitted. If a Claim is submitted with errors, the Claim may be negotiated for corrections. If the errors are not corrected after two (2) negotiations, the Claim may be withdrawn and not paid. If a Claim is withdrawn due to errors, a correspondence will be sent to the Authorized Official and Project Director.
21. **Annual Performance Report:** The Subrecipient agrees to provide information on the activities supported and an assessment of the effects that the VAWA victim assistance funds have had on services to crime victims for a one year period. That period will January 1 through December 31. This information will be submitted annually on the DPS "VAWA Annual Performance Report" no later than 30 days following the end date of the reporting period each year.
22. **Match:** State and local units of government are required to provide 25% of the total project cost as match. Match may be provided in the form of cash or in-kind match. All funds designated as match are restricted to the same uses as the STOP VAWA program funds and must be expended within the grant period. Match must be provided on a project-by-project basis. Matching funds are not required for any victim service provider, victim service providers may voluntarily provide match on the STOP VAWA grant.


Authorized Official Initials: _____

23. **Renewal:** A subaward, entered into as a result of this application, shall not bind or purport to bind the Department of Public Safety for any subaward commitment in excess of the original subaward period contained in such a subaward. However, the Department of Public Safety shall have the right, at its sole discretion, to renew any such subaward on a year-to-year basis. Should the Department of Public Safety exercise its right to renew the subaward, the renewal shall be subject to the terms set forth by the Department of Public Safety in the documents developed for such renewal. Failure to comply with such terms set forth by the Department of Public Safety will result in the forfeiture of such a renewal option.
24. **Financial Statements:** All non-profit subrecipients of STOP VAWA funding under this award are required to make their financial statements available online (either on the Missouri Department of Public Safety's, the subrecipient's, or another publicly available website). DPS will consider subrecipient organizations that have Federal 501(c)(3) tax status as in compliance with this requirement, with no further action needed, to the extent that such organization files IRS Form 990 or similar tax document (e.g., 990-EZ), as several sources already provide searchable online databases of such financial statements.

The Subrecipient hereby certifies, by signature, acceptance of the terms and conditions specified or incorporated by reference herein, including those stated in the Notice of Funding Opportunity packet.

AUTHORIZED OFFICIAL SIGNATURE:


Dan Atwill, Presiding Commissioner



Date: 2/27/18

PROJECT DIRECTOR SIGNATURE:

Mary Epping



Date: 2/20/18

Authorized Official Initials: _____

CERTIFIED COPY OF ORDER

STATE OF MISSOURI

February Session of the January Adjourned

Term. 20 18

County of Boone

} ea.


In the County Commission of said county, on the 27th day of February 20 18


the following, among other proceedings, were had, viz:

Now on this day the County Commission of the County of Boone does hereby approve the Organizational Use of the Government Center Chambers by the Boone County Democratic Central Committee for March 8, 2018 from 5:00 p.m. to 7:15 p.m.

Done this 27th day of February, 2018.

ATTEST:


Taylor W. Burks
Clerk of the County Commission


Daniel K. Atwill

Presiding Commissioner


Fred J. Parry

District I Commissioner


Janet M. Thompson

District II Commissioner



Boone County Commission

APPLICATION FOR ORGANIZATIONAL USE OF BOONE COUNTY CONFERENCE ROOMS

The undersigned organization hereby applies for a use permit to use Boone County Government conference rooms as follows:

Organization: Boone County Democratic Central Committee

Address: PO Box 1294

City: Columbia State: MO ZIP Code 65203

Phone: 573-875-1245 Website: www.boonecountymocrats.org

Individual Requesting Use: Jade Govero Position in Organization: 1st Ward Committeewoman

Facility requested: Chambers Room 301 Room 311 Room 332 Centralia Clinic

Event: Central Committee Essentials

Description of Use (ex. Speaker, meeting, reception): Meeting, Presentation about the Central Committee

Date(s) of Use: March 8

Start Time of Setup: 5:00 pm AM/PM Start Time of Event: 6:00 pm AM/PM

End Time of Event: 7:00 pm AM/PM End Time of Cleanup: 7:15 pm AM/PM

The undersigned organization agrees to abide by the following terms and conditions in the event this application is approved:

1. To abide by all applicable laws, ordinances and county policies in using Boone County Government conference rooms.
2. To remove all trash or other debris that may be deposited (by participants) in rooms by the organizational use.
3. To repair, replace, or pay for the repair or replacement of damaged property including carpet and furnishings in rooms.
4. To conduct its use in such a manner as to not unreasonably interfere with Boone County Government building functions.
5. To indemnify and hold the County of Boone, its officers, agents and employees, harmless from any and all claims, demands, damages, actions, causes of action or suits of any kind or nature including costs, litigation expenses, attorney fees, judgments, settlements on account of bodily injury or property damage incurred by anyone participating in or attending the organizational use of rooms as specified in this application.

Organization Representative/Title: Jade Govero, 1st Ward Committeewoman

Phone Number: 219-455-8009 Date of Application: Feb 22, 2018

Email Address: jadegovero@gmail.com

Applications may be submitted in person or by mail to the Boone County Commission, 801 E. Walnut, Room 333, Columbia, MO 65201 or by email to commission@boonecountymo.org.

PERMIT FOR ORGANIZATIONAL USE OF BOONE COUNTY GOVERNMENT CONFERENCE ROOMS

The County of Boone hereby grants the above application for permit in accordance with the terms and conditions above written. The above permit is subject to termination for any reason by duly entered order of the Boone County Commission.

ATTEST:

Taylor W. Buck
County Clerk

BOONE COUNTY, MISSOURI

Roger B. Wilson
County Commissioner

DATE: 2-27-18