CERTIFIED COPY OF ORDER

STATE OF MISSOURI

February Session of the January Adjourned

Term. 20 19

County of Boone

ea

In the County Commission of said county, on the

14th

day of

February

0 19

the following, among other proceedings, were had, viz:

Now on this day, the County Commission of the County of Boone does hereby approve the Bond of the Collector for the Missouri Department of Revenue in the maximum sum of seven hundred fifty thousand dollars (\$750,000).

It is further ordered the Boone County Commissioners are hereby authorized to sign said Bond.

Done this 14th day of February 2019.

ATTEST:

Brianna L. Lennon

Clerk of the County Commission

Daniel K. Atwill

Presiding Commissioner

Fred J. Park

District I Commissioner

Janet M. Thompson

District II Commissioner

Recorded in Boone County, Missouri

Date and Time: 02/14/2019 at 02:12:35 PM

Instrument #: 2019002206 Book: 4989 Page: 37

Instrument Type: BOND Recording Fee: \$58.00 N

No. of Pages:

Mesa plutare Deeds

RECORDER OF DEEDS CERTIFICATE BOONE COUNTY, MISSOURI NON-STANDARD DOCUMENT

This document has been recorded and you have been charged the \$25.00 non-standard fee pursuant to RSMo 59.310.3 and this certificate has been added to your document in compliance with the laws of the State of Missouri.



Nora Dietzel Recorder of Deeds 801 E. Walnut, Room 132 Columbia, Missouri 65201 573-886-4345



Missouri Department of Revenue Bond of the Collector or Ex-Officio Collector of Revenue

Bond # 674020131

Now, therefore, if the said County Coover all State, County and other Reve of March , 2019 a according to law, then this bond to be voice.	tue of the laws of the sti, as surety, are held an \$750,000.00), law rs, executors, administration is such, however, that 2019 , A.D. or the County of Boone for the four years and in all things faithfully to otherwise to remain in further the sure of the su	ate of Massachusetts and firmly bound unto the state of Miss of ful money of the United States, for partors, successors and assigns, jointly and the whereas the said principal, Brian Market whereas the said principal when	ad authorized to become sole souri in the maximum sum of syment of which well and truly and severally, firmly be these according was on fice of Collector Missouri and has been duly punctually collect and pay se if appointed, the first day fice of County Collector
In witness whereof, the said principal's had signed by its Attorney-In-Fact 25th 2019			
day comes Brian McCollum County, Missouri, and presents t	Signature of Attorney in Fa Barb Henderson County Commission ha , Collector or E o the County Commission t ensuing or the full terr	ston Massachusetts 02116	county Collector. Now, at this one ollector, which bond is hereto 1st day of
Collector or Ex-Officio Collector County Depository as has bee	n selected in accordanther ordered said bond to rector of Revenue?	Printed Name of District Commissioner Printed Name of District Commissioner Printed Name of County Collector's Fund" all of the approved and a duplicate thereof the commissioner of the collector of the collec	collections of moneys in the 110.130, 110.140, 110.150, be transmitted by the Clerk of

This certificate to be used if the County Commission has not applied the County Depository Law to the Collector County Collector's Funds.							
the	Now at this day comes			. Collector or Ex-Officio Collector,			
9	with and for		, County, Missouri,	, Collector or Ex-Officio Collector, and presents to the County Commission			
p _a	his bond as Collector or Ex-Offi	cio Collector of Revenue,	which bond is hereto	attached, for the four years next ensuing			
ijā	or the full term of office if appo	inted, effective the		day of ,			
been applied to the lector	the average total monthly collect	ion for the same month di	uring the preceding four	it is in a sum for any one month equal to r years, but not to exceed the largest total			
e pe	collections made during any one	month of the year for the m	ionth				
ဥ်ပိ				ole surety company. No collector shall be			
Depository Law has County	required to give bond in excess transmitted by the Clerk of this Co			be approved and a duplicate thereof be			
္ကိုင္တဲ့	Signature of Presiding Commissioner		Printed Name of Presidin	ng Commissioner			
Z	Signature of Presiding Commussioner		Dan Atwill				
<u>₽</u>	Many	HANGI —	Printed Name of District (
sode	Signature of District Commissioner	•	Fillited Name of District C	Sommissioner			
ă	Attest: (Signature of County Clerk)		Printed Name of County	Clerk			
	, moon (organismo or obsert)						
			1				
	1. Brianna L. Lev		, Clerk o	of the County Commission within and for			
	the County and State aforesaid,	the County and State aforesaid, do hereby certify the above and foregoing is a true and complete copy of the proceedings					
	of the County Commission of	Boone	co	ounty on the 14th day of			
"大學	that said bond is duly recorded in	, pertaining to the examination of the examination	ation and approval of C	Collector or Ex-Officio Collector's bond, and			
	•		•				
	In testimony whereof, L have Columbia, MISSWII this	hereunto set my hand IUFN day of	February.	of said County Commission at office			
2	(Seal)	State of	County				
Notary		Missouri	Boone	Commission #15549819			
Z		Clark of the County Con		County of Boone My Commission Expires May 30, 2019			
		Clerk of the County Con	nmission	State of Missouri			
		M SX		DIANE K. BUCHMANN Motary Public - Notary Seal			
		100		1			
			1-0	, /			
		DIANE	K Suc+m	AND			
			K Buc++M	Duckmann			
ŧ.	Bond of Collector or Ex-Officia C	ollector of Revenue of		county for the term ending			
in de la	April 1, , filed and	approved this	day of	county for the term ending			
e art o	Director of Revenue						
Dep Us							

Form 326 (Revised 10-2015)

Mail to:

Taxation Division

P.O. Box 453

Jefferson City, MO 65105-0453

Phone: (573) 751-5900 TTY: (800) 735-2966 Fax: (573) 522-1720

E-mail: countyfees@dor.mo.gov

Visit http://dor.mo.gov/business/citycounty/ for additional information.





Stephenson, Tracie Zacha

This Power of Attorney limits the acts of those named herein, and they have no authority to bind the Company except in the manner and to the extent herein stated.

> Liberty Mutual Insurance Company The Ohio Casualty Insurance Company West American Insurance Company

Certificate No:	8197160	

business day

on any

EST

this Power of Attorney of 9:00 am and 4:30 pm

POWER OF ATTORNEY

KNOWN ALL PERSONS BY THESE PRESENTS: That The Ohio Casualty Insurance Company is a corporation duly organized under the laws of the State of New Hampshire, that
Liberty Mutual Insurance Company is a corporation duly organized under the laws of the State of Massachusetts, and West American Insurance Company is a corporation duly organized
under the laws of the State of Indiana (herein collectively called the "Companies"), pursuant to and by authority herein set forth, does hereby name, constitute and appoint,
Timothy P. Eastin, Bethany Eaton, Barb Henderson, Harry D. Naught, Thomas S. Naught, Richard L. Naught, Sarah Naught-Bargfrede, Cheryl Schaller, Teresa M.

state of MO each individually if there be more than one named, its true and lawful attorney-in-fact to make, all of the city of Columbia execute, seal, acknowledge and deliver, for and on its behalf as surety and as its act and deed, any and all undertakings, bonds, recognizances and other surety obligations, in pursuance of these presents and shall be as binding upon the Companies as if they have been duly signed by the president and attested by the secretary of the Companies in their own proper persons

IN WITNESS WHEREOF, this Power of Attorney has been subscribed by an authorized officer or official of the Companies and the corporate seals of the Companies have been affixed thereto this 22nd day of October 2018







Liberty Mutual Insurance Company The Ohio Casualty Insurance Company West American Insurance Company

David M. Carey, Assistant Secretary

State of PENNSYLVANIA County of MONTGOMERY

2018 before me personally appeared David M. Carey, who acknowledged himself to be the Assistant Secretary of Liberty Mutual Insurance On this 22nd day of On this 22nd day of October, 2018 before me personally appeared David W. Carey, who acknowledged himself to be the Assistant Secretary of Liberty Mutual Insurance Company, The Ohio Casualty Company, and West American Insurance Company, and that he, as such, being authorized so to do, execute the foregoing instrument for the purposes therein contained by signing on behalf of the corporations by himself as a duly authorized officer.

IN WITNESS WHEREOF, I have hereunto subscribed my name and affixed my notarial seal at King of Prussia, Pennsylvania, on the day and year first above written.



COMMONWEALTH OF PENNSYLVANIA

Notarial Seal Teresa Pastella, Notary Public Upper Merion Twp., Montgomery County My Commission Expires March 28, 2021

By: Jeresa Pastella
Teresa Pastella. Notary Public

This Power of Attorney is made and executed pursuant to and by authority of the following By-laws and Authorizations of The Ohio Casualty Insurance Company, Liberty Mutual Insurance Company, and West American Insurance Company which resolutions are now in full force and effect reading as follows:

ARTICLE IV - OFFICERS: Section 12. Power of Attorney.

alidity of this between 9:0 Any officer or other official of the Corporation authorized for that purpose in writing by the Chairman or the President, and subject to such limitation as the Chairman or the the vali -8240 be President may prescribe, shall appoint such attorneys in-fact, as may be necessary to act in behalf of the Corporation to make, execute, seal, acknowledge and deliver as surety any and all undertakings, bonds, recognizances and other surety obligations. Such attorneys-in-fact, subject to the limitations set forth in their respective powers of attorney, shall have full power to bind the Corporation by their signature and execution of any such instruments and to attach thereto the seal of the Corporation. When so executed, such confirm 510-832-8 instruments shall be as binding as if signed by the President and attested to by the Secretary. Any power or authority granted to any representative or attorney in-fact under the provisions of this article may be revoked at any time by the Board, the Chairman, the President or by the officer or officers granting such power or authority.

ARTICLE XIII - Execution of Contracts: Section 5. Surety Bonds and Undertakings.

Any officer of the Company authorized for that purpose in writing by the chairman or the president, and subject to such limitations as the chairman or the president may prescribe. shall appoint such attorneys-in-fact, as may be necessary to act in behalf of the Company to make, execute, seal, acknowledge and deliver as surety any and all undertakings, bonds, recognizances and other surety obligations. Such attorneys in-fact subject to the limitations set forth in their respective powers of attorney, shall have full power to bind the Company by their signature and execution of any such instruments and to attach thereto the seal of the Company. When so executed such instruments shall be as binding as if signed by the president and attested by the secretary.

Certificate of Designation - The President of the Company, acting pursuant to the Bylaws of the Company, authorizes David M. Carey, Assistant Secretary to appoint such attorneys-infact as may be necessary to act on behalf of the Company to make, execute, seal, acknowledge and deliver as surety any and all undertakings, bonds, recognizances and other surety obligations.

Authorization - By unanimous consent of the Company's Board of Directors, the Company consents that facsimile or mechanically reproduced signature of any assistant secretary of the Company, wherever appearing upon a certified copy of any power of attorney issued by the Company in connection with surety bonds, shall be valid and binding upon the Company with the same force and effect as though manually affixed.

I, Renee C. Llewellyn, the undersigned, Assistant Secretary, The Ohio Casualty Insurance Company, Liberty Mutual Insurance Company, and West American Insurance Company do hereby certify that the original power of attorney of which the foregoing is a full, true and correct copy of the Power of Attorney executed by said Companies, is in full force and effect and has not been revoked.

IN TESTIMONY WHEREOF, I have hereunto, set my hand and affixed the seals of said Companies this 25th day of January, 2019







Renee C. Llewellyn, Assistant Secretary

LMS-12873 LMIC OCIC WAIC MUITI



COMMISSION


as

COLLECTOR OF REVENUE

I, John R Ashcroft, Secretary of State of the State of Missouri, certify that at the General Election held November 6, 2018

BRIAN C. MCCOLLUM

was elected COLLECTOR OF REVENUE of BOONE County according to the official returns and certificates on file in the Office of Secretary of State.



IN TESTIMONY WHEREOF, I, Michael L. Parson, Governor of the State of Missouri, hereunto set my hand on this commission and cause to be affixed the Great Seal of the State of Missouri. Done at the City of Jefferson, this 27TH day of NOVEMBER, 2018.

GOVERNOR

SECRETARY OF STATE

CERTIFIED COPY OF ORDER

STATE OF MISSOURI

February Session of the January Adjourned

Term. 20 19

County of Boone

ea.

In the County Commission of said county, on the

14th

day of

February

20 19

the following, among other proceedings, were had, viz:

Now on this day, the County Commission of the County of Boone does hereby acknowledge the following budget amendment from the Boone County Clerk to add funds to cover cost overages from the 2018 August Primary and the 2018 November General Elections.

Department	Account	Department Name	Account Name	Decrease \$	Increase \$
1133	85900	Election Activities	County Election Expense		99,165
1133	3526	Election Activities	Reimbursement for Election		47,815
1133	23000	Election Activities	Office Supplies	2,750	
1133	23001	Election Activities	Printing	6,500	
1133	23005	Election Activities	Election Supplies	11,500	
1132	60050	Election & Registration	Equip Service Contract	30,600	
	*				
					146,980

Done this 14th day of February 2019.

ATTEST:

Brianna L. Lennon

Clerk of the County Commission

Daniel K. Atwill

Presiding Commissioner

Fred J./Parry

District I Commissioner

Janet M. Thompson

District II Commissioner

BOONE COUNTY, MISSOURI REQUEST FOR BUDGET AMENDMENT

12/31/2018 EFFECTIVE DATE

FOR AUDITORS USE

(Use whole \$ amounts) Transfer From Transfer To **Fund/Dept Name Account Name Decrease** Increase Dept Account 85900 Election Activities County Election Expense 99,165 1133 **Election Activities** Reimbursement for Election 47,815 1133 3526 Office Supplies 2,750 1133 23000 **Election Activities Election Activities** Printing 6,500 1133 23001 **Election Supplies** 11,500 23005 **Election Activities** 1133 Election & Registration **Equip Service Contract** 30,600 1132 60050

51,350 146,980

Describe the circumstances requiring this Budget Amendment. Please address any budgetary impact for the remainder of this year and subsequent years. (Use an attachment if necessary):

A budget amendment is needed to cover cost overages for the August Primary and November General Elections. The original approved budget for August was \$200,000 and actual costs to county were \$247,721.97 and the approved budgest for November was \$320,000 and the actual costs were \$422,049.80. We had savings of approximately \$1,500 from the April election. Additional revenues of over budget of \$47,815 will be appropriated to cover the overage and savings from various accounts within the County Clerk's Office will also be utilized. The remaining expense of \$48,850 will be covered by the Emergency Appropriation (See seperate Budget Revision from Emergency).

Emergency Appropriation (See seperate Budget Revision	n trom Emergency).
B >> S	
Requesting Official	
TO BE COMPLE	TED BY AUDITOR'S OFFICE
☐ A fund-solvency schedule is attached.	☑ Agenda
Comments: Cover Elections Expense	☑ Auditor
Auditor's Office Auditor's Office PRESIDING COMMISSIONER	DISTRICT I COMMISSIONER DISTRICT II COMMISSIONER

BUDGET AMENDMENT PROCEDURES

County Clerk schedules the Budget Amendment for a first reading on the commission agenda. A copy of the Budget Amendment and all attachments must be made available for public inspection and review for a period of at least 10 days commencing with the first reading of the Budget Amendment.

At the first reading, the Commission sets the Public Hearing date (at least 10 days hence) and instructs the County Clerk to provide at least 5
days public notice of the Public Hearing. NOTE: The 10-day period may not be waived.

The Budget Amendment may not be approved prior to the Public Hearing

Election Costs Budget Revision Calculation

Prepared by: Auditors Office

			Budget		Difference
Dept	Account	Election Expenses	Amount	Actual	(Rounded)
1133	85900	April Election	80,000	78,240.46	1,759.54
1133	85900	August Election	200,000	247,721.97	(47,721.97)
1133	85900	November Election	320,000	422,049.80	(102,049.80)
		Total	600,000	748,012.23	(148,012.23)
		Budget Revision Needed (Rounded)			148,015.00
		Dovernoe and Doductio	one fuene Bud	ant Couings	
		Revenues and Reduction	ons from bud	get savings	
		Revenue			
1133	3526		96,000	143,815.82	(47,815.00)
		Budget Savings			
1133	23000	Office Supplies	3500	749.36	(2,750.00)
1133	23001	Printing	6500	-	(6,500.00)
1133	23005	Election Supplies	14000	2,435.63	(11,500)
1132	60050	Equip Service Contract	32100	1,488.37	(30,600.00)
	Total R	evenues and Reductions from Budget Savings			(99,165.00)
		Amount Needed from Emergency			48,850.00

SUBLICR BOONE SUBSIDIARY LEDGER	INQUIRY MAIN SCREEN 1/17/19 11:08:48
Year <u>2018</u>	Original Appropriation 600,000.00
Dept 1133 ELECTION ACTIVITIES	Revisions
Acct 85900 COUNTY ELECTION EXPENSE	Original + Revisions 600,000.00
Fund 100 GENERAL FUND	Expenditures 618,938.89
	Encumbrances
Class/Account <u>A ACCOUNT</u>	Actual To Date618,938.89
Account Type \underline{E} EXPENSE	Remaining Balance 18,938.89- a
Normal Balance <u>D</u> <u>DEBIT</u>	Shadow Balance 18,938.89-
Transaction Code Effective Dat	e Process Date
Code Effective Description	Orig Document Amount

Transa	ction Code _	Ef	fectiv	e Date			Proce	ess Dat	e
Code	Effective	Descripti	Lon			01	rig Docu	ıment	Amount
22	1/01/2018	**** OR]	[GINAL	BUDGET	*****		2018	236	600,000.00-
40	2/07/2018	04/03/18	ELEC -	BOCO	PREPAY	A	2018	40	79,717.35
40	5/29/2018	04/03/18	ELEC -	REFUNI	D	A	2018	199	1,476.89-
40	6/13/2018	08/07/18	ELEC -	BOCO	PREPAY	A	2018	216	213,047.72
40	10/02/2018	08/07/18	ELEC -	FINAL	COST	A	2018	320	34,674.25
40	10/05/2018	11/06/18	ELEC -	- BOCO	PREPAY	A	2018	325	292,976.46

 ${\tt Bottom}$

F2=Key Scr F3=Exit F6=Prd Breakdowns F7=Trans F8=View Doc F9=Budget

a 18,930.890 + JE b 129,075.340 + Total 148,012.230 G+ B.R.=148,015

618,938,890 + 129,072,340 +

0 · C

748,01:0230 G+

748:019:230 +

148,010-230 G+

BOONE COUNTY, MISSOURI REQUEST FOR JOURNAL ENTRY

COPY JEb.

12/31/18	
 DATE	

JAN 78 2019

RECEIVED

FOR AUDITORS USE

				COUNTY AUDITOR		
Fund	Dept	Account		Account Name	Debit	Credit
	1133	85900	Election Activities	County Election Expense	129,073.34	
	7525	3526	Special Election 5	Reimbursement for Election		129,073.34
100		1000	General Revenue	Cash		129,073.34
752	14511	1000	Special Election	Cash	129,073.34	

	***************************************			`		
		-				
		<u> </u>			<u> </u> 258,146.69	258,146.69
Explan	ation:	To make pa	yment of Boone County sh	are of final cost payment for the Nove	ember 6, 2018 Genei	ral Election.
				· · · · · · · · · · · · · · · · · · ·		
M	90	0			-	
111	7				•	

SUBLSCR BOONE SUBSIDIARY LEDGER I	NQUIRY MAIN SCREEN 1/17/19 12:37:44
Year <u>2018</u>	Estimated Revenue 96,000.00
Dept 1133 ELECTION ACTIVITIES	Revisions
Acct 3526 REIMBURSEMENT FOR ELECTION	Original + Revisions 96,000.00
Fund 100 GENERAL FUND	Revenues55,633.10_
Class/Account A ACCOUNT	Actual To Date 55,633.10
Account Type R REVENUE	Remaining Balance 40,366.90
Normal Balance C CREDIT	
Revenues by	y Period
-	T 1
January	July
February	August

September ______10,118.03

November ____

October ____

December 40,235.95

F2=Key Scr F3=Exit F5=Ledger Transactions F7=Transactions F9=Budget

March _______ 5,279.12

May _____

June _____

Revenue 65.653.100 +

Md: JE 78.182.720 +

143.015.820 G+

Budget 41.00
Actual 143.815.820 +

Amendment 47.015.820 G+

					COPY	/
		<u> </u>	BOONE	COUNTY, MISSOURI		····
			REQUEST	FOR JOURNAL ENTR	Y	
		1/2018 // TE			FOR AUDIT	VD6 II6E
					I OK ADDIT	OK3 03E
Fund	Dept	Account	Fund/Dept Name	Account Name	Debit	Credit
	2320	3526	Election Equip Replemnt Activity	Reimbursement for Election	88,182.72	
232	·····	1000	Election Equip Replomnt Fund	Cash & Invest in Treasury		88,182.7
100		1000	General Fund	Cash & Invest in Treasury	88,182.72	
	1133	3526	Election Activities	Reimbursement for Election		88,182.7
						111 VOL. 11
					176,365.44	176,365.44
planation		тпе expense the General I	s related to programming are incurre	rrectly reimbursed the Election Equipment d by the General Fund (salaries, IT support	nt Fund 232 for Programm	ina Services
		1/2				
		/ /	Origination Office		Auditors C	Office

SUBLSCR BOONE SUBSIDIARY LED	GER INQUIRY MAIN SCREEN	1/22/19 12:02:51
Year <u>2018</u>	Original Appropriation	on <u>3,500.00</u>
Dept 1133 ELECTION ACTIVITIES	Revision	ns
Acct 23000 OFFICE SUPPLIES	Original + Revision	
Fund 100 GENERAL FUND	Expenditure	
	Encumbrance	
Class/Account A ACCOUNT	Actual To Dat	
Account Type <u>E</u> <u>EXPENSE</u>	Remaining Baland	
Normal Balance <u>D</u> <u>DEBIT</u>	Shadow Baland	
		2,750-
Expend	litures by Period	. , .
January	July	
JanuaryFebruary		,
	July	
February	July August September	
February	July August September October	
February March April	JulyAugustSeptember October	

SUBLSCR BOONE SUBSIDIARY LEDO	GER INQUIRY MAIN SCREEN $1/$	22/19 12:02:39
Year <u>2018</u>	Original Appropriation _	6,500.00
Dept 1133 ELECTION ACTIVITIES	Revisions _	· · · · · · · · · · · · · · · · · · ·
	Original + Revisions _	6,500.00
Fund 100 GENERAL FUND		
	Encumbrances _	
Class/Account A ACCOUNT	Actual To Date _	
Account Type <u>E EXPENSE</u>	Remaining Balance _	6,500.00
Normal Balance <u>D</u> <u>DEBIT</u>	Shadow Balance _	6,500.00
		6,5001
Expend	itures by Period	
January	July	
February	August	novements
March	September	
April	October	******
May	November	
June	December	

SUBLSCR BOONE	SUBSIDIARY LEDGER	INQUIRY MAIN SC	REEN 1/22	/19 12:02:46
Year <u>2018</u>		Original Appr		14,000.00
	ACTIVITIES		Revisions	
	SUPPLIES	Original +		14,000.00
Fund 100 GENERAL FU	Exp	2,435.63		
		Enc	umbrances	
Class/Account A ACCO	DUNT	Actua	l To Date	2,435.63
Account Type <u>E EXPI</u>	ENSE	Remainin	g Balance	11,564.37
Normal Balance <u>D</u> <u>DEB</u>	Shadow Balance		11,564.37	
	Evnanditu	res by Poriod		11,500 /
		res by Period		
January		July	112.97	·
February		August	89.75	
March	44.82	September		
April	131.51	October	371.72	
May		November	252.21	
June		December	1,432.65	

SUBLSCR BOONE SUBSIDIARY LEI	DGER INQUIRY MAIN SCREEN 1,	/17/19 13:00:45
Year <u>2018</u>	Original Appropriation _	33,000.00
Dept 1132 ELECTION & REGISTRATION		900.00-
Acct 60050 EQUIP SERVICE CONTRACT	Original + Revisions	32,100.00
Fund 100 GENERAL FUND	Expenditures	1,488.37
	Encumbrances _	
Class/Account A ACCOUNT	Actual To Date	1,488.37
Account Type <u>E EXPENSE</u>	Remaining Balance _	30,611.63
Normal Balance <u>D</u> <u>DEBIT</u>	Shadow Balance -	30,611.63
		30,600 -
Expen	ditures by Period	
January1,488.37	July	
February	August	
March	September	
April	October	
May	November	-
June	December	1987 B. S.

SUBLSCR BOONE SUBSIDIARY LEDGE	CR INQUIRY MAIN SCREEN 1/17/19 10:58:27
Year <u>2018</u>	Original Appropriation 850,000.00
Dept 1123 EMERGENCY & CONTINGENCY	Revisions 7,906.00-
Acct 86800 EMERGENCY	Original + Revisions 842,094.00
Fund 100 GENERAL FUND	Expenditures
	Encumbrances
Class/Account <u>A</u> <u>ACCOUNT</u>	Actual To Date
Account Type <u>E EXPENSE</u>	Remaining Balance 842,094.00
Normal Balance <u>D</u> <u>DEBIT</u>	Shadow Balance 842,094.00
Expendit	cures by Period
January	July
February	August
March	September
April	October
May	November
June	December

Emergency 0. c

148,015.000 +

(7,010. G
(8,7. C
(8,7. C
(8,7. C
(8,7. C
(8,850.000 G+

From: Brianna Lennon

Sent: Wednesday, January 23, 2019 7:46 AM

To: June Pitchford JPitchford@boonecountymo.org; CJ Dykhouse CDykhouse@boonecountymo.org;

Subject: Election costs

June,

To follow up on the discussion that we had yesterday about election costs, these are the statutes that mandate proportional cost to each district. As an aside, I realized that we had a similar situation in 2017 with the use tax election so it's possible that Jason and Art have some documentation from that.

Finally, there was a big change to the statute effective January 1 that the state now pays costs for elections, which they had not previously done. The secretary of state's office is still working out what that will mean for counties for future elections.

Thanks, Brianna

115.063. Political subdivision or special district, cost of elections — state to share proportionately, when. — 1. When any question or candidate is submitted to a vote by any political subdivision or special district and no other question or candidate is submitted at the same election, all costs of the election shall be paid from the general revenue of the political subdivision or special district submitting a question or candidate at the election.

- 2. All costs of elections involving a statewide candidate or statewide issue and all costs of elections involving candidates for state senator or state representative shall be paid by the state, except that if a political subdivision or special district holds an election on the same day, the costs shall be shared proportionately by the state and the political subdivisions and special districts affected in the manner provided in section 115.065.
- 3. When a proposed political subdivision submits a petition requesting an election as part of the formation thereof, the petitioners shall submit together with the petition sufficient security to pay all costs of the election. If such proposition is successful, the political subdivision thereby created shall reimburse those persons advancing funds to pay the costs of the election.

(L. 1977 H.B. 101 § 2.510, A.L. 1983 S.B. 234, A.L. 1986 H.B. 1471, et al., A.L. 1993 S.B. 31, A.L. 2018 S.B. 592)

Effective 1-01-19 1/1/2019

115.065. Proportion of cost for two or more political subdivisions or special districts, how computed — exceptions — definitions — election services fund, when used. — 1. Except as provided in sections 115.069, 115.071, 115.073 and 115.077, when any question or candidate is submitted to a vote by two or more political subdivisions or special districts, or by the state and one or more political subdivisions or special districts at the same election, all costs of the election shall be paid proportionally from the general revenues of the state and all political subdivisions and special districts submitting a question or candidate at the election, except that costs of publications of legal notice of elections shall not be paid proportionally. The state and each political subdivision and each special district shall pay for publication of its legal notice of election. At the discretion of the election authority, ballot printing costs, if any, may be paid proportionally or the state and each political subdivision and each special district may pay for

such ballot printing costs, if any.

- 2. Except as provided in sections 115.069, 115.071 and 115.073, when any question or candidate is submitted to a vote by two or more political subdivisions or special districts at the same election, all costs of the election shall be paid proportionally from the general revenues of all political subdivisions and special districts submitting a question or candidate at the election.
- 3. Proportional election costs paid under the provisions of subsection 2 of this section shall be assessed by charging each political subdivision and special district the same percentage of the total cost of the election as the number of registered voters of the political subdivision or special district on the day of the election is to the total number of registered voters on the day of the election, derived by adding together the number of registered voters in each political subdivision and special district submitting a question or candidate at the election.
- 4. "Proportional costs" and "election costs", as used in this chapter, are defined as those costs that require additional out-of-pocket expense by the election authority in conducting an election. It may include reimbursement to county general revenue for the salaries of employees of the election authority for the hours worked to conduct an election, the rental of any electronic voting machine or electronic poll book, any indirect expenses identified under an independent cost allocation study and an amount not to exceed five percent of the total cost of election to be credited to the election services fund of the county. The election services fund shall be budgeted and expended at the direction of the election authority and shall not be used to substitute for or subsidize any allocation of general revenue for the operation of the election authority's office without the express consent of the election authority. The election services fund may be audited by the appropriate auditing agency, and any unexpended balance shall be left in the fund to accumulate from year to year with interest. The election services fund shall be used by the election authority for training programs and purchase of additional supplies or equipment to improve the conduct of elections, including anything necessarily pertaining thereto. In addition to these costs, the state shall, subject to appropriation, compensate the election services fund for transactions submitted pursuant to the provisions of section 115.157.

(L. 1977 H.B. 101 § 2.515, A.L. 1979 S.B. 275, A.L. 1982 S.B. 526, A.L. 1983 H.B. 713 Revision, S.B. 234, A.L. 1993 S.B. 31, A.L. 1999 H.B. 676, A.L. 2018 S.B. 592)

Effective 1-01-19

CERTIFIED COPY OF ORDER

STATE OF MISSOURI

February Session of the January Adjourned

Term. 20 19

County of Boone

In the County Commission of said county, on the

14th

day of

February

19 20

the following, among other proceedings, were had, viz:

Now on this day, the County Commission of the County of Boone does hereby approve the attached Contract Revision to Contract ER130180007 Victims of Crime Act (VOCA).

It is further ordered the Presiding Commissioner is hereby authorized to sign said Contract Revision.

Done this 14th day of February 2019.

ATTEST:

Brianna L. Lennon

Clerk of the County Commission

Presiding Commissioner

District I Commissioner

Janet M. Thompson

District II Commissioner



State of Missouri **Department of Social Services Contract Amendment**

Contract Description:

Victims of Crime Act (VOCA)

Amendment Description:

Revision to Contract

Contract #: ER130180007

Amendment #: 002

Effective Date: January 1, 2019

Contractor Information:

Boone County, Prosecutor's Office Contractor Name:

Mailing Address: 801 E. Walnut Street

City, State Zip: Columbia, Missouri 65201

The above referenced contract between Boone County, Prosecutor's Office and the Department of Social Services is hereby amended as follows:

- 1. Paragraph 3.16.15 shall be added to the contract as follows:
 - 3.16.15 Emergency Medical Services: Pursuant to 28 CFR 94.119 (a) (9) costs of the following, on an emergency basis [i.e., when another health care funding source, is not reasonably expected to be available quickly enough to meet the emergency needs of a victim (typically within 48 hours of the crime)] non-prescription and prescription medicine, prophylactic or other treatment to prevent HIV/AIDS infection or other infectious disease, durable medical equipment (such as wheel-chairs, crutches, hearing aids, eyeglasses), and other healthcare items are allowed.
- 2. This amendment shall be effective January 1, 2019. All other terms and conditions shall remain unchanged.

In witness thereof, the parties below hereby execute this agreement.	
Authorized Signature for the Contractor Title Commissioner	2 · 14 · 19 Date
Authorized Signature for the Department of Social Services Date	

CERTIFIED COPY OF ORDER

STATE OF MISSOURI

February Session of the January Adjourned

Term. 20 19

County of Boone

J ea.

In the County Commission of said county, on the

14th

day of

February

20 19

the following, among other proceedings, were had, viz:

Now on this day, the County Commission of the County of Boone does hereby release the Boone County Central Bank Letter of Credit Number 0579177-0099, in favor of Boone County, Missouri on behalf of Abell Label, LLC, in the amount of \$21,378.25.

It is further ordered the Presiding Commissioner is hereby authorized to sign the Reduction Certificate.

Done this 14th day of February 2019.

ATTEST:

Snanna G. Lennon Aug Brianna L. Lennon

Clerk of the County Commission

Daniel K. Atwill

Presiding Commissioner

Fred J. Parry

District I Commissioner

Janet M. Thompson

District II Commissioner



Roger B. Wilson Boone County Government Center 801 East Walnut, Room 333 Columbia, MO 65201-7732 573-886-4307 • FAX 573-886-4311

Boone County Commission

Reduction Certificate

February 14, 2019

Central Bank of Boone County Box 678 Columbia, MO 65205

Attn: Dawn Shellabarger, Vice President

Re:

Bank Letter of Credit No.: 0579177-0099

Dated: February 6, 2018

In Favor of Boone County, Missouri on behalf of Abell Label, LLC

Gentlemen:

This certificate authorizes reduction in the amount of \$21,378.25 of the above letter of credit. The remaining maximum available credit for this letter of credit is \$0.00.

BOONE COUNTY, MISSOURI,

Presiding Coromissioner

APPROVED BY:

Stan Shawver by
Stan Shawver, Director, Resource Management

B:11 Florea

Attest:

Brianna L Lennon, Boone County Clerk

Commission Order 56 2019

CERTIFIED COPY OF ORDER

STATE OF MISSOURI

February Session of the January Adjourned

Term. 20 19

County of Boone

In the County Commission of said county, on the

14th

day of

February

20 19

the following, among other proceedings, were had, viz:

Now on this day, the County Commission of the County of Boone does hereby approve the utilization of the Missouri Department of Transportation cooperative contract 3-170105TV to purchase one (1) Ford F550 Truck with Knapheide Dump Bed and Plow from Joe Machens Ford Lincoln of Columbia, Missouri, as well as the disposal of one (1) 1997 Ford 4x4 Dump Truck with Snow Plow, fixed asset tag 10750.

The terms of the cooperative contract are stipulated in the attached Purchase Agreement. It is further ordered the Presiding Commissioner is hereby authorized to sign said Purchase Agreement and Disposal Form.

Done this 14th day of February 2019.

ATTEST:

BNANNA J. XLNNVNNY Brianna L. Lennon

Clerk of the County Commission

Daniel K. Atwill

Presiding Commissioner

Fred J. Parry

District I Commissioner

Janet M. Thompson

District II Commissioner

Boone County Purchasing

Melinda Bobbitt, CPPO Director of Purchasing



613 E. Ash Street, Room 110 Columbia, MO 65201 Phone: (573) 886-4391

Fax: (573) 886-4390

MEMORANDUM

TO:

Boone County Commission

FROM:

Melinda Bobbitt, CPPPO, CPPB

DATE:

January 31, 2019

RE:

Cooperative Contract: 3-170105TV – Ford F550 Truck with Knapheide

Dump Bed & Plow for Facilities Maintenance

Facilities Maintenance requests permission to utilize the Missouri Department of Transportation cooperative contract *3-170105TV* to purchase one (1) Ford F550 Truck with Knapheide Dump Bed and Plow with Joe Machens Ford Lincoln of Columbia, Missouri.

Total cost of contract is \$52,607.30 and will be paid from department 6104 – Grounds Maintenance, accounts 92400 – Replacement Auto / Trucks and 92300 – Replacement Machinery & Equipment. \$53,664.00 was budgeted in 6104-92400 for the truck and dump body, and \$6,660.00 was budgeted in 6104-92300 for the plow.

The Purchasing Department requests permission to dispose of the following surplus: 1997 Ford 4x4 Dump Truck with Snow Plow, fixed asset tag 10750

Attached is the Disposal Form for signature.

cc:

Doug Coley, Facilities / Greg Edington, PW

Contract File

BOONE COUNTY

Request for Disposal/Transfer of County Property Complete, sign, and return to Auditor's Office

RECEIVED

Date: 1/29/2018	Fixed Asset Tag Numb	er: 107	50	JAN 2 9 2019
Description of As	sset: 1997 Ford 4x4 dump truck with snow plov	v		BOONE COUNTY AUDITOR
Requested Means	of Disposal: Sell Trade-In Recycle	e/Trash	Other, Expla	in:
Other Informatio	on (Serial number, etc.): 1FDKF38F4VEA31694	Į		
Condition of Ass	et: poor			
Reason for Dispo	osition: purchase of new 1-ton truck			
Location of Asse	t and Desired Date for Removal to Storage: do	not remo	ove until new trucl	k has been received
If "YES", d	sed with grant funding? TYES NO oes the grant impose restriction and/or requirentation demonstrating compliance of	nents per with the	rtaining to disposal agency's restriction	? TYES NO us and/or requirements.
Dept Number &	Name: 6100 Facilities	Signa	uture John V	hooke
To be Complete Original Acquisit	ion Date 10-31-96 G	/L Accor	unt for Proceeds <u>6</u>	,100-3835 40
Original Acquisit	ion Amount \$29,111.00			
Original Funding	Source2784			
	1605			
	ed by: COUNTY COMMISSION / COUN	ITY CLI	ERK	
Approved Dispo	osal Method:		4	
Transfer	Department Name	<u> </u>	Numb	er
	Location within Department			
	Individual	, ·		
Trade	AuctionScaled Bi	ds		
Other	Explain			
Commission O	order Number <u>57 - 2019</u>			
Date Approved	214,19	7		·
Signature/	Jan Chines			

S:\FM\FM Accounting 2019\1-ton truck disposal.docx

Revised: September 2016

Commission Order #	57-2019
Commission Order	

PURCHASE AGREEMENT FOR

(1) 2019 Ford F550 Truck with Knapheide Dump Bed and Plow for Boone County Facilities Maintenance

THIS AGREEMENT dated the	14th	_day of _	February —————————	_2019 is made between
Boone County, Missouri, a political subdi	ivision of	the State	of Missouri thro	ough the Boone County
Commission, herein "County" and McLa	rty CMF	FO, LLC,	d/b/a Joe Macl	nens Ford Lincoln herein
"Vendor."				

IN CONSIDERATION of the parties performance of the respective obligations contained herein, the parties agree as follows:

- 1. Contract Documents This agreement shall consist of this Purchase Agreement for one (1) 2019 Ford F550 Regular Cab 4x4, 60" Cab to Axle Truck with Knapheide Dump Bed and Plow in compliance with all bid specifications and any addendum issued for the Missouri Department of Transportation Contract 3-170105TV, Joe Machens Ford Lincoln quote dated January 25, 2019, Knapheide Truck Equipment Center quotes GH00001929 dated January 24, 2019 & GH00001930 dated January 24, 2019, and Boone County Standard Terms and Conditions. All such documents shall constitute the contract documents which are incorporated herein by reference. Service or product data, specification and literature submitted with bid response may be permanently maintained in the County Purchasing Office contract file for this contract if not attached. In the event of conflict between any of the foregoing documents, this Purchase Agreement, the Missouri Department of Transportation Contract 3-170105TV and Boone County Standard Terms and Conditions shall prevail and control over the vendor's bid response.
- 2. Purchase The County agrees to purchase from the Vendor and the Vendor agrees to supply the County with one (1) of the following:

2019 Ford F550 Regular Cab 4x4, 60" cab to axle, Item #13 (F5H)

Unit Cost \$41,533.00

Item #13 Price – Dealer Code – Option, Included Equipment:

Regular Cab

4 Wheel Drive

6.7L Diesel Engine (99T)

Dual Rear Wheels

60" cab to axle (145)

Standard Rear Axle

Automatic Transmission

Air Conditioning

LH & RH Manual Mirrors

All Season Tires Plus Spare (512)

GVWR: minimum 17,500 lbs.

4 Wheels Disc Brakes - ABS

Cruise Control and Tilt (525)

Vinyl Flooring & Vinyl Seats (AS)

Back Up Alarm (76C)

Optional equipment from	MODOT Contrac	t:
-------------------------	---------------	----

Option 14BB/99Y – 6.8L V10 in lieu of Diesel	(-\$7.400)
Option 15Z/68M from item #15 – 19,500 lb. Payload GVWR pkg (60" ca)	\$1,395.00
Option 14Y/X8L – 4.88 Limited Slip Axle (req'd w/ 19,500 lb. pkg)	\$332.00

Include equipment from MODOT Contract with the 5% off list:

melade equipment from WODO1 Contract with the 370 off list.	
Option 90L – Power Equipment Group (MSRP \$1,125)	\$1,013.00
Option 52B – Trailer Brake Controller (Factory) (MSRP \$270)	\$243.00
Option 61J – Jack (MSRP \$55)	\$50.00
Option PQ – Exterior Color: White	No charge
Interior Color: Gray	No Charge
Option DEL – Delivery	No charge

Ford F550 Sub-Total:

\$37,166.00

Optional equipment from KNAPHEIDE per attached quotes:

Option KNAP1 – Bed/Equipment install by Knapheide JC	\$9,615.60
Option KNAP2 – Plow/Controls install by Knapheide JC	\$5,825.70

GRAND TOTAL \$52,607.30

- *3. Delivery* Vendor agrees to deliver vehicle as set forth in the bid documents and within 120 days after receipt of order. Vehicle is for Boone County Facilities Maintenance department and should be delivered to Boone County Road & Bridge, Attn: Greg Edington, 5551 Tom Bass Road South, Columbia, MO 65201. Phone: (573) 449-8515.
- 4. Title Title in the name of: Boone County Facilities Maintenance. Address: 613 E. Ash Street, Room 110, Columbia, MO 65201.
- 5. Warranty Powertrain: 3 years/36,000 miles; Corrosion Protection Warranty: 5 years/100,000 miles; Roadside Assistance Warranty: 5 years/60,000 miles.
- 6. Billing and Payment All billing shall be invoiced to the Boone County Facilities Maintenance Department, 613 E. Ash Street, Columbia, MO 65201 and billings may only include the prices listed in the vendor's quote response. No additional fees for paper work processing, labor, or taxes shall be included as additional charges in excess of the charges in the Vendor's bid response to the specifications. The County agrees to pay all invoices within thirty days of receipt. In the event of a billing dispute, the County reserves the right to withhold payment on the disputed amount; in the event the billing dispute is resolved in favor of the Vendor, the County agrees to pay interest at a rate of 9% per annum on disputed amounts withheld commencing from the last date that payment was due.
- 7. **Binding Effect** This agreement shall be binding upon the parties hereto and their successors and assigns for so long as this agreement remains in full force and effect.
- **8.** *Termination* This agreement may be terminated by the County upon thirty days advance written notice for any of the following reasons or under any of the following circumstances:

- a. County may terminate this agreement due to material breach of any term or condition of this agreement, or
- b. County may terminate this agreement if in the opinion of the Boone County Commission if delivery of products are delayed or products delivered are not in conformity with bidding specifications or variances authorized by County, or
- c. If appropriations are not made available and budgeted for any calendar year.

IN WITNESS WHEREOF the parties through their duly authorized representatives have executed this agreement on the day and year first above written.

MCLARTY CMFO, LLC	BOO	NE COUNTY, MISSOURI
JOE MACHENS FORD LINCOLN		
DocuSigned by:		
by kelly Sells	by: B	oone County Commission
DC58707875654B7	(Signed by:
fleet Mgr title	Sand K.	To A
	Daniel	K. Atwill, Presiding Commissioner
APPROVED AS TO FORM:	ATTE	ST:
DocuSigned by:	DocuSig	· · · · · · · · · · · · · · · · · · ·
Clarky I Debane by Lieuce	Brian	na l lunnon by M†
County Counselor	Count	get terk
AUDITOR CERTIFICATION		
	hat a sufficient une	ncumbered appropriation balance exists and is available
to satisfy the obligation(s) arising from this contract	. (Note: Certifica	tion of this contract is not required if the terms of this
contract do not create a measurable county obligation	on at this time.)	
DocuSigned by:		6104 02400 \$46 781 60: 6104 02300 \$5825 70
Jone E. Psteckyfood by con-	2/1/2019	6104-92400 - \$46,781.60; 6104-92300 - \$5825.70
E0D08ADB184244D	Date	Appropriation Account

STANDARD CONTRACT TERMS AND CONDITIONS - BOONE COUNTY, MISSOURI

- 1. Contractor shall comply with all applicable federal, state, and local laws and failure to do so, in County's sole discretion, shall give County the right to terminate this Contract.
- 2. Prices shall include all charges for packing, delivery, installation, etc., (unless otherwise specified) to the Boone County Department.
- 3. The Boone County Commission has the right to accept or reject any part or parts of all bids, to waive technicalities, and to accept the offer the County Commission considers the most advantageous to the County. Boone County reserves the right to award this bid on an itemby-item basis, or an "all or none" basis, whichever is in the best interest of the County. The Purchasing Director reserves the right, when only one bid has been received by the bid closing date, to delay the opening of bids to another date and time in order to revise specifications and/or establish further competition for the commodity or service required. The one (1) bid received will be retained unopened until the new Closing date, or at request of bidder, returned unopened for re-submittal at the new date and time of bid closing.
- 4. When products or materials of any particular producer or manufacturer are mentioned in our contracts, such products or materials are intended to be descriptive of type or quality and not restricted to those mentioned.
- 5. Do not include Federal Excise Tax or Sales and Use Taxes in billing, as law exempts the County from them.
- 6. The delivery date shall be stated in definite terms.
- 7. The County Commission reserves the right to cancel all or any part of orders if delivery is not made or work is not started as guaranteed. In case of delay, the Contractor must notify the Purchasing Department.
- 8. In case of default by the Contractor, the County of Boone will procure the articles or services from other sources and hold the Contractor responsible for any excess cost occasioned thereby.
- 9. Failure to deliver as guaranteed may disqualify Contractor from future bidding.
- 10. Prices must be as stated in units of quantity specified, and must be firm.
- 11. The County of Boone, Missouri expressly denies responsibility for, or ownership of any item purchased until same is delivered to the County and is accepted by the County.
- 12. The County reserves the right to award to one or multiple respondents. The County also reserves the right to not award any item or group of items if the services can be obtained from a state or other governmental entities contract under more favorable terms.
- 13. The County, from time to time, uses federal grant funds for the procurement of goods and services. Accordingly, the provider of goods and/or services shall comply with federal

laws, rules and regulations applicable to the funds used by the County for said procurement, and contract clauses required by the federal government in such circumstances are incorporated herein by reference. These clauses can generally be found in the Federal Transit Administration's Best Practices Procurement Manual – Appendix A. Any questions regarding the applicability of federal clauses to a particular bid should be directed to the Purchasing Department prior to bid opening.

- 14. In the event of a discrepancy between a unit price and an extended line item price, the unit price shall govern.
- 15. Should an audit of Contractor's invoices during the term of the Agreement, and any renewals thereof, indicate that the County has remitted payment on invoices that constitute an over-charging to the County above the pricing terms agreed to herein, the Contractor shall issue a refund check to the County for any over-charges within 30-days of being notified of the same.
- 16. For all titled vehicles and equipment the dealer must use the actual delivery date to the County on all transfer documents including the Certificate of Origin (COO,) Manufacturer's Statement of Origin (MSO,) Bill of Sale (BOS,) and Application for Title.
- 17. **Equipment and serial and model numbers -** The contractor is strongly encouraged to include equipment serial and model numbers for all amounts invoiced to the County. If equipment serial and model numbers are not provided on the face of the invoice, such information may be required by the County before issuing payment.

JOE MACHENS FORD LINCOLN

1911 W. Worley • Columbia, MO 65203 • (573) 445-4411 • (800) 745-4454 • www.machens.com

January 25, 2019

MoDOT Contract # 3-170105TV

Boone County

Subject: Joe Machens Proposal on a 2019 Ford F550 Regular Cab 4x4, 60" cab to axle, Item 13

To: Whom it May Concern;

As per the requested quote on a 2019 Ford F550, Joe Machens Ford proposes the following. The 2019 Ford F550 includes the factory standard options. This proposed unit also has the standard options from the state contract and others as noted below.

Item #13 Price - Dealer Code - Option, Included Equipment

\$41,533 - 2019 Ford F550 (F5H)

Regular Cab 4 Wheel Drive

6.7L Diesel Engine (99T)

Dual Rear Wheels 60" cab to axle (145)

Standard Rear Axle

Automatic Transmission

Air Conditioning

LH & RH Manual Mirrors

All Season Tires plus spare (512) GVWR: Minimum 17,500 lbs.

4 wheels disc brakes - ABS

Cruise control and Tilt (525) Vinyl Flooring & Vinyl Seats (AS)

Back up Alarm (76C)

Optional equipment from state contract (Price - MoDot/Dealer Code - Option):

(-\$7,400) - 13BB/99Y - 6.8L V10 in lieu of Diesel

\$1,395 - 15Z/68M - 19,500 lb. Payload GVWR pkg (60" ca) (option 15Z from item 15)

\$332 - 14Y/X8L - 4.88 Limited Slip (reg'd w/ 19,500 lb. pkg)

\$1,013 - 90L - Power Equipment Group (MSRP \$1,125)

\$243 – 52B – Trailer Brake Controller (Factory) (MSRP \$270) 3716600 F550

\$50 - 61J - Jack (MSRP \$55)

\$0 - PQ - Exterior Color: Race Red

\$0 - DEL - Delivery

Optional equipment from kNAPHEIDE (Price - MoDot/Dealer Code - Option):

9 15 60 \$7,230.40 - KNAP1 - Bed/Equipment Install by Knapheide JC (see following pages for quote)

\$5,825.70 – KNAP2 – Plow/Controls Install by Knapheide JC (see following pages for quote)

Total

\$50,222.10 (price good until 1/31/19)

elly fells

5260730

Joe Machens Ford appreciates your business and we look forward to servicing your needs in the future. Any questions should be directed to Kelly Sells, Fleet Department Manager.

Thanks.

Fleet Manager, Joe Machens Ford, 573-445-4411, ksells@machens.com



JOE MACHENS FORD LINCOLN

1911 W. Worley • Columbia, MO 65203 • (573) 445-4411 • (800) 745-4454 • www.machens.com



Knapheide Truck Equipment 6603 Business 50 West Jefferson City MO 65109 Phone: 573-893-5200 Fax: 573-893-5344

www.jeffcity.knapheide.com

QUOTATION

Quote ID: GH00001929

Quote Number: GH00001929

Quote Date: 1/24/2019

Page 1 of 3

Customer: BOONE COUNTY PUBLIC WORKS 5551 S TOM BASS ROAD

COLUMBIA MO 65201

Quote valid until: 2/23/2019

Contact: AP/MARY

Phone: 573-449-8515 Fax: 1-573-875-1602 Prepared

ghamilton

Salesperson: DAN RANABARGAR

By: PO#:

Enduser:

Make: FORD	Model:	Year:	Single/Dual: DRW	
Cab Type:	Wheelbase:	Cab-to-Axle: 60.0	VIN:	

QTY	PART NUMBER	DESCRIPTION	UNIT PRICE	AMOUNT
1	KNAP PVMXT-93C	PVMXT-93C 180C TRDPLT. BLACK Overall length 9'-3" Overall width95.75" Platform Floor95.75" Platform Floor5.88" 12 Ga. HS End Rail, front5.88" 12 Ga. HS Cross sills (18"spc.) - 5.44" 11 Ga. HS formed Long sills (34"spc.)5" structural channel Platform prime paint Complete immersion in electrodeposition gray epoxy primer. Undercoating	\$4,775.00	\$4,775.00
8	KNAP 77500932	STEEL FLOOR, 94896 SERIES TREADPLATE 3/16" LIEU OF 1/8" MSRP IS \$42.66 EACH INSTALLED	\$37.20	\$297.60
1	KNAP 85412607LED	LIGHT KIT,LED,94,96,102 SERIES	\$0.00	\$0.00
2	BOOM SRI2030F1W.1209	1/2"X 20"X 30"MUD FLAP	\$0.00	\$0.00
1	BUYE 400BZ	BRACKET ANTI-SAIL GALV for 20" 5pr/cs)	\$0.00	\$0.00
1	ECCO 510	Alarm: Back-up 97dB 12VDC	\$0.00	\$0.00
1	CHAM CS615T-11 KNAP3	SCISR HST 8-11' W/ NO PUMP WITH SUBFRAME-BARE-NO PUMP	\$0.00	\$0.00
1	CHAM EMDAKITCOMPLETE	DBL ACTING ELECTRIC PWR UNIT KITTED IN BOX PER MODOT CONTRACT CONTRACT OPTION 7F	\$575.00	\$575.00
1	KNAP BHR4096C	BULKHEAD,92" X 40",HEAVY DUTY WELD ON,RECT,PUNCH WINDOW,BLK PER MODOT CONTRACT OPTION 7D	\$980.00	\$980.00
350	OUTS PAINT	PAINTING/INSTALLATION	\$0.00	\$0.00
1	KN 1920	ACCESSORY RECTANGULAR BASE MSRP \$55.62	\$53.10	\$53.10
35	WIRE 14-2D-100	TWO CONDCTR DUPLEX FL/OUTR JKT MSRP \$ 66	\$0.50	\$17.50



JM JOE MACHENS FORD LINCOLN

1911 W. Worley • Columbia, MO 65203 • (573) 445-4411 • (800) 745-4454 • www.machens.com



Knapheide Truck Equipment 6603 Business 50 West Jefferson City MO 65109 Phone: 573-893-5200 Fax: 573-893-5344 QUOTATION

Quote ID: GH00001929

Page 2 of 3

SINCE 1646 www.jeffcity.knapheide.com

QTY	PART NUMBER	DESCRIPTION	UNIT PRICE	AMOUNT
1	ECCO 5580CA	15" LED MINIBAR MSRP \$593.91 INSTALLED	\$532.20	\$532.20
			Quote Total: Discount:	\$7,230.40 \$0.00
			Total Due(Sales tax not included):	\$7,230.40

The following options may be added: PRICE QUANTITY DESCRIPTION AMOUNT ADD TO QUOTE EACH \$463,40 \$463.40 Yes / No EXTEND FRAME FOR HITCH TO BE FLUSH WITH REAR OF PLATFORM OPTION NOT TAKEN WILL HAVE OVERHANG ON BED YES LABOR INCLUDED \$675.00 PLATE HITCH FORD 2-1/2 RECEIVER \$675.00 (Yes No INCLUDES 2-D RINGS WITH BRACKETS WELDED ON YES PER MODOT CONTRACT OPTION 7R Yes) No \$20.20 \$20.20 ADAPTOR 2 5in /2 0in RECEIVER MSRP \$21.65 INSTALLED YES PINTLE HOOK DROP FORGED 15TON \$257.84 \$257.84 Yes / No INSTALLED ABOVE RECEIVER TUBE IN PLATE HITCH MSRP \$248.69 INSTALLED 485 \$7.20 \$21.60 Yes / No 1/2 X 4 FLAT INSTALLED BEHIND PLATE FOR BRACING PINTLE HITCH 485 \$107.70 Yes / No 7-WAY SOCKET WITH SOLID PINS \$107.70 MSRP \$110.31 INSTALLED 485 SEVEN CONDUCT ROUND TRAILER CABLE \$5.28 \$5.28 Yes No MSRP \$6.42 PER FT 48.5 Yes No \$136.90 \$547.60 4.4" AMBER/WHITE SURFACE MOUNT LIGHT 2-MOUNTED IN CORNERS OF THE BULKHEAD ON BACK SIDE 465 2-MOUNTED CORNERS OF THE BULKHEAD ON FRONT SIDE MSRP \$145.41 EA INSTALLED \$135.19 \$270.38 Yes (No) STAKE RACK SIDE, 15.5"H, STEEL 80.94.96&GOOSENECK SERIES, BLK NO FOR: * 80 SERIES - VALUE-MASTER-X, PACESETTER-X, WESTERNER * 94 SERIES - VALUE-MASTER-X, PACESETTER-X, WESTERNER, HEAVY HAULER, HEAVY HAULER JR * 96 SERIES - CARGO HAULER, VALUE-MASTER-X * GOOSENECK PLATFORMS MSRP \$141.00 Yes No \$135.19 \$270.38 2 STAKE RACK SIDE, 15.5"H, STEEL 9' & 11'L,80,90& 94 SERIES,BLK YES



L JOE MACHENS FORD LINCOLN

1911 W. Worley • Columbia, MO 65203 • (573) 445-4411 • (800) 745-4454 • www.machens.com



Knapheide Truck Equipment 6603 Business 50 West Jefferson City MO 65109 Phone: 573-893-5200

www.jeffcity.knapheide.com

QUOTATION

Quote ID: GH00001929

Page 3 of 3

QUANTITY	DESCRIPTION	PRICE EACH	AMOUNT	ADD TO QUOTE
	FOR: * 80 SERIES - VALUE-MASTER-X, PACESETTER-X, WESTERNER * 94 SERIES - VALUE-MASTER-X, PACESETTER-X, WESTERNER, HEAVY HAULER, HEAVY HAULER JR * 96 SERIES - CARGO HAULER, VALUE-MASTER-X MSRP \$141.00			
1	STAKE RACK REAR, 15.5"H, STEEL 96 SERIES, BLACK MSRP \$244.50	\$213,10	\$213.10	Yes) No
1	STAKE RACK INSTALL KIT, STEEL FOR QUIET LATCH STYLE RACKS MSRP \$340.50	\$335.30	\$335.30	Yes) No

N	_	

This Quote is subject to the following terms and conditions:

Pricing Policy

- Price Quotation is good on orders received through the expiration date.

 Pricing quoted applies to chassis make/model originally provided and quantity quoted. Any change may result in price change.
- Orders are subject to all applicable state, local and federal excise taxes. Applicable taxes will be applied on final billing to customer upon completion

- Return Policy
 - All sales are final. Purchased parts or products are non returnable.

Orders are subject to all applicable state, local and federal excise taxes. Applicable taxes will be applied on final billing to customer upon completion of order. It Policy

"Payment Terms are due upon receipt of signed quote unless prior credit agreement has been established at the time of order.

Payment terms for customers with an established credit account will be Net 30 from date of invoice.

Knapheide has right to assess late charges at 1.5% per month on all invoices that are 60 days or more past due,

All safes are final. Purchased parts or products are non returnable.

Cancellation Policy

Payment is due in full upon cancellation of any orders for non-stocked parts or products (provided part/product has been ordered by Knapheide) and upon cancellation of installation orders, once product installation has begun.

Customer agrees and understands this Quote is an offer to sell subject to the terms and conditions above and any additional terms or modifications are hereby objected to, unless mutually agreed upon in writing by Customer and Knapheide. The undersigned represents and warrants that he/she is duly authorized to sign below on behalf of Customer and thereby accepts offer and Knapheide will begin processing the order.

Customer must fill out the information below before the order can be processed

Customor must mi	out the information below before the order can be processed
Signature & Print Accepted by:	
Date:	
P.O. number:	



JOE MACHENS FORD LINCOLN

1911 W. Worley • Columbia, MO 65203 • (573) 445-4411 • (800) 745-4454 • www.machens.com



Knapheide Truck Equipment 6603 Business 50 West Jefferson City MO 65109 Phone: 573-893-5200 Fax: 573-893-5344

www.jeffcity.knapheide.com

QUOTATION

Quote ID: GH00001930

Page 1 of 2

Customer: BOONE COUNTY PUBLIC WORKS

5551 S TOM BASS ROAD COLUMBIA MO 65201

Contact: AP/MARY

Phone: 573-449-8515 Fax: 1-573-875-1602 Quote Number: GH00001930 Quote Date: 1/24/2019 Quote valid until: 2/23/2019

Prepared

Total Due(Sales tax not included):

\$5,825.70

ghamilton

3...

Salesperson: DAN RANABARGAR

By: PO#:

nduser

Luchaser				
Make:	Model:	Year:	Single/Dual:	
Cab Type:	Wheelbase:	Cab-to-Axle:	VIN:	

QTY	PART NUMBER	DESCRIPTION	UNIT PRICE	AMOUNT
1	WS 72308	BLADE ASSY 8.5 PRO S WOUAD PER MODOT CONTRACT RFB 3-170105TV THE C	\$5,604.00	\$5,604.00
1	WS 31270	MOUNT KIT FOR 2017 FORD S-DUTY F250-F-350	\$0.00	\$0.00
1	WS 75200-1	BIG BOX WITH NEW 38800 LIGHT KIT	\$0.00	\$0.00
1	WS 73973-1	HEADLIGHT HARNESS KIT FOR H-13 QUAD HEADLIGHTS	\$0.00	\$0.00
1	WS 29760-2	UPDATED SOFT START MODULE	\$0.00	\$0.00
1	WS 96500	MULTI-POSITION PLOW HH CONTROL PLOW WIDE OUT OR MVP	\$0.00	\$0.00
1	GOOD 03220110424S	SNW DEFL. 3/8"X 10"WIDE X 10" CUT TO FIT ON LENGTH MSRP \$210.95 INSTALLED	\$182.90	\$182.90
1	STEI 8'6" DEF. STRIP	DEFLECTOR STRIP FOR 8'6" PLOW MSRP \$51.94 INSTALLED	\$38.80	\$38.80
-			Quote Total:	\$5,825.70
			Discount:	\$0.00

The following options may be added:

QUANTITY DESCRIPTION	PRICE EACH AMOUNT ADD	O QUOTE
	Y	es / No

Notes:

This Quote is subject to the following terms and conditions:

Pricing Policy

Price Quotation is good on orders received through the expiration date.

Pricing quoted applies to chassis make/model originally provided and quantity quoted. Any change may result in price change.
 Orders are subject to all applicable state, local and federal excise taxes. Applicable taxes will be applied on final billing to customer upon completion of order.

Payment Policy



L JOE MACHENS FORD LINCOLN

1911 W. Worley • Columbia, MO 65203 • (573) 445-4411 • (800) 745-4454 • www.machens.com



Knapheide Truck Equipment 6603 Business 50 West Jefferson City MO 65109 Phone: 573-893-5200

www.jeffcity.knapheide.com

QUOTATION

Quote ID: GH00001930

Page 2 of 2

mb 24.19

Payment Texms are due upon receipt of signed quote unless prior cradit agreement has been established at the time of order.

Payment terms for customers with an established credit account will be Net 30 from date of invoice.

Knapheide has right to assess late charges at 1.5% per month on all invoices that are 60 days or more past due, what is allowed by lower transfer.

All sales are final. Purchased parts or products are non returnable.

Cancellation Policy

Payment is due in full upon cancellation of any orders for non-stocked parts or products (provided part/product has been ordered by Knapheide) and upon cancellation of installation orders, once product installation has begun.

Customer agrees and understands this Quote is an offer to sell subject to the terms and conditions above and any additional terms or modifications are hereby objected to, unless mutually agreed upon in writing by Customer and Knapheide. The undersigned represents and warrants that he/she is duly authorized to sign below on behalf of Customer and thereby accepts offer and Knapheide. will begin processing the order.

Customer must fill out the information below before the order can be processed...

Signature & Print Accepted by:	
Date:	
P.O. number:	



	Joe Machens Ford with Knaphelde	you Fuez Ford with Kahn	Lou Fusz Ford with Knaphelde	Lou Fusz Ford with Riechers	Republic Ford Inc. with Knapheide	Shawnee Mission Ford with Knaphelde
	CAPACITIES & PRICES	CAPACITIES & PRICES	CAPACITIES & PRICES	CAPACITIES	CAPACITIES & PRICES	CAPACITIES & PRICES
ı	Ford F550 Regular Chassis	ORD F550 CC DRW	FORD F550 CC DRW	FORD F550 CC DRW	Ford F-550 18,000	F-550 Regular Cab & Churssis 18,000
١	18,000 N/A	16.500 N/A	16.500 N/A	16,500 N/A	18,000 N/A	18.000 N/A
	No 67LVX Desni	No	No	No	No	No
	6.7L V8 Diesel 330 (HP) 750 (Torque)	6.7L V-8 TD / 330HP	6.7L V-8 TD / 330HP	6.7L V-8 TD / 330HP	6.7L, 330 HP	6.7L 330 HP 225/70Rx19.5G B&W A/S
	225/70K19 5G B8W - 492	225/70RX 9.5G BSW A/S	225/70RX19.5G BSW A/S	225/70RX19.5G BSW A/S	LT225/19.5 AS	
	\$ 38,984.00	\$ 38.875.00	\$ 38,875.00	\$ 38,875.00	\$ 39,536,00	s 38,973.00
	\$ 41,533.00 \$2470.00	\$ 47,621,00	\$ 41.621.00 \$2470.00	s 41.621.00	\$ 42,085.00	\$ 41,522,00 \$2,470
	\$2865.00	\$ 4,706,07	\$2865.00	\$ 2,645.00	\$ 2,865.00	\$2.865
		-				
	\$ 5,900.00		5,900.00	\$ 2,961.00	\$ 5,900.00	\$ 5,900,00
			1			
1	\$ 4,775.00	\$ 8,998.08	\$ 4,775.00	\$ 5,834.00	\$ 4,775.00	\$ 4,775.00
1						
	s 9,200.00		s 9,200.00	\$ 6,534.00	\$ 9.200.00	\$ 9,200,00
						/
	s 7,175.00	\$ 9,930.23	\$ 7.175.00	\$ 8,200,00	s 7.175.00	\$ 7,175.00
	* 7,170,00		. \ /	. 0,2000		/
1			\			
1	s 10,100.00		\$ 10,000.00		\$ 10,100.00	\$ 10,100.00
1						
	s 980.00	\$ 257.50	\$ 980.00	\$556.00 - Steel \$622.00 - Aluminum	\$ 980.00	\$ 680.00
1				\		
1	s 11,392.00	\$ 10,200.09	\$ 11,392,00	\$12,691.00 - Ford Gas Engine \$12,403.00 - Ford Diesel Engine	\$ 11,392.00	\$ 11,395,00
Į				12.00.00 1 00 00 00 00		
	s 10,697.00	\$ 9.225.71	\$ 10,697.00	\$11,505.00 - Ford Ges Engine \$11.2\8.00 - Ford Diesel Engine	\$ 10,697.00	s 10.697.00
ļ				\$11.218.00 - Ford Diesel Engine	/	
	s 575.00	\$ 1,019.17	\$ 575.00	s 732.00	\$ 575.00	s 575.00
Ì	\$ 6,385,00	\$ 6,311.84	\$ 6,385.00	\$ 7,983,90	\$ 6,385.00	\$ 6,385.00
Į	6.385.00	0,311.64	\$ 6,385,00	7,363,90	. 0,383.00	0.30000
ı				\ /	N/A	
-						
	\$ 2,065.00	\$ 1,684.05	\$ 2,065.00	s 2.058.00	\$ 2,065.00	\$ 2,065.00
ı				V		
	s 775.00	\$ 477.92	s 775.00	\$ 593.00	\$ 775.00	\$ 775.00
Ì	\$ 680.00	\$ 879.62	\$ 680.00	\$ 63.00	\$ 680.00	\$ 680.00
ł						
ļ	\$ 680.00	\$ 439.81	\$ 680.00		\$ 680.00	\$ 680.00
	s 550.00	\$ 524.27	\$ 550.00	\$ 651.00	s 550.00	s 550.00
1		\$ 2,799.54	\$ 3,850,00	5 345000	\$ 3,850,00	\$ 3,850,00
	\$ 3,850,00	2,799.54	3,850.00	3,480 00	3,890,00	3,850.00
	\$ 2,850.00	\$ 4,011.85	\$ 2,850.00	\$ 2.012.00	\$ 2,850.00	s 2,850.00
1	\$ 635.00	\$ 904.34	\$ 635.00	s 1,570.00	\$ 635.00	\$ 635.00
-						
-	S 1,049.00	\$ 1,378.14	\$ 1,049.00	\$ 1,103.00	\$ 1,049.00	S 1,049,00
	s 695.00	\$ 901.25	\$ 696.00	S 1,199.00	\$ 695.00	s 695.00
1	s 675.00	\$ 489.25	\$ 675.00	\$648.00 for utility body \$633.00 for platform or dump body	\$ 675,00	s 934.00
1			/		-	
1	\$674 = pick up \$680 = knep	\$650 for chassis \$336 for body	\$650 for chassis \$680 for body	\$650 for chessis only \$950.00 for pletform bed \$1,549.00 for Reading utility body	TBD	\$815 Chessis \$680 Body
1	\$680 = knep	\$336 for body	\$680 for body	\$1,549.00 for Reading utility body		\$680 Body
ł			/			
1	\$ 257.00	\$ 280.00	\$ 280.00	\$ 280.00	\$ 257.00	\$ 257.00
ŀ	\$ 295.00	\$ 395.00	s/ 395.00	s ' 395.00	s 295.00	\$ 295.00
1	N/A	N/A	N/A	N/A	\$ 332.00	NA.
-		/				
1	332.00	\$ 359.00	\$ 350.00	s 350.00	\$ 332.00	\$ 332.00
	\$ 336.00	\$ 640.00	\$ 640.00	\$ 640.00	s 365.00	\$ \$26.00
F					\$ 150.00	\$100 Chip Key
-	\$ 220.00	\$ 200.00	\$ 200.00	\$ 200.00	a 150.00	\$100 Chip Key
1	s (7,400 00)	\$ (8,000.00)	s (8,000.00)	\$ (8,000.00)	\$ (7.677.00)	\$ (7,300.00)
1	5%	2% 90-120	2% 90-120	2% 90-120	. 5% 90-120	5% 90-120
t	90-120 days	90-120	90-120	90-120	90-120	90-120

1550

Broadway Ford with Knapheide	Broadway Ford with Kranz	roadway Ford with Kranz Broadway Ford with Riechers		Joe Machens Ford with Knapheide	
CAPACITIES & PRICES	CAPACITIES & PRICES	CAPACITIES & PRICES & PRICES		CAPACITIES & PRICES	
FORD	FORD	FORD	FORD F-550	Ford F550 Regular Chassis	
18,000 N/A	18,000 N/A	18,000 N/A	18,000 N/A	18,000 N/A	
NA NA	N/A No	N/A No	N6	N/A No	
6.7L	6.7L	6.7L	6.7L/330HP	6.7L V8 Diesel	
225R19.5	225R19.5	225R19.5	LT225/70R/19.5G	330 (HP) 750 (Torque) 225/70R19.5G BSW - 4x2	
39,851.00	\$ 39,851.00	\$ 39,851.00	\$ 39,493.00	\$ 39,137.00	
42,426.00	\$ 42,426.00	\$ 42,426.00	\$ 42,038,00	\$ 41,682.00	
\$2725.00 \$3125.00	3,240.00	\$ 2,936.00	\$2,725.00 STD \$3,125.00 E-1320	\$2725.00 \$3125.00	
6,850.00	\$ 7,530.00	\$ 3,288.00	\$ 6,850.00	\$ 6,850.00	
5,285.00	\$ 6,470.00	\$ 6,703/00	\$ 5,285.00	\$ 5,285.00	
10,150.00	\$ 7,130.00	7,032.00	\$ 10,150.00	\$ 10,150.00	
980.00	610.00 Steel	\$556.00 - Steel \$622.00 - Aluminum	\$980.00 STEEL PLATFORM	\$ 980.00	
11,392.00	12970.00 Hot Shift \$650.00 Add \$250.00 For Gas Engine	\$12,691.00 - Ford Gas Engine \$12,403.00 - Ford Diesel Engine	\$11,392.00 HOIST,PLOW,SPREADER- ELECTRIC CONTROLS	\$ 11,392.00	
10,697.00	\$ 11,600.00	\$11,505.00 - Ford Gas Engine \$11,218.00 - Ford Diesel Engine	\$10,697.00 HOIST,PLOW,SPREADER CABLE CONTROLS	\$ 10,697.00	
575.00	\$ 2,410.00	\$ 732.00	\$575.00 12V	\$ 575.0	
7,590.00	N/A	\$ 9,717.00	\$ 7,590.00	\$ 7,590.00	
	\$ 15,225.00			N/A	
\$ 2,065.00	\$ 890.00	\$ 2,204.64	\$2,065.00 PER VERT COMP	\$ 2,065.00	
\$ 775.00	\$ 617.00	\$ 593.03	\$775.00 PER HORIZ COMP	\$ 775.00	
870.00	1270.00 Per Side Fiberglass	\$ 1,089,10	\$870.00 PER SIDE	\$ 870.0	
4,626.00	4370.00 Fiberglass	\$ 4,922.42	\$ 4,626.00	\$ 4,626.0	
\$ 2,985.00	\$1,615,00 Fiberglass	\$ 3,472.53	\$ 2,985.00	\$ 2,985.0	
980.00	N/A	\$ 1,568.50	\$ 980.00	\$ 980.0	
1,049.00	\$ 1,230.00	\$ 1,395.40	\$ 1,049.00	\$ 1,049.0	
550.00	1	\$ 981.72	\$550.00 RER SIDE	\$ 550.0	
675.00	1/	\$648.00 for utility body \$833.00 for platform or dump body	\$ 675.00	\$ 675.0	
670,00	\$800.00 extra	\$1,050.00 for platform bed \$1,649.00 for Reading utility body	\$720.00 CHASS \$695.00 BODY	\$874 = pick up \$695 = knap	
\$ 257.00	\$ 257.00	\$ 257.00	\$ 257.00	\$ 257.0	
\$ 295.00	\$ 295.00	\$ 295.00	\$ 295.00	\$ 295.0	
			N/A	N/A	



,	m
6	550
Y	

		\$	680.00	\$1,498.00 for Re	eading or RKI	\$695.00 SER	BODY		N/A
	589.00	\$	589.00	\$	589.00 \$		336.00	\$	336.00
5	138.00	\$	138.00	\$	138.00 \$		75.00	\$	220.00
5	1,395.00	\$	1,395.00	\$	1,395.00 \$1,3	395.00 INCL 4	.88 LIM SLIP	\$	1,395.00
\$	(7,991.00)	5	(7,991.00)	s	(7,991.00) \$		(7,583.00)	\$	(7,400.00)
	15%		15%	15%	5	9%			5%
	150		150	150		90		9	0-120 days

Dung Bed

Missouri Department of Transportation RFB 3-170105TV Medium Duty Vehicles

1st Renewal - Multiple Award

Item #7 New standard equipped 2018 or Newer Model 1 Ton Reg Cab Chassis-Cab 2WD/4WD with DRW and 60" CA

ENDOR:	Blue Springs Ford	Bommarito Ford with Drake Scruggs	Bommarito Ford with Knaphelde	Bommarito Ford with Kranz	Bommarito Ford with Riechers	Bommarito Ford Ford with Woody	Broadway Ford with Kahn	Broadway Ford with Knaphelde	Broadway Ford with Kranz	Broadway Ford with Riechers	Dave Sinclair Ford with Knaphelde	Joe Machens Ford with Knaphelde	Lou Fusz with Kahn	Lou Fusz with Knaphelde	
	CAPACITIES & PRICES	CAPACITIES & PRICES	CAPACITIES & PRICES	CAPACITIES & PRICES	CAPACITIES & PRICES	CAPACITIES & PRICES	CAPACITIES & PRICES	CAPACITIES & PRICES	CAPACITIES & PRICES	CAPACITIES & PRICES	CAPACITIES & PRICES	CAPACITIES & PRICES	CAPACITIES & PRICES	CAPACITIES & PRIC	ES
MAKE/MODEL	FORD/F350 XL	F350 DRW Chassis 60° C/A	F350 DRW Chassis 60° C/A	F350 DRW Chassis 60° C/A	F350 DRW Chassis 60° C/A	350 DRW Chassis 60" Ci	FORD	FORD	FORD	FORD	FORD F-350	Ford F350 Regular Chassis	FORD F350 CC DRW	FORD F350 CC DR	W
gvwn	14,000	14,000	14,000	14,000	14,000	14,000	14,000	14,000	14,000	14,000	14,000	14,000	14,000	14,000	
S MPG CITY	N/A	N/A	N/A	N/A	N/A	NA	N/A	N/A	N/A	NA	N/A	N/A	N/A	N/A	
E-85 Compatible (Y/N)	N/A	Yes (Gas option)	Yes (Gas option)	Yes (Gas option)	Yes (Gas option)	Yes (Gas option)	No	No	No	No	No	Yes	No	No	
Engine Stzs/HP	6.7L/430	6.7/330	6.7/330	6.7/330	6.7/330	6.7/330	6.7L	6.7L	6.7L	6.7L	6.7L 330HP	6.7L V8 Diesel 330 (HP) 750 (Torque)	6.7L V-8 TD / 330HP	6.7L V-8 TD / 330Hi	P
Tire Size	LT245/75RX 17E	LT245/17	LT245/17	LT245/17	LT245/17	LT245/17	LT245R17	LT245R17	LT245R17	LT245R17	LT245/75R/17E	LT245/75R17E BSW - 4x2	LT245/75RX17	LT245/75RX17	
BASE PRICE ZWD/60" CA/DRW/REG CAB	\$ 32,053.00	\$ 33,538,00	\$ 33,538.00	\$ 33,538,00	\$ 33,538.00	\$ 33,538.00	s 32,965.00	\$ 32,965.00	\$ 22,965,00	\$ 32,965.00	\$ 32,522.00	\$ 32,166.00	\$ 32,057.00	\$ 32,057	r.00
BASE PRICE 4WD/80" CA/DRW/REG CAB	\$ 35,903.00	\$ 37,813.00	\$ 37,813.00	\$ 37,813.00	\$ 37,813.00	\$ 37,813.00	s 36,806 00	s 36,806.00	\$ 36,806.00	s 36,806.00	s 36,371.00	\$ 36,016.00	s 36,306.00	s 38,300	3.00
OPTION 7A 1 unted 9' platform body meeting Specification E1320DRW	2,450 2,865	\$ 5,648.00	\$2450.00 \$2865.00	2,900.00	\$ 2,645.00	\$ 8,557.00	s 4,569.00	\$2450.00 \$2,865.00	\$ 2,900 00	\$ 2,645.00	\$2,450.00 STD \$2,865.00 E-1320	\$2450.00 \$2865.00	\$ 4,569.00	\$2450.00 \$2865.00	
OPTION 7A 2 unted aluminum 9 platform body setting Specification E1320DRW	\$ 5,900.00	\$ 6,905.00	\$ 5,900.00	\$ 3,390.00	\$ 2,961.00			s 5,900.00	3590 W/BULHEAD	s 2,961.00	\$ 5,900.00	\$5900.00		\$ 5,900	3.00
OPTION 7B 1 united 9' platform body meeting Specification E1327	\$ 4,775.00	s 7,966.00	s 4,775.00	\$ 2,980.00	\$ 5,834.00		\$ 8,109.19	\$ 4,715.00	\$ 2,980.00	s 5,834.00	\$ 4,775.00	s 4,775.00	8,109 19	\$ 4,775	5.00
OPTION 7B 2 untied aluminum 9' platform body meeting Specification E1327	\$ 9,200.00	\$ 9,223.00	\$ 9,200.00	s 6,440.80	\$ 6,534.00	\$ 5,299.00		\$ 9,200.00	\$ 6,440.00	\$ 6,534.00	\$ 9,200.00	s 9,200.00		s 9,200	3.00
OPTION 7C 1 founted 9' dump body meeting Specification E1335	\$ 7,175.00	s 8,090.00	\$ 7,175.00	\$ 11,320.00	\$ 8,200.00	\$ 1,200.00	s 9,041.34	s 7,115.00	11520.00 F3MFG 7,200.00 GALION	s 8,200.00	\$ 7,175.00	s 7,175.00	\$ 9,041.34	\$ 7,175	5.00
OPTION 7C 2 ounted 9' alterninum dump body setting Specification E1335-ALUM	N/A		\$ 10,100.00	\$ 11,320.00				s 10,100.00	s 11,520.00		s 10,100.00	s 10,100.00		\$ 10,100	0.00
OPTION 7D ermanently installed bulkhead	\$ 980.00	included	\$ 980.00	s 610.00	\$556.00 - Steel \$622.00 - Aluminum		\$ 257.50	\$ 980.00	610.00 STEEL	\$556.00 - Steel \$622.00 - Aluminum	\$980 STEEL PLATFORM ONLY	\$ 980.00	\$ 257.50	\$ 980	0.00
OPTION 7E ovide live hydraulics with under hood clutch pump	\$ 4,270.00	\$ 5,561.00	\$ 4,270.00	\$ 4,985.00	\$4,026.00 - Ford Gas Engine \$4,476.00 - Ford Diesel Engine	\$ 5,225.00	s 4,045 84	s 4,270.00	\$ 5,385.00	\$4,026.00 - Ford Gas Engine \$4,476.00 - Ford Diesel Engine	\$4,270.00 HOIST ONLY	s 4,270.00	\$ 4,045.84	\$ 4,270	2.00
OPTION 7F rovide hydraulics and controls ZVDC activated for dump hoist	\$ 575.00	s 771.00	\$ 575.00	\$ 1,910.00	\$ 732.00	\$ 1,109.00	\$ 927.00	\$ 575.00	\$ 2,410.00	\$ 732.00	s 575.00	s 575.00	s 927.00	\$ 575	5.00
OPTION 7G unted standard utility tool body	\$ 6,385.00	\$ 7,844.00	\$6,385.00	\$ 7,990.00	\$ 7,983.00		\$ 6,311.84	\$ 6,385.00	N/A	s 7,983.00	s 6,385.00	\$ 6,385.00	\$ 6,311.84	\$ 6,385	5.00
OPTION 7H founted fibergizes composite utility tool body	N/A	\$ 9,780.00		\$ 13,675.00					s 13,675.00			N/A			
OPTION 71 free-stiding tool drawers	\$ 2,065.00	1547 7H, 809 7G	\$ 2,065.00	s 890.06	\$ 2,058.00		\$ 1,684.05	s 2,065.00	s 890.00	s 2,058.00	\$2,065.00 6 TRAYS EITHER VERTICLE COMPARTMENT	\$ 2,065.00	\$ 1,684.05	\$ 2,065	5.00
OPTION 7J se sliding tool trays with metal dividers	\$ 775.00	322 7G, 667 7H	\$ 775.00	\$ 617.00	\$ 593.00		s 477.92	\$ 775.00	s 617.00	s 593.00	\$775.00 TWO TRAYS EITHER HORIZ. COMPARTMENT	\$ 775.00	s 477.92	\$ 775	5.00
OPTION 7K Flip top for Utility Body	\$ 680.00	678 7G, 938 7H	\$ 680.00	\$420.00 Per Side	\$ 663.00		\$ 879.62	s 680.00	1020 PER SIDE FX BRAND FIBERGLASS	\$ 663.00	\$680.00 PER SIDE	s 680.00	\$ 879.62	s 680	0.00
OPTION 7L e - double bottle gas drop well and retainers	s 550.00	232 7G	\$ 550.00	1,120.00	\$ 651.00		\$ 524 27	s 550.00	s 1,120.00	\$ 651.00	\$550.00 EITHER SIDE VERTICLE COMPARTMENT	s 550.00	\$ 524.27	s 550	0.00
OPTION 7M high panel extension cover	\$ 3,850.00	2710 7G	\$ 3,850.00	\$ 3,970.00	\$ 3,480.00		\$ 2,799.54	\$ 3,850.00	s 3,970.00	s 3,480.00	s 3,850.00	\$ 3,850.00	\$ 2,799.54	\$ 3,850	0.00
OPTION 7N hel telescopic sliding roof and and gate cover	s 2,850.00	1342 7G	\$ 2,850.00	\$1,200.00 Steel	\$ 2,012.00		s 4,011.85	\$ 2,850.00	1460.00 FIBERGLASS	\$ 2,012.00	s 2,850.00	s 2,850.00	\$ 4,011.85	\$ 2.850	0.00
OPTION 70 Raise Telescopic Roof	\$ 625.00	1700 7G	\$ 635.00	N/A	\$ 1,570.00		\$ 878.00	\$ 635.00	N/A	s 1,570.00	\$ 635.00	s 635.00	s 878.00	638	5.00
OPTION 7P Crane mount	\$ 1,049.00	1313. 7G	\$ 1,049.00	s 1,230,00	\$ 1,103.00		\$ 1,378.14	s 1,049'00	s 1,230.00	s 1,103.00	s 1,049.00	s 1,049.00	\$ 1,378.14	s 1,049	9.00
OPTION 7Q Commercial grade spray on bed lining	\$ 695.00	s 1,200.00	\$ 695.00	\$ 580 00	\$ 1,199.00	\$ 978 00	\$ 901.25	\$ 695.00	\$ 580 00	s 1,199.00	\$695,00 SERVICE BODY	\$ 695,00	\$ 901.26	\$ 59:	5.00
OPTION 7R Receiver trailer hitch	s 775.00	\$ /778.00	s 675.00	\$ 970.00	\$648.00 for utility body \$833.00 for platform or dump body	\$ 995.00	\$ 489.25	s 675.00	\$ 970.00	\$648 00 for utility body \$833.00 for platform or dump body	s 675.00	s 675 00	\$ 480.25	\$ 675	5.00
OPTION 7S Ext. Color Highway Yellow	s 793.00	\$835,00 Chassis \$960,00 Body	\$835 00 Chassis \$660 00 Body	\$835.00 Chassis \$660.00 Body	\$835.00 Chassis \$660.00 Body	\$835.00 Chaseis \$660.00 Body	s 336.00	s 680 00	\$800.00 extra	\$950.00 for platform bed \$1,549.00 for Reading utility body	\$680.00 SERV BODY	\$874 = pick up \$680 = knap	\$650 for chassis \$336 00 for body	\$650 for chassis \$680.00 for body	
OPTION 7T omatic transmission power take	s 268.00	280.00	\$ 280.00	\$ 280.00	\$ 280.00	\$ 280.00	s 257.00	s 257.00	s 257.00	\$ 257.00	s 257.00	\$ 257.00	\$ 280.00	\$ 28	0.00
OPTION 7U ab steps or running boards	\$ 304,00	s 320.00	\$ 320.00	\$ 320.00	\$ 320.00	\$ 320.00	\$ 295.00	s 295.00	s 295.00	\$ 295.00	\$ 295.00	\$ 295.00	\$ 396.00	\$ 39	900
OPTION 7V Optional Rear Axie Ratio	N/A	N/A	N/A	N/A	N/A	N/A					N/A	N/A	N/A	N/A	
OPTION 7W Limited Stip Rear Axle	\$ 342.00	\$ 360.00	\$ 360.00	\$ 360.00	\$ 360.00	s 360.00	s 323.00	s 323.00	\$ 323 00	s 323.00	\$ 332.00	s 332.00	\$ 350.00	\$ 350	0.00
OPTION 7X	\$ 815.00	\$ 640.00	\$ 640.00	\$ 640.00	s 640.00	\$ 640.00	s 589.00	\$ 589.00	s 589.00	\$ 589.00	s 332 00	\$ 336.00	\$ 640.00	\$ 640	0.00

	STD ARO (DAYS)	% of Discount Off MSRP	OPTION 72 Mandard gasoline angine in feu of diesel engine	OPTION 7Y Additional set of keys
	60-90	5%	3 (7,210.00)	\$ 75.00 s
	90-120	3%	3) \$ (7,806.00)	\$ 375.00
	90-120	3%	3) \$ (7,606.00)	\$ 375.00
	90-120	3%	x (7.606.00)	00 \$ 375.00
	90-120	3%	00) \$ (7.606.00)	00 \$ 375.00 \$
	90-120	3%	\$ (7.606.00) \$	\$ 375.00 \$
	150	15%	\$ (6,100.00)	\$ 136.00
	150	15%	\$ (8.100.00) \$	\$ 136.00 \$
	150	15%	3) \$ (8,100.00)	S 136.00
	150	15%	\$ (8.100.00)	\$ 138.00
	90	9%	\$7,670 00 DEDUCT	\$ 75.00
(90-120 days	5	\$ (7,377.00)	\$ 220.00
	90-120	2%	0) \$ (8,000.00)	x 200.00
	90-120	2%	\$ (6,000.00)	\$ 200.00

plow

Missouri Department of Transportation RFB 3-170105TV Medium Duty Vehicles 1st Renewal - Multiple Award Snow Removal Equipment Options

Snow Removal Equipment Options								
VENDOR:	Kna	pheide	Reichers					
	CAPACITIES & PRICES	ADDITIONAL INFORMATION	CAPACITIES & PRICES	ADDITIONAL INFORMATION	Delivery will be made approximately 10 days after receipt of order.			
Electric / Hydraulic Plows								
Item A 7' 6" Electric/Hydraulic Front End Snow Plow	\$5,114.00	Western Electric 7.6' Pro Plow	\$5,749.00 - M eyer	Riechers Truck Body &Equipment Co. Meyer Lot Pro with rubber deflector	Riechers Truck Body & Equipment Co. 10 days			
item B 8' Electric/Hydraulic Front End Snow Plow	\$5204.00 \$5552.00	Western 8' Pro Electric Snow Plow Western 8' Pro Plus Electric Snow Plow	\$5,974.00 - Meyer	Meyer Lot Pro with rubber deflector	Riechers Truck Body & Equipment Co. 10 days			
Item C 8' 6" Electric/Hydraulic Front End Snow Plow	\$5309.00 \$5604.00	Western 8'6" Pro Electric Snow Plow Western 8'6" Pro Plus Electric Snow Plow	\$6,084.90 - Meyer	Meyer Lot Pro with rubber deflector	Riechers Truck Body & Equipment Co. 10 days			
Hydraulic Plows			Carrie and the same of the same and		STATE OF THE STATE			
Item D 8'6" Hydraulic Front End Snow Plow	\$4257.00 \$4393.00	Western 8'6" Pro Hydaulic Snow Plow Western 8'6" Pro Plus Hydaulic Snow Plow Note: Hydaulic Snow Plow requires hydaulic source from truck to operate	\$5,699.00 - Meyer	Meyer Lot Pro with rubber deflector Chassis must be central hydraulic equipped with plow hydraulic hoses run to the front bumper for quick coupler hook up	Riechers Truck Body & Equipment Co. 10 days			
Item E 9' Hydraulic Front End Snow Plow	\$4714.00	Western 9' Pro Plus Hydaulic Snow Plow Note: Hydaulic Snow Plow requires hydaulic source from truck to operate	\$6,033.00 - Meyer	Meyer Lot Pro with rubber deflector Chassis must be central hydraulic equipped with plow hydraulic hoses run to the front burnier for quick coupler hook up	Riechers Truck Body & Equipment Co. 10 days			
Stainless Steel Salt Spreader					THE STATE OF THE STATE OF THE STATE OF			
Item F 9' Stainless Steel Salt Spreader (3.5 cubic yard capacity)	Electric power EACH \$6745.00 Hydraulic power EACH \$6630.00 Gas engine power EACH \$7056.00	Western Part# 99039 - 9' SS 4.5 Cu Yd Electric Spreader Western Part# 99042 - 9' SS 4.5 Cu Yd Hydaulic Spreader Western Part# 99041 - 9' SS 4.5 Cu Yd Honda Spreader	Electric power EACH \$8,150.00 Hydraulic power EACH \$8,110.00 Gas engine power EACH \$8,156.00	1400500SSE - Buyers SaltDogg 1400500SSH-Buyers SaltDogg 1400500SS-Buyers SaltDogg	Riechers Truck Body & Equipment Co. 21 days			
item G 10' Stainless Steel Salt Spreader (4.5 cubic yard capacity)	Electric power EACH \$8170.00 Hydraulic power EACH \$6710.00 Gas engine power EACH \$7128.00	Buyers Part# 1400550SSE - 10' SS 4.5 Cu Yd Electric Spreader Western Part# 99045 - 10' SS 4.5 Cu Yd Hydaulic Spreader Western Part# 99044 - 10' SS 4.5 Cu Yd Honda Spreader Note: Hydaulic Spreader requires hydaulic source from truck to operate	Electric power EACH \$8,210.00 Hydraulic power EACH \$8,229.00 Gas engine power EACH \$8,329.00	1400550SSE - Buyers SaltDogg 1400550SSH - Buyers SaltDogg 1400550SS - Buyers SaltDogg	Riechers Truck Body & Equipment Co. 21 days			
% of Discount Off MSRP	10	0%		10%				
STD ARO (DAYS)			A, E	B, C, D, and E have 10 days. F and G have 21	days.			



Missouri Department of Transportation RFB 3-170105TV Medium Duty Vehicles 1st Renewal - 2018 Model Year Renewal Pricing

What MAKE(S) of vehicles are you bidding?	Dodge	Ford
What is the Basic Warranty on the MAKE(S) that		
y <mark>ou are bidding?</mark>	3.Yr / 36,000 mi	3 Yr/36,000 mi
What is the Powertrain Warranty?	5 Yr / 100,000 mi	5 Yr/100,000 mi
What is the Corrosion Protection Warranty?	5 Yr / 109,000 mi	5 Yr/ Unlimited mi
What is the Roadside Assistance Warranty?	5 Yr / 100,000 mi	5 Yr/60,000 mi

Missouri Depart

Mu

1st Renewa



NAME:

Drake Scruggs (Brand FX, Dakota)

CONTACT NAME:

Mark Selhime

ADDRESS LINE:

2000 S. Dirksen Parkway

ADDRESS LINE:

Springfield, IL 62708

TELEPHONE:

217-753-3871

CELLULAR PHONE:

217-414-6275

EMAIL ADDRESS:

mselhime@drake-scruggs.com

COOPERATIVE:

YES

NAME:

Kranz Body Company

CONTACT NAME:

Kevin McDermott or Gene Kohler

ADDRESS LINE:

St. Louis, MO

TELEPHONE:

314-776-3787

COOPERATIVE:

YES

NAME:

Knapheide Truck Equipment

CONTACT NAME: ADDRESS LINE:

Jeff Schwermer Saint Peters, MO

TELEPHONE:

636-397-4444

COOPERATIVE:

Yes

NAME:

Knapheide Truck Equipment

CONTACT NAME:

Shannon Blackburn

ADDRESS LINE:

Kansas City, MO

ADDRESS LINE:

TELEPHONE:

816-472-4444

CELLULAR PHONE:

EMAIL ADDRESS:

COOPERATIVE:

Yes

NAME:

Riechers Truck Body

CONTACT NAME:

Melanie McKinney

ADDRESS LINE:

6470 Michels Dr

ADDRESS LINE:

Washington, MO 63090

Joe Machens Ford Lincoln

T NAME: Kelly Sells

S LINE: 1911 W. Worley S LINE: Columbia, MO 65203

)NE: 573-445-4411

IR PHONE: N/A

DRESS: ksells@machens.com

ATIVE: YES

Lou Fusz Ford

T NAME:

Tom Biehle

S LINE:

2 Caprice Drive

S LINE:

Chesterfield, MO 63005

)NE:

636-532-9955

AR PHONE: 314-581-9711

DRESS:

tom.biehle@fusz.com

ATIVE:

YES

Putnam Chevrolet

T NAME:

Beth Tuttle

S LINE:

31304 Highway 87 - PO Box 168

S LINE:

California, MO 65018

)NE:

573-796-2131

AR PHONE: 573-469-1908

DRESS:

beth@putnamchevrolet.com

ATIVE/FOB: YES / \$300 to deliver anywhere in the state

Roberts Auto Plaza / Roberts Chevrolet

T NAME:

Dean J Meier

S LINE:

1600 E Prairie View Road - PO Box 470

S LINE:

Platte City, MO 64079

)NE:

816-858-3200

AR PHONE: 816-564-9678

DRESS:

fleet@robertscb.com

ATIVE:

YES

WK Chevrolet

T NAME:

Kyle D Weymuth

S LINE:

3310 W. Broadway Blvd

S LINE:

Sedalia, MO 65301

)NE:

660-826-8320

\R PHONE: 660-221-3502

DRESS:

kyle.weymuth@wkfamily.com

ATIVE:

YES

BID FORM

MAILING ADDRESS: MISSOURI DEPARTMENT OF TRANSPORTATION GENERAL SERVICES, P.O. BOX 270 JEFFERSON CITY, MO 65102

REQUEST NO.	3-170105TV		
DATE	December 15, 2016		

☐ No

Yes

JEFFERSON CITT, W	10 05102		
SEALED BIDS, SUBJECT TO THE ATTACHED CONDITIONS BE RECEIVED AT THIS OFFICE UNTIL	TRANSPORTATION		
1:00 pm., Local Time, January 5, 2017	Submit net bid as cash discount stipulations will not be considered Various End User Delivery Locations		
AND THEN PUBLICLY OPENED AND READ FOR FURNISHIN			
THE FOLLOWING EQUIPMENT.			
DEFINITE DELIVERY DATE SHOULD BE SHOWN. THE BID FOR OPENING.	DER MUST SIGN AND RETURN BEFORE DATE AND TIME SET		
BUYER: Tom Veasman	BUYER TELEPHONE: 573-522-4404		
BUYER EMAIL:			
tom.veasman@modot.mo.gov			
MEDIUM	DUTY VEHICLES		
WEDION	DOTT VEHICLES		
This Request For Bid seeks bids from qualified orga	inizations to provide vehicles in accordance with the following		
. [-	g address: P.O. Box 270, Jefferson City, MO 65102-0270,		
	hysical address: General Services Procurement at 830 MoDOT		
	ary 5, 2017. Bid forms and information may be obtained by		
contacting Tom Veasman at 573-522-4404, tom.veasman	<u>i@modot.mo.gov</u> , or electronically download them at:		
http://www.modot.org/business/surplus/Fleet%	20Buyers%20Web%20Page/LightDutyTrucks.htm		
Components of Agreement: The Agreement between MHTC and the successful Bidder(s) shall consist of: the RFB and any written amendments thereto, the "Standard Bid Provisions, General Terms and Conditions and Special Terms and Conditions" that are attached to this RFB and the bid submitted by the Bidder in response to the RFB. However, MHTC reserves the right to clarify any relationship in writing and such written clarification shall govern in case of conflict with the applicable requirements stated in the RFB or the Bidder's bid. The Bidder is cautioned that its bid shall be subject to acceptance by MHTC without further clarification.			
Return sealed bids to the address shown at the top of this page to the attention of the buyer. Submission of bids to the above mailing address must go through MoDOT's mail room and will require additional time to arrive at 830 MoDOT Drive.			
(SEE ATTACHED FOR TERMS,	CONDITIONS, AND INSTRUCTIONS)		
	conditions thereof, the undersigned bidder agrees to furnish and deliver meframe specified herein, after receipt of formal purchase order.		
Date:	Firm Name:		
	Address:		
Fax No.:			
Federal I.D. No.	By (Signature):		
Email Address:	Type/Print Name		
	Title:		
Is your firm MBE	Is your firm WBE		

certified?

Form E-103 (Rev. 11-04)

certified?

☐ No

Yes

1. INTRODUCTION AND GENERAL INFORMATION

1.1 Introduction:

1.1.1 This Request for Bid (RFB) seeks bids from qualified organizations to provide Medium Duty Vehicles to the Missouri Highways and Transportation Commission (MHTC), acting by and through its operating arm, the Missouri Department of Transportation (MoDOT). Each bid must be in a sealed envelope, be mailed or delivered by courier to the RFB Coordinator at the below listed address, on or before the date and time listed herein for receipt of bids/proposals. All questions regarding the RFB shall be submitted to the RFB Coordinator. Bids must be returned to the office of the RFB Coordinator no later than 1:00 p.m. Local Time, January 5, 2017.

RFB COORDINATOR:

Tom Veasman, Senior General Services Specialist

MAILING ADDRESS:
Missouri Department of Transportation
P. O. Box 270
Jefferson City, MO 65102

Attn: Tom Veasman

PHYSICAL ADDRESS:
Missouri Department of Transportation
General Services Division
830 MoDOT Drive
Jefferson City, MO 65109

Note that submission of bids to the above **mailing address** must go through MoDOT's mail room and will require additional time to arrive at 830 MoDOT Drive.

PHONE:

573-522-4404

FAX:

573-526-6948

1.2 General Information:

- 1.2.1 This document constitutes an invitation for competitive, sealed bids for the procurement of **Medium Duty** Vehicles as set forth herein.
- 1.2.2 Organization: This RFB is divided into the following parts:
 - 1) Introduction and General Information
 - 2) Scope of Work
 - 3) Bid Submission
 - 4) Pricing Pages
 - 5) Vendor Information and Preference Certification Form
 - 6) Notice Of Cooperative Purchasing
 - 7) Terms and Conditions
 - 8) Pricing Entry Sheets (EXCEL Spreadsheet Separate attachment)

2. SCOPE OF WORK

2.1 General Requirements:

- 2.1.1 The bidder shall provide **Medium Duty Vehicles** on an as needed, if needed basis for MoDOT, in accordance with the provisions and requirements stated herein.
- 2.1.2 The bidder shall provide all deliverables to the sole satisfaction of MoDOT.
- 2.1.3 MoDOT does not guarantee that any unit(s) will be ordered.
- 2.1.4 Unless otherwise specified herein, the bidder shall furnish all material, labor, facilities, equipment, and supplies necessary to provide the deliverables required herein.
- 2.1.5 MoDOT reserves the right to reject any or all bids, and to accept or reject any items thereon, and to waive technicalities. In case of error in the extension of prices in the bid, unit prices will govern.
- **Required Specifications:** All vehicle bids must comply with the attached MoDOT Specifications, and any other provisions outlined in the solicitation documents. Any deviation from these specifications must be indicated for review, or else bid may be considered non-responsive.

2.3 Delivery Requirements:

- 2.3.1 The following delivery requirements shall apply:
 - a. Unless otherwise specified on the solicitation documents or purchase order, suppliers shall give at least 24 hours advance notice of each delivery. Delivery will only be received between the hours of 8:00 a.m. to 3:00 p.m., Monday through Friday. No vehicles will be received on Saturday, Sunday or state holidays.
 - b. The prices bid herein include the delivery cost of the unit. The bidder agrees to pay all transportation charges on the material as FOB Destination. Freight costs must be included in the unit price bid and not listed as a separate line item.
 - c. Any demurrage is to be paid by the Contractor direct to the railroad or carrier.
- 2.3.2 The contractor shall deliver the products specified herein to the following MoDOT locations:
 - a. St. Joseph, Missouri 64502
 - b. Macon, Missouri 63552
 - c. Hannibal, Missouri 63401
 - d. Lee's Summit, Missouri 64064-8002
 - e. Jefferson City, Missouri 65102
 - f. Chesterfield, Missouri 63017-5712
 - g. Joplin, Missouri 64802
 - h. Springfield, Missouri 65801
 - i. Willow Springs, Missouri 65793
 - j. Sikeston, Missouri 63801
 - k. Other district locations as may be required

2.4 Invoicing and Payment Requirements:

- 2.4.1 Contractor A successful Bidder to whom a contract is awarded.
- 2.4.2 The contractor shall submit an itemized invoice to the applicable requesting address for the completion of deliverables, as specified herein.
- 2.4.3 Each invoice should be itemized in accordance with items listed on the purchase order. The statewide financial management system has been designed to capture certain receipt and payment information. Therefore, each invoice submitted must reference the purchase order number and must be itemized in accordance with items listed on the purchase order. Failure to comply with this requirement may delay processing of invoices for payment.
- 2.4.4 The contractor shall be paid in accordance with the prices stated on the pricing pages of this document after completion of deliverables specified herein and acceptance by MoDOT.
- 2.4.5 Other than the payment specified above, no other payments or reimbursements shall be made to the contractor for any reason whatsoever.
- 2.4.6 Unless otherwise provided for in the solicitation documents, payment for all equipment, supplies, and/or services required herein shall be made in arrears. MoDOT shall not make any advance deposits.
- 2.4.7 MoDOT assumes no obligation for equipment, supplies, and/or services shipped or provided in excess of the quantity ordered. Any unauthorized quantity is subject to MoDOT's rejection and shall be returned at the contractor's expense.
- 2.4.8 MoDOT reserves the right to purchase goods and services using the state-purchasing card.

2.5 Other Award Requirements:

- 2.5.1 Date of Award The date for which the Bid Tabulation is posted to the MoDOT public website.
- 2.5.2 Original Contract Period The contract period shall commence from the date of award until the end of the 2017 model year.
- 2.5.3 <u>Renewal Periods</u> MoDOT has the right, at its sole option and in its sole discretion, to extend the contract period for up to two (2) additional one-year periods, or any portion therein. If the option for renewal is exercised by MoDOT, the bidder shall agree to all terms and conditions of the RFB and all subsequent amendments.
- 2.5.4 <u>Escalation Clause</u> In the event the contractor requests a price increase during the original contract period or any contract renewal period, the contractor must provide a written request and documentation justifying the need for a price increase, and the amount of such price increase. MoDOT will review the contractor's written request and documentation, and decide if a price increase is to be granted at that particular time. The contractor shall understand and agree that MoDOT's decision shall be final and without recourse.
 - a. No price increase shall be granted during the first 3 months of the original contract period, or if applicable, the first 3 months of a contract renewal period.
 - b. In the event a price increase is granted due to an approved escalation, the renewal percentage shall be based upon the current award value.
- 2.5.5 <u>Inspection and Acceptance</u>: MoDOT reserves the right to inspect the unit at the point of manufacture, intermediate storage point, or at a destination which shall be at the discretion of MoDOT.

- a. No equipment, supplies, and/or services received by MoDOT pursuant to an award shall be deemed accepted until MoDOT has had reasonable opportunity to inspect said equipment, supplies, and/or services.
- b. All equipment, supplies, and/or services which do not comply with the specifications and/or requirements or which are otherwise unacceptable or defective may be rejected. In addition, all equipment, supplies, and/or services which are discovered to be defective or which do not conform to any warranty of the contractor upon inspection (or at any later time if the defects contained were not reasonably ascertainable upon the initial inspection) may be rejected.
- c. MoDOT reserves the right to return any such rejected shipment at the contractor's expense for full credit or replacement and to specify a reasonable date by which replacements must be received.
- d. MoDOT's right to reject any unacceptable equipment, supplies, and/or services shall not exclude any other legal or equitable remedies that MoDOT may have.
- 2.5.6 <u>Net Delivered Price</u> the unit(s) shall be delivered complete and ready for use to the delivery destinations.
- 2.6 Diesel Fuel Requirements: In accordance with RSMo 414.365, MoDOT must use fuel with at least the biodiesel content of B-20. (http://www.moga.mo.gov/statutes/C400-499/4140000365.htm) By submitting a response to this bid, you agree to comply with all the terms of your company's standard equipment warranties, except to the extent the equipment problems are determined to be attributed to MoDOT's use of B-20 fuel.

3. BID SUBMISSION

3.1 Bid Submission Information:

- 3.1.1 All bids must be received in a sealed envelope/packaging clearly marked "3-170105TV Medium Duty Vehicles". All bids must be received at the office of the RFB Coordinator as outlined in Section 1. "INTRODUCTION AND GENERAL INFORMATION".
- In addition to a hard copy of the Pricing Sheets, bid pricing should be submitted electronically on a flash drive or CD using the EXCEL spreadsheet (Pricing Entry Sheets) provided on the website for this bid. A copy of the Pricing Entry Sheets will suffice as a hardcopy.
- 3.1.3 The bidder may withdraw, modify or correct his/her bid after it has been deposited with MoDOT provided such request is submitted in writing and received at the location designated for the bid opening prior to the date and time specified for opening bids. Such a request received as specified will be attached to the bid and the bid will be considered to have been modified accordingly. No bid may be modified after the date and time specified for the opening of bids.

3.1.4 Open Competition / Request For Bid Document:

a. It shall be the bidder's responsibility to ask questions, request changes or clarification, or otherwise advise MoDOT if any language, specifications or requirements of an RFB appear to be ambiguous, contradictory, and/or arbitrary, or appears to inadvertently restrict or limit the requirements stated in the RFB to a single source. Any and all communication from bidders regarding specifications, requirements, competitive bid process, etc., must be directed to the buyer from MoDOT, unless the RFB specifically refers the bidder to another contact. Such communication should be received at least three (3) working days prior to the official bid opening date.

- b. Every attempt shall be made to ensure that the bidder receives an adequate and prompt response. However, in order to maintain a fair and equitable bid process, all bidders will be advised, via the issuance of an amendment to the RFB, of any relevant or pertinent information related to the procurement. Therefore, bidders are advised that unless specified elsewhere in the RFB, any questions received less than three (3) working days prior to the RFB opening date may not be answered.
- c. Bidders are cautioned that the only official position of the MoDOT is that which is issued by MoDOT in the RFB or an amendment thereto. No other means of communication, whether oral or written, shall be construed as a formal or official response or statement.
- d. MoDOT monitors all procurement activities to detect any possibility of deliberate restraint of competition, collusion among bidders, price-fixing by bidders, or any other anticompetitive conduct by bidders which appears to violate state and federal antitrust laws. Any suspected violation shall be referred to the Missouri Attorney General's Office for appropriate action.

3.1.5 Award:

This is a <u>Multiple Award bid</u> and there will be <u>no 'one' bidder</u> awarded each item within this bid. Each individual delivery destination will have sole responsibility and discretion for all purchasing decisions. After award, Districts shall use the following evaluation criteria to determine the awarded contract that would provide the "lowest and best" equipment purchase option:

- a. Base and Options Costs 50 Points
- b. Warranty Coverage/Unit Features that Improve Performance, Strength, Reliability & Longevity 20 Points
- c. Location of Parts and Servicing Dealers and their Past Performance 20 Points
- d. Delivery Timeline 5 Points
- e. Other response information 5 Points

3.1.6 Cost Evaluation:

The evaluation of base and options costs will be conducted using a scale of fifty (50) possible points based upon the following formula:

Lowest Responsive Price	
X 50 =	Points Awarded to Bidder Being Evaluated
Price of Bidder Being Evaluated	

- 3.1.7 <u>Bidder Compliance:</u> The bidder must be in compliance with the laws regarding conducting business with MoDOT and as indicated in the Terms and Conditions.
- 3.1.8 <u>Bidder Notification:</u> Notification of award shall be at the time the tabulation is posted to the Internet. It is the sole responsibility for all bidders to check the website for bid results.

4. PRICING PAGES MODOT MEDIUM DUTY VEHICLES REQUEST FOR BID 3-170105TV

What MAKE(S) of vehicles are you bidding?
What is the Basic Warranty on the Make(s) that you are bidding?
What is the Powertrain Warranty on the Make(s) that you are bidding?
What is the Corrosion Protection Warranty on the MAKE(S) that you are bidding?
What is the Roadside Assistance Warranty on the MAKE(S) that you are bidding?

VEHICLE CLASS DESCRIPTIONS REQUEST FOR BID 3-170105TV

ITEM#1	-New standard	equipped 2017	or Newer M	odel Regular	Cab ¾ Ton Pickup

- ITEM # 2 New standard equipped 2017 or Newer Model Extend Cab ¾ Ton Pickup
- ITEM #3 New standard equipped 2017 or Newer Model Crew Cab 3/4 Ton Pickup
- ITEM #4 New standard equipped 2017 or Newer Model Regular Cab 1 Ton Pickup
- ITEM #5 New standard equipped 2017 or Newer Model Extended Cab 1 Ton Pickup
- ITEM #6 New standard equipped 2017 or Newer Model Crew Cab 1 Ton Pickup
- ITEM #7 New standard equipped 2017 or Newer Model 1 Ton Reg Cab Chassis-Cab 2WD/4WD with DRW and 60" CA
- ITEM #8 New standard equipped 2017 or Newer Model 1 Ton Crew Cab Chassis-Cab 2WD/4WD with DRW and 60" CA
- ITEM #9 New standard equipped 2017 or Newer Model 1 Ton Reg Cab Chassis-Cab 2WD/4WD with DRW and 84" CA
- ITEM # 10 New standard equipped 2017 or Newer Model 15,000 LB. GVWR Reg Cab Chassis-Cab with DRW and 60" CA.
- ITEM #11 New standard equipped 2017 or Newer Model 15,000 LB. GVWR Crew Chassis-Cab with DRW and 60" CA
- ITEM #12 New standard equipped 2017 or Newer Model 15000 LB. GVWR Reg Cab Chassis-Cab with DRW and 84" CA.
- ITEM #13 New standard equipped 2017 or Newer Model 17,500 LB, GVWR Reg Cab Chassis-Cab with DRW and 60" CA
- ITEM #14 New standard equipped 2017 or Newer Model 17,500 LB. GVWR Crew Chassis-Cab with DRW and 60" CA
- ITEM # 15 New standard equipped 2017 or Newer Model 17,500 GVWR Reg Cab Chassis-Cabs with DRW and 84" CA.
- ITEM #16 New standard equipped 2017 or Newer Model 15 Passenger Van Extended Length

Snow Removal Equipment (Items may be bid directly by supplier): Electric/Hydraulic Plows

Hydraulic Plows

Stainless Steel Salt Spreaders

ITEM # 1 - New standard equipped 2017 or Newer Model Regular Cab ¾ Ton Pickup

EXAMPLES OF ACCEPTABLE MAKES AND MODELS:

Standard Ford F-250 2WD/4WD with 8' BOX Standard Chevrolet 2500 2WD/4WD with 8" BOX Standard Dodge 2500 2WD/4WD with 8'BOX

ONLY THE 4WD MODEL IS RECOMMENDED FOR SNOW PLOW

 Standard Manufad Automat Air cond LH & R Tires:(4) Minimu Trailer t & elect Brakes, Daytime Speed c 	H manual mirrors 10 10 ply(minimum) light truck, plus full size sp m 8,600 lbs. GVWR owing package: Standard manufacturer's to incric brake controller 4-wheel anti-lock braking system (ABS) c running lights ontrol and tilt wheel ubber Flooring eats	are and wheel (Size	
DEALER COM	PLETE:		
MAKE	MODEL WITH 2WD/8' BOX	GVWR_	EACH \$
GAS MPG: CIT	Y HWY ENGIN	E SIZEHP	E-85 COMPATIBLE?
*MAKE	MODEL WITH 4WD/8' BOX	GVWR_	EACH \$
GAS MPG: CIT	YENGIN	E SIZEHP	E-85 COMPATIBLE?
Indicate the cos	OPTIONAL EQUIP t or deduction for the below listed options. I	PMENT PRICING, Item # 1 Price should include all requi	red options and special equipment.
Option 1A.	Exterior color to be Federal Standard #595	C "DOT Highway Yellow"	EACH S
Option 1B.	2 Full length cab steps or running boards (one on drivers side, one on passenger side)		SET \$
Option 1C.	Bluetooth Capability		EACH \$
Option 1D.	Optional Rear Axle Ratio Axle Rat	io	EACH \$
Option 1E.	Limited Slip Rear Axle Axle Rat	io	EACH \$
Option 1F.	Commercial grade spray on bed lining to be sides, front, tailgate and top of rail.	e applied on floors,	EACH \$
Option 1G.	Bed/Tow Package delete (must include spare	wheel and tire)	EACH \$ (Deduct)
Option 1H.	Heavy duty, Class V (2-1/2" square tube) r Includes an adapter to reduce to 2" (Class style trailer plug and electric controller br	III/IV), seven-wire RV	EACH \$delete, Option 1G)

Option 11.1	Mounted 8 platform body me	eting Specification £1320SKW	
	MAKE	MODEL	EACH \$
Option 11.2	Mounted 8' aluminum platforı (Minimum 1" aluminum extru	m body meeting Specification E1320SRW ded floor instead of steel)	
	MAKE	MODEL	EACH \$
Option 1J.	Permanently installed bulkhea (Minimum requirement to top		EACH \$
Option 1K.	Mounted standard utility tool		
	Acceptable makes and models		
	Knapheide 696J	Stahl CHALLENGER II 96VVS	6 - 48.5
	Reading Classic II 98A S.W.	RKI -L5680	
,	Omaha 96V	RKI L5780 (for Dodge)	
	lights as required per FMVSS	LED tail, stop, turn, backup and clearance 108 standards. Unit must include a tread hook recess. Vendors may submit more than ption.	one
	MAKE	MODEL	EACH \$
	MAKE	MODEL	EACH \$
	MAKE	MODEL	EACH \$
Option 1L.	Mounted fiberglass composite	utility tool body.	
	Acceptable makes and models Brand FX Composite Service I Equivalents accepted if pre-ap		pening.
		LED tail, stop, turn, backup and clearance 108 standards. Unit must include a tread hook recess	
	MAKE	MODEL	EACH \$
Option 1M.		pered steel telescopic sliding roof and two- cover to protect cargo area from weather	EACH \$
Option 1N.	Additional set of keys (Ignition	and door locks)	EACH \$
Option 10.	Auxiliary Upfitter Switches		EACH \$
Option 1P.	Standard diesel engine in lieu	of gasoline engine (state size/horsepower)	EACH \$
	SIZEHOR	SEPOWER	
	e below the percent (%) discount our data book or pricing guides.	off Manufacturer's Suggested Retail Prices	(MSRP) for all vehicle option
% discount off	f MSRP for all Data Book or Prici	ng Guide Options: - % Discount	_
Delivery will h	e made approximately	days after receipt of order	

ITEM # 2 - New standard equipped 2017 or Newer Model Extended Cab ¾ Ton Pickup.

EXAMPLES OF ACCEPTABLE MAKES AND MODELS:

Standard Ford F-250 2WD/4WD with 8' Box/Short Box Standard Chevrolet 2500 2WD/4WD with 8' Box/Short Box Standard Dodge 2500 2WD/4WD 8'with 8' Box/Short Box

ONLY THE 4WD MODELS ARE RECOMMENDED FOR SHOW PLOW

All units hid m	ust contain the following options:			
 Standa 	rd, minimum V8 fuel-injected gaso	line engine		
	acturer's standard rear end axle ration	o (Ratio:)	
	atic Transmission (Speeds)			
4. Air con				
	RH manual mirrors 4) 10 ply(minimum) light truck, plu	is full size snare and wh	eel (Size)
	um 8,600 lbs. GVWR	is full size spare and wit	cer (Size	
8. Trailer	towing package: Standard manufac	cturer's to include receiv	ver hitch, 4/7 pin traile	er wiring connection & electric brake
contro				
	s, 4-wheel anti-lock braking system	(ABS)		
	ne running lights control and tilt wheel			
	Rubber Flooring			
13. Vinyl				
14. 2 sets	of keys			
DEALER CO	MPLETE:			
MAKE	MODEL 2WD/SHORT BO	x	GVWR	EACH \$
GAS MPG: CI	TY HWY	ENGINE SIZE	HP	E-85 COMPATIBLE?
MAKE	MODEL 2WD/8' BOX_		_GVWR	EACH \$
GAS MPG: Cl	TTY HWY	ENGINE SIZE	HP	E-85 COMPATIBLE?
*MAKE	MODEL 4WD/SHORT	вох	GVWR	EACH \$
GAS MPG: C	TTY HWY	ENGINE SIZE	HP	E-85 COMPATIBLE?
*MAKE	MODEL 4WD/8' BOX _		GVWR	EACH \$
GAS MPG: C	HWY	ENGINE SIZE	HP	E-85 COMPATIBLE?
Indicate the co		NAL EQUIPMENT Ped options. Price shou		ed options and special equipment.
Option 2A.	Exterior color to be Federal St	andard #595C "DOT	Highway Yellow"	EACH \$
Option 2B.	2 Full length cab steps or runn (One on drivers side, one on pa			SET \$
Option 2C.	Bluetooth Capability			EACH \$
Option 2D.	Optional Rear Axle Ratio	Axle Ratio		EACH \$
Option 2E.	Limited Slip Rear Axle	Axle Ratio		EACH \$
Option 2F.	Commercial grade spray on be front, tailgate and top of rail.	ed lining to be applied	on floors, sides,	EACH \$

Option 2G.	Bed/Tow Package delete (must	include spare wheel and tire)	EACH \$(Deduct	
Option 2H.	Heavy duty, Class V (2-1/2" square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV), seven-wire RV style trailer plug and electric trailer brake controller (needed if ordering bed dele		EACH \$	
Option 2I.1	Mounted 8' platform body meeting Specification E1320SRW		EACH \$	
	MAKE	MODEL		
Option 21.2	Mounted 8' aluminum platform (Minimum 1" aluminum extru	n body meeting Specification E1320SRW ded floor instead of steel)	EACH \$	
	MAKE	MODEL		
Option 2J.	Permanently installed bulkhea (Minimum requirement to top		EACH \$	
Option 2K.	lights as required per FMVSS plate step bumper with pintle h	are: Stahl CHALLENGER II 96VVS - 48.5 RKI -L5680 RKI L5780 (for Dodge) LED tail, stop, turn, backup and clearance 108 standards. Unit must include a tread	EACH \$	
Option 2L.	Mounted fiberglass composite u	utility tool body.	EACH \$	
	Body to include flush mounted	Body (Model 56LS) proved at least 5 working days before bid o LED tail, stop, turn, backup and clearance 108 standards. Unit must include a tread		
Option 2M.	Utility tool body 3 section, tempered steel telescopic sliding roof and two- piece rigid aluminum end gate cover to protect cargo area from weather and theft		EACH \$	
Option 2N.	Additional set of keys (Ignition	and door locks)	EACH \$	
Option 2O.	Standard diesel engine in lieu o	of gasoline engine (state size/horsepower)	EACH \$	
	SIZE	HORSEPOWER		
	below the percent (%) discount off or pricing guides.	Manufacturer's Suggested Retail Prices (MSR	(P) for all vehicle options available in	
% discount off	MSRP for all Data Book or Pricin	ng Guide Options: - % Discount		
Delivery will b	e made approximately	days after receipt of order		

ITEM #3 - New standard equipped 2017 or Newer Model Crew Cab ¾ Ton Pickup.

EXAMPLES OF ACCEPTABLE MAKES AND MODELS:

Standard Ford F-250 2WD/4WD with 8' Box/Short Box Standard Chevrolet 2500 2WD/4WD with 8' Box/Short Box Standard Dodge 2500 2WD/4WD with 8' Box/Short Box

ONLY THE 4WD MODELS ARE RECOMMENDED FOR SNOW PLOW

 Standard Manufac 	st contain the following options: I, minimum V8 fuel-injected gasolin cturer's standard rear end axle ratio (
	tic Transmission (Speeds)			
4. Air cond	iitioning H manual mirrors			
	n manuar mirrors 10 ply(minimum) light truck, plus	full size snare and whe	el (Size)
	m 8,600 lbs. GVWR	iun size spare and when	CI (BIZC	
	owing package: Standard manufactu	rer's to include receive	r hitch, 4/7 pin trailer	wiring connection & electric brake
controlle		ioi o to morado receive	, p	
	4-wheel anti-lock braking system (A	ABS)		
	e running lights	,		
	ontrol and tilt wheel			
	ubber Flooring			
13. Vinyl se	eats			
14. 2 sets of	keys			
DEALER COM	PLETE:			
	MODEL 2WD/SHORT BOX		CVWP	FACHS
WIAKE	NODEL 2WD/SHORT BOX			
GAS MPG: CIT	YHWY	_ ENGINE SIZE	HP	E-85 COMPATIBLE?
MAKE	MODEL 2WD/8' BOX		GVWR	EACH \$
GAS MPG: CIT	Y HWY	_ ENGINE SIZE_	HP	E-85 COMPATIBLE?
*MAKE	MODEL 4WD SHORT BO	X	GVWR	EACH \$
GAS MPG: CIT	Y HWY	_ ENGINE SIZE	HP	E-85 COMPATIBLE?
*MAKE	MODEL 4WD/8' BOX		_GVWR	EACH \$
GAS MPG: CIT	YHWY	_ ENGINE SIZE_	HP	E-85 COMPATIBLE?
	OPTION	AL EQUIDMENT DD	ICES Itom # 2	
Indicate the cos	t or deduction for the below listed	AL EQUIPMENT PRoptions. Price should		options and special equipment.
Option 3A.	Exterior color to be Federal Stan	dard #595C "DOT H	ighway Yellow"	EACH \$
Option 3B.	2 Full length cab steps or runnin (One on drivers side, on			SET \$
Option 3C.	Bluetooth Capability			EACH \$
Option 3D.	Optional Rear Axle Ratio	Axle Ratio		EACH \$
Option 3E.	Limited Slip Rear Axle	Axle Ratio		EACH \$
Option 3F.	Commercial grade spray on bed sides, front, tailgate and top of re		n floors,	EACH \$

Option 3G.	Bed/Tow Package delete (must include s	spare wheel and tire)	EACH \$(Deduct)
Option 3H.	Heavy duty, Class V (2-1/2" square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV) and a seven-wire RV style trailer plug and Electric Trailer Brake Controller (needed if ordering bed delete, Option 3H)		EACH \$
Option 31.1	Mounted 8' platform body meeting Sp	ecification E1320SRW	EACH \$
	MAKE MO	DEL	
Option 3I.2	Mounted 8' aluminum platform body (Minimum 1" aluminum extruded floo		EACH \$
	MAKE MO	DEL	
Option 3J.	Permanently installed bulkhead to fit to (Minimum requirement to top		EACH \$
Option 3K.	Mounted standard utility tool body. Acceptable makes and models are:		EACH \$
	Knapheide 696J	Stahl CHALLENGER II 96VVS	- 48.5
	Reading Classic II 98A S.W.	RKI -L5680	
	Omaha 96V	RKI L5780 (for Dodge)	
	Body to include flush mounted LED to lights as required per FMVSS 108 star plate step bumper with pintle hook rec	ndards. Unit must include a tread	
	MAKE	MODEL	-
Option 3L.	Mounted fiberglass composite utility to Acceptable makes and models are: Brand FX Composite Service Body (M Equivalents accepted if pre-approved	Iodel 56LS)	EACH \$
	Body to include flush mounted LED to lights as required per FMVSS 108 star plate step bumper with pintle hook red	ndards. Unit must include a tread	
Option 3M.	Utility tool body 3 section, tempered so and two-piece rigid aluminum end gat from weather and theft		EACH \$
Option 3N.	Additional set of keys (Ignition and do	or locks)	EACH \$
Option 3O.	Standard diesel engine in lieu of gasoli	ine engine (state size and horsepower)
	SIZEHOI	RSEPOWER	EACH \$
	below the percent (%) discount off Manufa or pricing guides.	cturer's Suggested Retail Prices (MSRI	P) for all vehicle options available in
% discount of	f MSRP for all Data Book or Pricing Guid	e Options: - % Discount	_
Delivery will h	pe made approximately	days after receipt of order.	

All units bid must contain the following options:

ITEM # 4 - New standard equipped 2017 or Newer Model Regular Cab 1 Ton Pickup

EXAMPLES OF ACCEPTABLE MAKES AND MODELS:

Standard Ford F-350 2WD/4WD, 8' Box/Short Box, SRW/DRW Standard Chevrolet 3500 2WD/4WD, 8' Box/Short Box, SRW/DRW Standard Dodge 3500 2WD/4WD, 8' Box/Short Box, SRW/DRW

Standard, minimum V8 fuel-injected gasoline engine
 Manufacturer's standard rear end axle ratio (Ratio:

ONLY 4WD MODEL IS RECOMMENDED FOR SNOW PLOW

4. Air cond 5. LH & R 6. Tires:(6) 7. Minimu 8. Trailer t brake co 9. Brakes, 10. Daytime 11. Speed co	ditioning H manual mirro 10 ply(minimum 11,000 lbs. Gowing package: ontroller 4-wheel anti-loe erunning lights ontrol and tilt w ubber Flooring eats	um) light truck, plus in SVWR SVWR Standard manufacturick braking system (All wheel			r wiring connection & electric trails
DEALER COM	PLETE:				
MAKE	MODEI	L 2WD/8' BOX/SRV	N	GVWR	EACH \$
GAS MPG: CIT	Y	HWY	ENGINE SIZE	HP	E-85 COMPATIBLE?
MAKE	MODEL	2WD 8' BOX/DRV	v	GVWR	EACH \$
GAS MPG: CIT	Y	HWY	_ ENGINE SIZE	HP	E-85 COMPATIBLE?
*MAKE	MODE	EL 4WD/8' BOX/SR		GVWR	EACH \$
GAS MPG: CIT	Y	HWY	_ ENGINE SIZE	HP	E-85 COMPATIBLE?
*MAKE	MODE	L 4WD 8' BOX/DR		GVWR	EACH \$
GAS MPG: CIT	TY	HWY	_ ENGINE SIZE	HP	E-85 COMPATIBLE?
		for the below listed		nclude all required	d options and special equipment.
Option 4B.		cab steps or runnin ers side, one on pass			SET \$
Option 4C.	Optional Rea	r Axle Ratio	Axle Ratio		EACH \$
Option 4D.	Limited Slip	Rear Axle	Axle Ratio		EACH \$

Option 4E.	sides, front, tailgate and top of rail.	ppnea on noors,	EACH 5
Option 4F.	Bluetooth Capability		EACH \$
Option 4G.	Additional set of keys (Ignition and door locks)	EACH S
Option 4H.	Standard diesel engine in lieu of gasoline engi (State size and horsepower)	ne	EACH \$
	SIZE HORSEPOWER		
Please indicate b your data book o	elow the percent (%) discount off Manufacturer's r pricing guides.	Suggested Retail Prices (MSRI	P) for all vehicle options available in
% discount off	MSRP for all Data Book or Pricing Guide Option	s: - % Discount	_
Delivery will be	made approximately	_ days after receipt of order.	

ITEM # 5 - New standard equipped 2017 or Newer Model Extended Cab 1 Ton Pickup

EXAMPLES OF ACCEPTABLE MAKES AND MODELS: Standard Ford F-350 2WD/4WD, 8' Box/Short Box, SRW/DRW Standard Chevrolet 3500 2WD/4WD, 8' Box/Short Box, SRW/DRW

Standard Dodge 3500 2WD/4WD, 8' Box/Short Box,

ONLY THE 4WD MODELS ARE RECOMMENDED FOR SNOW PLOW

	in the following options:			
	num V8 fuel-injected gasoline			
	standard rear end axle ratio (R smission (Speeds)	(atio:)		
4. Air conditioning				
5. LH & RH manu				
	(minimum) light truck, plus for	ull size spare and whee	l (Size)
7. Minimum 11,00	0 lbs. GVWR			
	•	er's to include receiver	hitch, 4/7 pin trailer	wiring connection & electric brake
trailer controller				
	l anti-lock braking system (AE	3S)		
 Daytime running Speed control at 				
12. Vinyl/Rubber F				
13. Vinyl seats	looring			
14. 2 sets of keys				
DEALER COMPLETE	<u>:</u>			
MAKE MO	DDEL 2WD/SHORT BOX/S	RW	GVWR	EACH \$
GAS MPG: CITY	HWY	ENGINE SIZE	HP_	E-85 COMPATIBLE?
MAKE	MODEL 2WD/8' BOX/SRW	,	GVWR	EACH \$
GAS MPG: CITY	HWY	ENGINE SIZE	HP	E-85 COMPATIBLE?
MAKE	10DEL 2WD 8' BOX/DRW		GVWR	EACH \$
GAS MPG: CITY	HWY	ENGINE SIZE	HP	E-85 COMPATIBLE?
*MAKE M	ODEL 4WD/SHORT BOX/	SRW	GVWR	EACH \$
GAS MPG: CITY	HWY	ENGINE SIZE	HP	E-85 COMPATIBLE?
*MAKE	MODEL 4WD/8' BOX/SRV	w	GVWR	EACH \$
GAS MPG: CITY	HWY	ENGINE SIZE	HP	E-85 COMPATIBLE?
*MAKE	MODEL 4WD 8' BOX/DRV	W	GVWR	EACH \$
GAS MPG: CITY	HWY	ENGINE SIZE	HP	E-85 COMPATIBLE?

OPTIONAL EQUIPMENT PRICES, Item # 5

Indicate the cost or deduction for the below listed options. Price should include all required options and special equipment.

Option 5A.	Exterior color to be Federal S	Standard #595C "DOT Highway Yellow"	EACH \$
Option 5B.	2 Full length cab steps or running boards. (One on drivers side, one on passenger side)		SET \$
Option 5C.	Optional Rear Axle Ratio	Axle Ratio	EACH \$
Option 5D.	Limited Slip Rear Axle	Axle Ratio	EACH \$
Option 5E.	Commercial grade spray on bed lining to be applied on floors, sides, front, tailgate and top of rail.		EACH \$
Option 5F.	Bluetooth Capability	Bluetooth Capability	
Option 5G.	Additional set of keys (Ignition and door locks)		EACH \$
Option 5H.	Standard diesel engine in lieu of gasoline engine (State size and horsepower)		EACH \$
	SIZEHO	RSEPOWER	
	below the percent (%) discount of or pricing guides.	ff Manufacturer's Suggested Retail Prices (MS	RP) for all vehicle options available in
% discount off	MSRP for all Data Book or Pric	ing Guide Options: - % Discount	
Delivery will be	e made approximately	days after receipt of ord	er.

All units bid must contain the following options:

ITEM #6 - New standard equipped 2017 or Newer Model Crew Cab 1 Ton Pickup

EXAMPLES OF ACCEPTABLE MAKES AND MODELS:

Standard Ford F-350 2WD/4WD, 8' Box/Short Box, SRW/DRW Standard Chevrolet 3500 2WD/4WD, 8' Box/Short Box, SRW/DRW Standard Dodge 3500 2WD/4WD, 8' Box/Short Box, SRW/DRW

ONLY THE 4WD MODELS ARE RECOMMENDED FOR SNOW PLOW

1.	Standard, min	nimum V8 fuel-injected gaso	line engine		
	Manufacturer's standard rear end axle ratio (Ratio:)				
		ransmission (Speeds)			
	Air condition				
	LH & RH ma				
		oly(minimum) light truck, plu	is full size spare and wheel	(Size)
7.	Minimum II	,000 lbs. GVWR		1 4 1 4/7	
8.	brake control		cturer's to include receiver	nitch, 4// pin trailer	wiring connection & electric traile
9.		eel anti-lock braking system	(ABS)		
	Daytime runi		(1125)		
		l and tilt wheel			
	Vinyl/Rubbe				
13.	Vinyl seats				
14.	2 sets of keys	1 0			
DEALE	R COMPLE	<u>ΓΕ:</u>			
MAKE		MODEL 2WD/SHORT BO	OX/SRW	GVWR	EACH \$
GAS M	PG: CITY_	HWY	ENGINE SIZE	HP	E-85 COMPATIBLE?
MAKE		_ MODEL 2WD/8' BOX/S	RW	GVWR	EACH \$
GAS M	PG: CITY	HWY	ENGINE SIZE	HP	E-85 COMPATIBLE?
MAKE		_MODEL 2WD 8' BOX/D	RW	GVWR	EACH \$
GAS M	PG: CITY	HWY	ENGINE SIZE	HP	E-85 COMPATIBLE?
*MAKI	E	MODEL 4WD/SHORT BO	OX/SRW	GVWR	EACH \$
GAS M	PG: CITY	HWY	ENGINE SIZE	HP	E-85 COMPATIBLE?
*MAKI	Ε	MODEL 4WD/8' BOX/	SRW	GVWR	EACH \$
GAS M	PG: CITY	HWY	ENGINE SIZE	HP	E-85 COMPATIBLE?
*MAKI	E	MODEL 4WD 8' BOX/I	DRW	GVWR	EACH \$
GAS M	PG: CITY_	HWY	ENGINE SIZE	HP	E-85 COMPATIBLE?

OPTIONAL EQUIPMENT PRICES, Item # 6

Indicate the cost or deduction for the below listed options. Price should include all required options and special equipment.

Option 6A.	Exterior color to be Federal Standard #595C "DOT Highway Yellow"		EACH \$
Option 6B.	2 Full length cab steps or running boards. (One on drivers side, one on passenger side)		SET \$
Option 6C.	Optional Rear Axle Ratio Axle Ratio		EACH \$
Option 6D.	Limited Slip Rear Axle	Axle Ratio	EACH \$
Option 6E.	Commercial grade spray on bed lining to be applied on floors, sides, front, tailgate and top of rail.		EACH \$
Option 6F.	Bluetooth Capability		
Option 6G.	Additional set of keys (Ignition and door locks)		EACH \$
Option 6H.	Option for Single Rear Wheels (SRW) in lieu of Dual Rear Wheels		EACH \$
Option 6I.	Standard diesel engine in lieu of g (State size and horsepower)	gasoline engine	EACH \$
	SIZE HORSE	POWER	
	below the percent (%) discount off Ma or pricing guides.	anufacturer's Suggested Retail Prices (M	SRP) for all vehicle options available in
% discount of	MSRP for all Data Book or Pricing	Guide Options: - % Discount	
Delivery will b	e made annrovimately	days after receipt of ord	ler.

ITEM #7 - New standard equipped 2017 or Newer Model 1 Ton Regular Chassis-Cab with DRW and 60" CA

EXAMPLES OF ACCEPTABLE MAKES AND MODELS: Standard Ford F-350 2WD/4WD, 60"CA/ 145"WB and DRW Standard Chevrolet 3500HD/GMC 3500HD 2WD/4WD, 60" CA/137" WB and DRW Standard Dodge 3500 2WD/4WD, 60" CA/143" WB and DRW *ONLY THE 4WD MODELS ARE RECOMMENDED FOR SNOW PLOWS* All units bid must contain the following options: 1. Standard, diesel engine with the highest cooling capacity 2. Manufacturer's standard rear end axle ratio (Ratio: _____) 3. Automatic Transmission (Speeds) 4. Air conditioning 5. LH & RH manual mirrors 6. Tires:(6) 10 ply(minimum) light truck, plus full size spare and wheel (Size 7. Minimum 11,000 lbs. GVWR 8. Brakes, 4-wheel anti-lock braking system (ABS) 9. Daytime running lights 10. Speed control and tilt wheel 11. Vinyl/Rubber Flooring 12. Back up alarm 13. Vinyl seats 14. 2 sets of keys **DEALER COMPLETE IN DETAIL:** MAKE ______ MODEL 2WD/60" CA _____ GVWR ____ EACH \$ _____ FUEL MPG: CITY_____ HWY____ ENGINE SIZE____ HP___ E-85 COMPATIBLE? ___ *MAKE _____ MODEL 4WD/60" CA_____ GVWR____ EACH \$_____ FUEL MPG: CITY HWY ENGINE SIZE HP E-85 COMPATIBLE? OPTIONAL EQUIPMENT PRICES, Item # 7 Indicate the cost or deduction for the below listed options. Price should include all required options and special equipment. Option 7A.1 Mounted 9' platform body meeting Specification E1320DRW MAKE ____ EACH \$ _____ MODEL _____ MODEL EACH \$ _____ MAKE Mounted aluminum 9' platform body meeting Specification E1320DRW (Minimum 1 1/4" aluminum extruded floor instead of steel) MODEL _____ EACH \$ MAKE _____ EACH \$ _____ MODEL ____ MAKE _____

Mounted 9' platform dump body meeting Specification E1327

MODEL

MODEL

EACH \$

EACH \$____

Page 20 of 59

Option 7B.1

MAKE _____

MAKE _____

Option 7B.2	Mounted aluminum 9' platform dump body meeting Specification E1327 (Minimum 1 1/4" aluminum extruded floor instead of steel)			
	MAKE	MODEL	EACH \$	
,	MAKE	MODEL	EACH \$	
Option 7C.1	Mounted 9' dump body meeting Specific	cation E1335		
	MAKE	MODEL	EACH \$	
	MAKE	MODEL	EACH \$	
Option 7C.2	Mounted 9' aluminum dump body meet	ing Specification E1335-ALUM		
	MAKE	MODEL	EACH \$	
1	MAKE	MODEL	EACH \$	
Option 7D.	Permanently installed bulkhead to fit tre (Minimum requirement to top of cab)	uck application	EACH \$	
Option 7E.	Provide live hydraulics with under hood clutch pump. Pump shall be cast iron design capable of 3500 PSI; aluminum pumps will not be accepted. Reservoir shall be 7 gallon with filtered breather cap, suction strainer, sight gauge and in tank return filter rated to 25 GPM. Valve shall be cable operated. Control valve must have a main relief and a relief for the hoist down function. This shall control the hoist only.			
Option 7F.	Provide hydraulics and controls 12VDC	activated for dump hoist only	EACH \$	
Option 7G.	Mounted standard utility tool body			
	Acceptable makes and models are: Knapheide 6108D54J, Reading CLASSIC II 108A D.W. Omaha 108D54V,	Stahl CHALLENGER II 108VVD- 5 RKI L60DW94.	54,	
	Body to include flush mounted LED tail as required per FMVSS 108 standards. bumper with pintle hook recess.		hts	
MAKE	MODI	EL E.	ACH \$	
MAKE	MODI	EL E.	ACH \$	
Option 7H.	Mounted fiberglass composite utility tool body.			
	Acceptable makes and models are: Brand FX Composite Service Body (Model 60LS) Equivalents accepted if pre-approved at least 5 working days before bid opening.			
	Body to include flush mounted LED tail lights as required per FMVSS 108 stand plate step bumper with pintle hook reces	ards. Unit must include a tread		
MAKE	MODI	EL E.	ACH \$	

Option 71.	approximately 1 ½" from top of compartment with approximately 2 ½" between trays in lieu of two shelves and dividers in one of the full height vertical compartment.	EACH 5
Option 7J.	Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 $\frac{1}{4}$ " from bottom of compartment with approximately 1 $\frac{1}{2}$ " between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments.	EACH \$
Option 7K.	Flip top for Utility Body: Top of compartment opens for storage. Can be either side or both sides. Telescopic roof and crane mounting kit will impact flip top application. Latch is located in center horizontal compartment.	EACH \$
Option 7L.	One - double bottle gas drop well and retainers in lieu of three shelves and dividers in one of the full height vertical compartments, maintaining an interior height of 48".	EACH \$
Option 7M.	Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area (Canopy Roof Style).	EACH \$
Option 7N.	Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, end gate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and end gate cover.	EACH \$
Option 7O.	Raise Telescopic Roof to get 36" clearance for the above option.	EACH \$
Option 7P.	Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)	EACH \$
Option 7Q.	Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bum	EACH \$
Option 7R.	Heavy - duty, Class V (2-1/2" square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV), seven-wire RV style trailer plug and electric trailer brake controller	EACH \$
Option 7S.	Exterior color to be Federal Standard #595C "DOT Highway Yellow"	EACH \$
Option 7T.	Automatic transmission power take-off provision	EACH \$
Option 7U.	2 Full length cab steps or running boards. (One on drivers side, one on passenger side.)	SET \$
Option 7V.	Optional Rear Axle Ratio Axle Ratio	EACH \$
Option 7W.	Limited Slip Rear Axle Axle Ratio	EACH \$

Option 7X.	Bluetooth Capability		EACH S
Option 7Y.	Additional set of keys (Ignition and door locks	9)	EACH \$
Option 7Z.	Standard gasoline engine in lieu of diesel engine DEDUCT (State size and horsepower)	ne with the highest cooling capacity	EACH \$
	SIZE HORSEPOWER		
	below the percent (%) discount off Manufacturer's or pricing guides.	Suggested Retail Prices (MSRP) for all	l vehicle options available in
% discount off	MSRP for all Data Book or Pricing Guide Option	s: - % Discount	
Delivery will b	e made approximately	_ days after receipt of order.	

ITEM #8 - New standard equipped 2017 or Newer Model 1 Ton Crew Chassis-Cab with DRW and 60" CA

EXAMPLES OF ACCEPTABLE MAKES AND MODELS: Standard Ford F-350 2WD/4WD with 60"CA/179"WB and DRW Standard Chevrolet 3500HD/GMC 3500HD 2WD/4WD with 60"CA/167"WB and DRW Standard Dodge 3500 2WD/4WD with 60"CA/168"WB and DRW *ONLY THE 4WD MODELS ARE RECOMMENDED FOR SNOW PLOW* All units bid must contain the following options: 1. Standard, diesel engine with the highest cooling capacity 2. Manufacturer's standard rear end axle ratio (Ratio: 3. Automatic Transmission (Speeds) 4. Air conditioning 5. LH & RH manual mirrors 6. Tires:(6) 10 ply(minimum) light truck, plus full size spare and wheel (Size) 7. Minimum 11,000 lbs. GVWR Brakes, 4-wheel anti-lock braking system (ABS) Daytime running lights 9. 10. Speed control and tilt wheel Vinyl/Rubber Flooring 12. Back up alarm 13. Vinyl seats 14. 2 sets of keys **DEALER COMPLETE IN DETAIL:** MAKE _____ MODEL 2WD/60" CA_____ GVWR____ EACH \$____ FUEL MPG: CITY_____ HWY____ ENGINE SIZE_____HP____ E-85 COMPATIBLE? ____ *MAKE ______ MODEL 4WD/60" CA______ GVWR_____EACH \$ _____ FUEL MPG: CITY_____ HWY____ ENGINE SIZE_____HP____ E-85 COMPATIBLE?____ **OPTIONAL EQUIPMENT PRICES, Item #8** Indicate the cost or deduction for the below listed options. Price should include all required options and special equipment. Option 8A.1 Mounted 9' platform body meeting Specification E1320DRW MODEL _____ MAKE _____ EACH \$ _____ EACH \$ _____ MAKE _____ MODEL _____ Mounted aluminum 9' platform body meeting Specification E1320DRW Option 8A.2 (Minimum 1 1/4" aluminum extruded floor instead of steel) MAKE _____ MODEL EACH \$ EACH \$ _____ MAKE _____ MODEL _____

Mounted 9' platform dump body meeting Specification E1327

(Minimum 1 1/4" aluminum extruded floor instead of steel)

Mounted aluminum 9' platform dump body meeting Specification E1327

MAKE _____

MODEL _____

MODEL

EACH \$ _____

EACH \$

Option 8B.2
Page 24 of 59

Option 8B.1

	MAKE	MODEL	EACH \$
	MAKE	MODEL	EACH \$
Option 8C.1	Mounted 9' dump body meeting Specifi	cation E1335	
	MAKE	MODEL	EACH \$
	MAKE	MODEL	EACH \$
Option 8C.2	Mounted 9' aluminum dump body meet	ting Specification E1335-ALUM	
	MAKE	MODEL	EACH \$
	MAKE	MODEL	EACH \$
Option 8D.	Permanently installed bulkhead to fit tr (Minimum requirement to top of cab)	ruck application	EACH \$
Option 8E.	Provide live hydraulics with under hood clutch pump. Pump shall be cast iron design capable of 3500 PSI; aluminum pumps will not be accepted. Reservoir shall be 7 gallon with filtered breather cap, suction strainer, sight gauge and in tank return filter rated to 25 GPM. Valve shall be cable operated. Control valve must have a main relief and a relief for the hoist down function. This shall control the hoist only.		
Option 8F.	Provide hydraulics and controls 12VDC	activated for dump hoist only	EACH \$
Option 8G.	Mounted standard utility tool body		
	Acceptable makes and models are: Knapheide 6108D54J, Reading CLASSIC II 108A D.W. Omaha 108D54V,	Stahl CHALLENGER II 108VVD- 54, RKI L60DW94.	
	Body to include flush mounted LED tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.		
	MAKE	MODEL	EACH \$
	MAKE	MODEL	EACH \$
Option 8H.	Mounted fiberglass composite utility too	ol body.	
	Acceptable makes and models are: Brand FX Composite Service Body (Model 60LS) Equivalents accepted if pre-approved at least 5 working days before bid opening.		
	Body to include flush mounted LED tailights as required per FMVSS 108 stand plate step bumper with pintle hook received.	dards. Unit must include a tread	
	MAKE	MODEL	EACH \$
Option 81.	Six - 2" deep full width 250 lb. capacity.	, free-sliding tool drawers mounted	EACH \$

Page 25 of 59

	approximately 1 $\frac{1}{2}$ " from top of compartment with approximately 2 $\frac{1}{2}$ " between trays in lieu of two shelves and dividers in one of the full height vertical compartment.	
Option 8J.	Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted $5\frac{1}{4}$ " from bottom of compartment with approximately $1\frac{1}{2}$ " between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments.	EACH \$
Option 8K.	Flip top for Utility Body: Top of compartment opens for storage. Can be either side or both sides. Telescopic roof and crane mounting kit will impact flip top application. Latch is located in center horizontal compartment.	EACH \$
Option 8L.	One - double bottle gas drop well and retainers in lieu of three shelves and dividers in one of the full height vertical compartments, maintaining an interior height of 48".	EACH \$
Option 8M.	Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area (Canopy Roof Style).	EACH \$
Option 8N.	Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, end gate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and end gate cover.	EACH \$
Option 8O.	Raise Telescopic Roof to get 36" clearance for the above option.	EACH \$
Option 8P.	Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)	EACH \$
Option 8Q.	Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper	EACH \$
Option 8R.	Heavy - duty, Class V (2-1/2 " square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV), seven-wire RV style trailer plug and electric trailer brake controller	EACH \$
Option 8S.	Exterior color to be Federal Standard #595C "DOT Highway Yellow"	EACH \$
Option 8T.	Automatic transmission power take-off provision	EACH \$
Option 8U.	2 Full length cab steps or running boards. (One on drivers side, one on passenger side.)	SET \$
Option 8V.	Optional Rear Axle Ratio	EACH \$
Option 8W.	Limited Slip Rear Axle Axle Ratio	EACH \$
Option 8X.	Bluetooth Capability	EACH \$

Option 8Y.	Additional set of keys (Ignition and door lo	cks)	EACH \$
Option 8Z.	Standard gasoline engine in lieu of diesel en	ngine with the highest cooling capacity	EACH \$
	DEDUCT (State size and horsepower)	SIZE HORSEPOWE	R
	below the percent (%) discount off Manufacture or pricing guides.	r's Suggested Retail Prices (MSRP) for all	vehicle options available in
% discount of	f MSRP for all Data Book or Pricing Guide Opt	tions: - % Discount	
Delivery will b	oe made approximately	days after receipt of order.	

EXAMPLES OF ACCEPTABLE MAKES AND MODELS:

MAKE

MAKE _____

Mounted 11' platform dump body meeting Specification E1327:

ITEM #9 - New standard equipped 2017 or Newer Model 1 Ton Regular Cab Chassis-Cab with DRW and 84" CA

Standard Ford F-350 2WD/4WD with 84"CA/169"WB and DRW Standard Chevrolet 3500 HD/GMC 3500 HD 2WD/4WD with 84"CA/161"WB and DRW Standard Dodge Ram 3500 2WD/4WD with 84"CA/167"WB and DRW *ONLY THE 4WD MODELS ARE RECOMMENDED FOR SNOW PLOW* All units bid must contain the following options: 1. Standard, diesel engine with the highest cooling capacity Manufacturer's standard rear end axle ratio (Ratio: ______) 3. Automatic Transmission (Speeds) 4. Air conditioning 5. LH & RH manual mirrors 6. Tires:(6) Minimum 10 ply light truck, plus full size spare and wheel (Size Minimum 11,000 lbs. GVWR 8. Brakes, 4-wheel anti-lock braking system (ABS) 9. Daytime running lights 10. Speed control and tilt wheel 11. Vinyl/Rubber Flooring 12. Back up alarm 13. Vinyl seats 14. 2 sets of keys **DEALER COMPLETE IN DETAIL:** MAKE _____ MODEL 2WD/84" CA _____ GVWR ____ EACH \$ _____ FUEL MPG: CITY_____ HWY____ ENGINE SIZE_____ HP____ E-85 COMPATIBLE? ____ *MAKE _____ MODEL 4WD/84" CA _____ GVWR ____ EACH \$ _____ FUEL MPG: CITY HWY ENGINE SIZE HP E-85 COMPATIBLE? OPTIONAL EQUIPMENT PRICES, Item # 9 Indicate the cost or deduction for the below listed options. Price should include all required options and special equipment. Mounted 11' platform body meeting Specification E1320DRW: Option 9A.1 MAKE MODEL EACH \$ _____ MAKE MODEL EACH \$ Option 9A.2 Mounted 11' aluminum platform body meeting Specification E1320DRW: (Minimum 1 1/4" aluminum extruded floor instead of steel) MODEL EACH \$ _____ MAKE _____

MODEL ____

MODEL _____

MODEL _____

EACH \$

EACH \$

EACH \$ _____

Option 9B.1

Option 9B.2	Mounted 11' aluminum platform dump body meeting Specification E1327: (Minimum 1 1/4" aluminum extruded floor instead of steel)				
	MAKE	MODEL	EACH \$		
	MAKE	MODEL	EACH \$		
Option 9C.	Permanently installed bulkhead to fi (Minimum requirement to top of cal		EACH \$		
Option 9D.	Provide live hydraulics with under hood clutch pump. Pump shall be cast iron design capable of 3500 PSI; aluminum pumps will not be accepted. Reservoir shall be 7 gallon with filtered breather cap, suction strainer, sight gauge and in tank return filter rated to 25 GPM. Valve shall be cable operated. Control valve must have a main relief and a relief for the hoist down function. This shall control the hoist only.		EACH \$		
Option 9E.	Provide hydraulics and controls 12V	DC activated for dump hoist only	EACH \$		
Option 9F.	Mounted standard utility tool body				
	Acceptable makes and models are: Knapheide 6132D54J Reading CLASSIC II 132A DW Omaha 132D54V	Stahl CHALLENGER 132VVD-54 RKI L84DW94			
	Body to include flush mounted LED tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess				
	MAKE	MODEL	EACH \$		
	MAKE	MODEL	EACH \$		
Option 9G.	Mounted fiberglass composite utility	tool body.			
	Acceptable makes and models are: Brand FX Composite Service Body (Model 84LS) Equivalents accepted if pre-approved at least 5 working days before bid opening.				
	Body to include flush mounted LED lights as required per FMVSS 108 st plate step bumper with pintle hook i				
	MAKE	MODEL	EACH \$		
Option 9H.	Six - 2" deep full width 250 lbs. capa approximately 1 ½" from top of combetween trays in lieu of two shelves a vertical compartments		EACH \$		
Option 9I.	Two full length 250 lbs. capacity frewith slots on 4" centers with first tracompartment with approximately 1 mounted above first in lieu of shelf a compartments	½" between trays with second tray	EACH \$		
Option 9J.	Flip top for Utility Body: Top of co Can be either side or both sides. Tel will impact flip top application. Lat		EACH \$		

Option 9K.	Minimum 25" high panel extension cover w doors which will provide a minimum 48" in work area (Canopy roof style).		EACH \$
Option 9L.	Body to have 3 sections, tempered steel telespiece, rigid aluminum, end gate cover to proand theft. A mechanical type seal will be plroof and end gate cover	otect cargo area from weather	EACH \$
Option 9M.	Raise Telescopic Roof to get 36" clearance f	for the above option	EACH \$
Option 9N.	Crane mount reinforced rigidly while main on top rear corner of body either left or rigid (with no mounting holes or bolt holes, we wanted	ht for a 3500 lbs. capacity crane	EACH \$
Option 9O.	One - double bottle gas drop well with mini (for large Bottle use) and retainers in lieu of vertical compartment		EACH \$
Option 9P.	Commercial grade spray on bed lining to be utility body, to include floor, sides tailgate, bumper		EACH \$
Option 9Q.	Heavy duty, Class V (2-1/2" square tube) re Includes an adapter to reduce to 2" (Class I RV style trailer plug and electric trailer bra	III/IV), seven-wire	EACH \$
Option 9R.	Exterior color to be Federal Standard #595C "DOT Highway Yellow"		EACH \$
Option 9S.	Automatic transmission power take off provision		EACH \$
Option 9T.	2 Full-length cab steps or running boards. (One on drivers side, one on passenger side)	SET \$
Option 9U.	Optional Rear Axle Ratio	Axle Ratio	EACH \$
Option 9V.	Limited Slip Rear Axle	Axle Ratio	EACH \$
Option 9W.	Bluetooth Capability		EACH \$
Option 9X.	Additional set of keys (Ignition and door lo	cks)	EACH \$
Option 9Y.	Standard gasoline engine with the highest of diesel engine DEDUCT (State size and hor		EACH \$
	SIZE HORSEPOWER		
	pelow the percent (%) discount off Manufacture or pricing guides.	r's Suggested Retail Prices (MSRP) for all	vehicle options available in
% discount off	MSRP for all Data Book or Pricing Guide Opt	ions: - % Discount	
Delivery will be	e made approximately	days after receipt of order.	

ITEM # 10 - New standard equipped 2017 or Newer Model 15,000 LB. GVWR Chassis-Cab with DRW and 60" CA.

EXAMPLES OF ACCEPTABLE MAKES AND MODELS:

Standard Ford Super Duty F450 2WD/4WD with 60"CA/145" WB and DRW Standard Dodge 4500 2WD/4WD with 60"CA/144.5" WB and DRW

	All units bid must contain the following options:				
	ndard, diesel engine with the highe				
	nufacturer's standard rear end axle				
	tomatic Transmission (Speeds	_)			
	conditioning				
	& RH manual mirrors	1.1.1	and and advantage (Cine		
		highway all season, plus full size sp	are and wheel (Size)		
	nimum 15,000 lbs. GVWR	etem (ADS)			
	rakes, 4-wheel anti-lock braking sy	stem (ABS)			
	aytime running lights				
	beed control and tilt wheel				
	inyl/Rubber Flooring ack up alarm				
	inyl seats				
	sets of keys				
17. 2	sets of keys				
DEALER COM	IPLETE IN DETAIL				
DEITEL COM					
MAKE	MODEL 2WD/60" CA	GVWR	EACH \$		
FUEL MPG: C	ITY HWY	ENGINE SIZE	HP E-85 COMPATIBLE?		
45 F A T 285	MODEL AND CON CA	CVAVD	E A CH O		
*MAKE	MODEL 4WD/60" CA_	GVWR	EACH \$		
FUEL MPG: C	ITV HWV	FNCINF SIZE	HP E-85 COMPATIBLE?		
TOEL MI G. C.	nw1	ENGINE SIZE	m E-03 COMI ATIBLE:		
	OPTION	AL EQUIPMENT PRICES, Item	# 10		
Indicate the cos			required options and special equipment.		
Option 10A.1	Mounted 9' platform body meet	ing Specification E1320DRW			
			7.0220		
	MAKE	MODEL	EACH \$		
	26475	MODEL	E + CW 6		
1	MAKE	MODEL	EACH \$		
0-4: 104.2	Manufad Ol aluminum platfaum	hade marting Specification E122			
Option 10A.2		body meeting Specification E132	UDKW		
	(Minimum 1 1/4" aluminum ex	truded floor instead of steel)			
	MAKE	MODEL	EACH \$		
	WAKE	MODEL			
	MAKE	MODEL	EACH \$		
•	WATER	WIODEL			
Option 10B.1	Mounted 9' platform dump bod	y meeting Specification E1327			
•	-				
	MAKE	MODEL	EACH \$		
	MAKE	MODEL			

Option 10B.2	Mounted 9' aluminum platform dump body meeting Specification E1327 (Minimum 1 1/4" aluminum extruded floor instead of steel)		
	MAKE	MODEL	EACH \$
	MAKE	MODEL	EACH \$
Option 10C.1	Mounted 9' dump body meeting 8	Specification E1335	
	MAKE	MODEL	EACH \$
	MAKE	MODEL	EACH \$
Option 10C.2	Mounted 9' aluminum dump bod	ly meeting Specification E1335-ALUM	
	MAKE	MODEL	EACH \$
	MAKE	MODEL	EACH \$
Option 10D.	Permanently installed bulkhead t requirement to top of cab)	to fit truck application (minimum	EACH \$
Option 10E.	Provide live hydraulics with under hood clutch pump. Pump shall be cast iron design capable of 3500 PSI; aluminum pumps will not be accepted. Reservoir shall be 15 gallon with filtered breather cap, suction strainer, sight gauge and in tank return filter rated to 25 GPM. Control valve shall be 3 section mobile stack valve for hoist, plow and spreader. Valve shall be 12VDC activated capable of a minimum 12 GPM and installed in a valve enclosure. Control valve must have a main relief and a relief for the hoist down function. The hoist, plow and spreader functions shall be controlled by a Certified Power Freedom 2.0 12VDC control console with automated spreading for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in a salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck.		
Option 10F.	manual cable controlled and the	ow and spreader, hoist and plow controls to be spreader control shall be a Certified Power control. The hydraulic system requirements s.	EACH \$
Option 10G.	Provide hydraulics and controls	12VDC activated for dump hoist only	EACH \$
Option 10H.	Omaha 108D54V, Body to include flush mounted L		
	bumper with pintle hook recess		
	MAKE	MODEL	EACH \$
	MAKE	MODEL	EACH \$

Option 10I.	Mounted fiberglass composite utility tool body. Acceptable makes and models are: Brand FX Composite Service Body (Model 84LS) Equivalents accepted if pre-approved at least 5 working days before bid opening.	
	Body to include flush mounted LED tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess	
	MAKE MODEL	EACH \$
Option 10J.	Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 ½" from top of compartment with approximately 2 ½" between trays in lieu of two shelves and dividers in one of the full height vertical compartments	EACH \$
Option 10K.	Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 ¼ " from bottom of compartment with approximately 1 ½" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments	EACH \$
Option 10L.	Flip top for Utility Body: Top of compartment opens for storage. Can be either side or both sides. Telescopic roof and crane mounting kit	EACH \$
Option 10M.	will impact flip top application. Latch is located in center horizontal compartment One - double bottle gas drop well and retainers in lieu of two shelves and dividers in one of the full height vertical compartments, maintaining an interior height of 48"	EACH \$
Option 10N.	Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area (Canopy roof style).	EACH \$
Option 10O.	Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, end gate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and end gate cover	EACH \$
Option 10P.	Raise Telescopic Roof to get 36" clearance for the above option	EACH \$
Option 10Q.	Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)	EACH \$
Option 10R.	Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper	EACH \$
Option 10S.	Heavy duty, Class V (2-1/2 " square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV), seven-wire RV style trailer plug and electric trailer brake controller	EACH \$
Option 10T.	Exterior color to be Federal Standard #595C "DOT Highway Yellow"	EACH \$
Option 10U.	Automatic transmission power take-off provision	EACH \$

Option 10V.	(One on drivers side, one on p	_	SET \$
Option 10W.	Optional Rear Axle Ratio	Axle Ratio	EACH \$
Option 10X.	Limited Slip Rear Axle	Axle Ratio	EACH \$
Option 10Y.	Bluetooth Capability		EACH \$
Option 10Z.	Additional set of keys (Ignitio	n and door locks)	EACH \$
Option 10AA.	Standard gasoline engine with the highest cooling capacity in lieu of diesel engine—DEDUCT (State size and horsepower)		EACH \$
	SIZEHO	RSEPOWER	
	pelow the percent (%) discount of or pricing guides.	ff Manufacturer's Suggested Retail Prices (MSR	P) for all vehicle options available in
% discount off N	MSRP for all Data Book or Price	ing Guide Options: - % Discount	-
Delivery will be	e made approximately	days after receipt of order	y

ITEM # 11 - New standard equipped 2017 or Newer Model 15,000 LB. GVWR Crew Cab Chassis Cab with DRW and 60" CA.

EXAMPLES OF ACCEPTABLE MAKES AND MODELS:

Standard Ford Super DutyF450 2WD/4WD with 60"CA/179"WB with DRW Standard Dodge 4500 2WD/4WD with 60"CA/173.4" WB and DRW

All units bid must contain the following options: 1. Standard, diesel engine with the highest cooling capacity Size Horsepower) 2. Manufacturer's standard rear end axle ratio (Ratio:) 3. Automatic Transmission (Speeds) 4. Air conditioning 5. LH & RH manual mirrors 6. Tires:(6) Minimum 10 ply light truck, highway all season, plus full size spare and wheel (Size) 7. Minimum 15,000 lbs. GVWR 8. Brakes, 4-wheel anti-lock braking system (ABS) 9. Daytime running lights 10. Speed control and tilt wheel 11. Vinyl/Rubber Flooring 12. Back up alarm 13. Vinyl seats 14. 2 sets of keys				
DEALER COM	IPLETE IN DETAIL			
MAKE	MODEL 2WD/60" CA	GVWR	EACH \$	
FUEL MPG: C	ITY HWY	ENGINE SIZE	HP E-	85 COMPATIBLE?
*MAKE	MODEL 4WD/60" CA	GVW	REAC	CH \$
FUEL MPG: CITY HWY ENGINE SIZEHPE-85 COMPATIBLE?				
OPTIONAL EQUIPMENT PRICES, Item # 11 Indicate the cost or deduction for the below listed options. Price should include all required options and special equipment.				
Option 11A.1	Mounted 9' platform body meeti	ng Specification E1320DRW		
	MAKE	MODEL		EACH \$
	MAKE	MODEL	Address Assessment and Assessment and Assessment and Assessment and Assessment and Assessment and Assessment a	EACH \$
Option 11A.2	Mounted 9' aluminum platform (Minimum 1 1/4" aluminum ext			
	MAKE	MODEL		EACH \$
	MAKE	MODEL		EACH \$
Option 11B.1	Mounted 9' platform dump body	meeting Specification E132	7	
	MAKE	MODEL		EACH \$
	MAKE	MODEL		EACH \$

Option 11B.2	Mounted 9' aluminum platform dump body meeting Specification E1327 (Minimum 1 1/4" aluminum extruded floor instead of steel)			
	MAKE	MODEL	EACH \$	
,	MAKE	MODEL	EACH \$	
Option 11C.1	Mounted 9' dump body meeting S	specification E1335		
	MAKE	MODEL	EACH \$	
	MAKE	MODEL	EACH \$	
Option 11C.2	Mounted 9' aluminum dump bod	y meeting Specification E1335-ALUM		
	MAKE	MODEL	EACH \$	
	MAKE	MODEL	EACH \$	
Option 11D.	Permanently installed bulkhead to requirement to top of cab)	o fit truck application (minimum	EACH \$	
Option 11E.	design capable of 3500 PSI; alumi be 15 gallon with filtered breather return filter rated to 25 GPM. Co for hoist, plow and spreader. Valv 12 GPM and installed in a valve e and a relief for the hoist down fur shall be controlled by a Certified automated spreading for mounted platform body in specification E1	r hood clutch pump. Pump shall be cast iron inum pumps will not be accepted. Reservoir shall r cap, suction strainer, sight gauge and in tank ntrol valve shall be 3 section mobile stack valve we shall be 12VDC activated capable of a minimum nclosure. Control valve must have a main relief action. The hoist, plow and spreader functions Power Freedom 2.0 12VDC control console with d dump body in specification E1335 or mounted 327. This package shall be capable of driving the eader, and power to raise angle plow. All hoses ar of truck.	EACH \$	
Option 11F.	manual cable controlled and the s	ow and spreader, hoist and plow controls to be spreader control shall be a Certified Power control. The hydraulic system requirements s.	EACH \$	
Option 11G.	Provide hydraulics and controls 1	2VDC activated for dump hoist only	EACH \$	
Option 11H.	Reading CLASSIC II 108A DW Omaha 108D54V, Body to include flush mounted Li			
	MAKE	MODEL	EACH \$	
	MAKE	MODEL	EACH \$	

Option 11I.	Mounted fiberglass composite utility tool body. Acceptable makes and models are: Brand FX Composite Service Body (Model 84LS) Equivalents accepted if pre-approved at least 5 working days before bid opening.				
	Body to include flush mounted LED tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess				
	MAKE MODEL	EACH \$			
Option 11J.	Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 ½" from top of compartment with approximately 2 ½" between trays in lieu of two shelves and dividers in one of the full height vertical compartments	EACH \$			
Option 11K.	Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 $\frac{1}{4}$ " from bottom of compartment with approximately 1 $\frac{1}{2}$ " between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments	EACH \$			
Option 11L.	Flip top for Utility Body: Top of compartment opens for storage. Can be either side or both sides. Telescopic roof and crane mounting kit	EACH \$			
Option 11M.	will impact flip top application. Latch is located in center horizontal compartment One - double bottle gas drop well and retainers in lieu of two shelves and dividers in one of the full height vertical compartments, maintaining an interior height of 48"	EACH \$			
Option 11N.	Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area (Canopy roof style).	EACH \$			
Option 11O.	Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, end gate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and end gate cover	EACH \$			
Option 11P.	Raise Telescopic Roof to get 36" clearance for the above option	EACH \$			
Option 11Q.	Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves)	EACH \$			
Option 11R.	Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper	EACH \$			
Option 11S.	Heavy duty, Class V (2-1/2 " square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV), seven-wire RV style trailer plug and electric trailer brake controller	EACH \$			
Option 11T.	Exterior color to be Federal Standard #595C "DOT Highway Yellow"	EACH \$			
Option 11U.	Automatic transmission power take-off provision	EACH \$			

Option 11V.	2 Full length cab steps or run (One on drivers side, one on p		SET \$
Option 11W.	Optional Rear Axle Ratio	Axle Ratio	EACH \$
Option 11X.	Limited Slip Rear Axle	Axle Ratio	EACH \$
Option 11Y.	Bluetooth Capability		EACH \$
Option 11Z.	Additional set of keys (Ignition	on and door locks)	EACH \$
Option 11AA.	A. Standard gasoline engine with the highest cooling capacity in lieu of diesel engine – DEDUCT (State size and horsepower)		EACH \$
	SIZEHO	RSEPOWER	
	below the percent (%) discount or or pricing guides.	ff Manufacturer's Suggested Retail Prices (MSRI	P) for all vehicle options available in
% discount off	MSRP for all Data Book or Pric	ing Guide Options: - % Discount	_
Delivery will be	e made approximately	days after receipt of order.	

ITEM # 12 - New standard equipped 2017 or Newer Model 15000 LB. GVWR Reg Cab Chassis-Cab 84" CA with DRW.

EXAMPLES OF ACCEPTABLE MAKES AND MODELS:
Standard Ford Super Duty F450 2WD/4WD with 84"CA/169" WB and DRW Standard Dodge 4500 with 168.5" Wheelbase, Cab to Axle 84"

	st contain the following options:			
	Standard, diesel engine with the high		`	
	Manufacturer's standard rear end a Automatic Transmission (Speeds)	
	Air conditioning			
5.	LH & RH manual mirrors			
		ck, highway all season, plus ful	l size spare a	nd wheel (Size
	Minimum 15,000 lbs. GVWR Brakes, 4-wheel anti-lock braking	system (ABS)		
	Daytime running lights	(125)		
10.	Speed control and tilt wheel			
	Vinyl/Rubber Flooring			
	Back up alarm Vinyl seats			
	2 sets of keys			
	,			
DEALER COM	PLETE IN DETAIL:			
MAKE	MODEL 2WD/84" CA	GVWR	EA	СН \$
FUEL MPG: CI	TY HWY	_ ENGINE SIZE	HP	E-85 COMPATIBLE?
*MAKE	MODEL 4WD/84" CA	GVWI	R	EACH \$
FUEL MPG: CI	TY HWY	ENGINE SIZE	HP	E-85 COMPATIBLE?
	OPTIONA	AL EQUIPMENT PRICES, I	tem # 12	
Indicate the cos	t or deduction for the below listed			l options and special equipment.
Option 12A.1	Mounted 12' platform body meet	ting Specification E1320DRW	,	
	MAKE	MODEL		EACH \$
,	MAKE	MODEL		EACH \$
Option 12A.2	Mounted 12' aluminum platform (Minimum 1 1/4" aluminum ext		E1320DRW	
	MAKE	MODEL		EACH \$
	MAKE	MODEL		EACH \$
Option 12B.1	Mounted 11' platform dump bod	y meeting Specification E132	7	
	MAKE	MODEL		EACH \$
	MAKE	MODEL		EACH \$

Option 12B.2	(Minimum 1 1/4" aluminum extruded floor instead of steel)					
	MAKE	MODEL	EACH \$			
1	MAKE	MODEL	EACH \$			
Option 12C.	Permanently installed bulkhorequirement to top of cab)	ead to fit truck application (minimum	EACH \$			
Option 12D.	design capable of 3500 PSI; a be 15 gallon with filtered bre return filter rated to 25 GPM for hoist, plow and spreader. 12 GPM and installed in a va and a relief for the hoist dow shall be controlled by a Certi automated spreading for morplatform body in specificatio	under hood clutch pump. Pump shall be cast iron aluminum pumps will not be accepted. Reservoir shall eather cap, suction strainer, sight gauge and in tank of the control valve shall be 3 section mobile stack valve. Valve shall be 12VDC activated capable of a minimum live enclosure. Control valve must have a main relief on function. The hoist, plow and spreader functions ified Power Freedom 2.0 12VDC control console with unted dump body in specification E1335 or mounted in E1327. This package shall be capable of driving the t spreader, and power to raise angle plow. All hoses to rear of truck.	EACH \$			
Option 12E.	manual cable controlled and	y, plow and spreader, hoist and plow controls to be the spreader control shall be a Certified Power ader control. The hydraulic system requirements ations.	EACH \$			
Option 12F.	Provide hydraulics and contr	rols 12VDC activated for dump hoist only	EACH \$			
Option 12G.	Mounted standard utility too	ol body.				
	as required per FMVSS 108	Stahl CHALLENGER II 132VVD-54 DW Omaha 132D54V ed LED tail, stop, turn, backup and clearance lights standards. Unit must include a tread plate step				
	bumper with pintle hook rec					
	MAKE	MODEL	EACH \$			
	MAKE	MODEL	EACH \$			
Option 12H.	Mounted fiberglass composit	te utility tool body.				
	Acceptable makes and models are: Brand FX Composite Service Body (Model 84LS) Equivalents accepted if pre-approved at least 5 working days before bid opening.					
		ed LED tail, stop, turn, backup and clearance S 108 standards. Unit must include a tread e hook recess				
	MAKE	MODEL	EACH \$			

Option 121.	Six - 2" deep full width 250 lbs. capacity approximately 1 ½" from top of compart between trays in lieu of two shelves and evertical compartments	tment with approximately 2 ½"	EACH \$
Option 12J.	Two full length 250 lbs. capacity free slid with slots on 4" centers with first tray mecompartment with approximately 1 ½" be mounted above first in lieu of shelf and decompartments	ounted 5 ¼ " from bottom of between trays with second tray	EACH \$
Option 12K.	Flip top for Utility Body: Top of comparside or both sides. Telescopic roof and crapplication. Latch is located in center he	EACH \$	
Option 12L.	Minimum 25" high panel extension cover doors which will provide a minimum 48 work area (Canopy roof style).		EACH \$
Option 12M.	Body to have 3 section, tempered steel to rigid aluminum, endgate cover to protect A mechanical type seal will be placed on gate cover	t cargo area from weather and theft.	EACH \$
Option 12N.	Crane mount reinforced rigidly while may on top rear corner of body either left or a (with no mounting holes or bolt holes, we	right for a 3500 lbs. capacity crane	EACH \$
Option 12O.	Raise Telescopic Roof to get 36" clearand	ce for the above option	EACH \$
Option 12P.	One - double bottle gas drop well with m (for large bottle use) and retainers	EACH \$	
Option 12Q.	Commercial grade spray on bed lining to of the utility body, to include floor, sides surface of bumper	EACH \$	
Option 12R.	Heavy duty, Class V (2-1/2" square tube) Includes an adapter to reduce to 2" (Clas RV style trailer plug and electric trailer)	ss III/IV), seven-wire	EACH \$
Option 12S.	Exterior color to be Federal Standard #5	95C "DOT Highway Yellow"	EACH \$
Option 12T.	Automatic transmission power take-off p	provision	EACH \$
Option 12U.	2 Full-length cab steps or running board (one on drivers side, one on passenger side)		SET \$
Option 12V.	Optional Rear Axle Ratio	Axle Ratio	EACH \$
Option 12W.	Limited Slip Rear Axle.	Axle Ratio	EACH \$

Option 12X.	Bluetooth Capability	EACH \$
Option 12Y.	Additional set of keys (Ignition and door locks)	EACH \$
Option 12Z.	Standard gasoline engine with the highest cooling capacity in lieu of diesel engine-DEDUCT (state size and horsepower)	EACH \$
	SIZE HORSEPOWER	
	below the percent (%) discount off Manufacturer's Suggested Retail Prices (MSR or pricing guides.	P) for all vehicle options available in
% discount off	MSRP for all Data Book or Pricing Guide Options: - % Discount	_
Delivery will b	e made approximately days after receipt of order	•

ITEM # 13 - New standard equipped 2017 or Newer Model 17,500 LB, GVWR Reg Cab Chassis-Cab 60" CA and DRW

EXAMPLES OF ACCEPTABLE MAKES AND MODELS:

Ford Super Duty F550 2WD/4WD with 60" CA/145" WB and DRW

Dodge 55002WD/4WD with 60 "CA/144.5" WB and DRW Freightliner M2106 2WD/4WD with 61.4"CA/130" WB and DRW (Installation of a body may require modifications)

All units bid m	ust contain the follo	wing options:			
			highest cooling capacity	Size Horse	oower)
			d axle ratio (Ratio:		
	Automatic Tra		ds)		
	Air conditioni				
	LH & RH mar				
	6. Tires:(6) Mini	mum 10 ply light	truck, highway all seaso	n, plus full size spare	and wheel (Size
	7. Minimum 17,5				
	8. Brakes, 4-wh	eel anti-lock brak	king system (ABS)		
	Daytime runi				
	Speed contro				
	Vinyl/Rubbe				
	Back up aları	m			
	Vinyl seats				
	14. 2 sets of keys	\$			
DEALER CON	MPLETE IN DETAI	<u>IL:</u>			
MAKE	MODEL 2WD	CA/WB as note	d above	GVWR	EACH \$
FUEL MPG: C	CITY I	łWY	ENGINE SIZE	HP	E-85 COMPATIBLE?
*MAKE	MODEL 4WD	CA/WB as note	d above	GVWR	EACH \$
FUEL MPG: C	CITY I	łWY	ENGINE SIZE	HP	E-85 COMPATIBLE?
Indicate the co	st or deduction for t		L EQUIPMENT PRICE		ptions and special equipment.
Option 13A.1	Mounted 9' platfo	orm body meetin	g Specification E1320D	RW	
	MAKE	<u></u>	MODEL		EACH \$
ı	MAKE		MODEL		EACH \$
Option 13A.2			ody meeting Specificati uded floor instead of ste		
	MAKE		MODEL		EACH \$
	MAKE		MODEL		EACH \$
Option 13B.1	Mounted 9' platfo	orm dump body	meeting Specification E	1327	
	MAKE		MODEL		EACH \$
	MAKE		MODEL		EACH \$

Option 13B.2	ion 13B.2 Mounted 9' aluminum platform dump body meeting Specification E1327 (Minimum 1 1/4" aluminum extruded floor instead of steel)				
	MAKE	MODEL	EACH \$		
	MAKE	MODEL	EACH \$		
Option 13C.1	Mounted 9' dump body meeting	Specification E1335			
	MAKE	MODEL	EACH \$		
,	MAKE	MODEL	EACH \$		
Option 13C.2	Mounted 9' aluminum dump bo	dy meeting Specification E1335-ALUM			
	MAKE	MODEL	EACH \$		
	MAKE	MODEL	EACH \$		
Option 13D	Permanently installed bulkhead (minimum requirement to top of		EACH \$		
Option 13E.	design capable of 3500 PSI; alumbe 15 gallon with filtered breath return filter rated to 25 GPM. Of for hoist, plow and spreader. Va 12 GPM and installed in a valve and a relief for the hoist down for shall be controlled by a Certified automated spreading for mount platform body in specification E	ler hood clutch pump. Pump shall be cast iron ninum pumps will not be accepted. Reservoir shall er cap, suction strainer, sight gauge and in tank control valve shall be 3 section mobile stack valve live shall be 12VDC activated capable of a minimum enclosure. Control valve must have a main relief unction. The hoist, plow and spreader functions d Power Freedom 2.0 12VDC control console with ed dump body in specification E1335 or mounted 1327. This package shall be capable of driving the oreader, and power to raise angle plow. All hoses rear of truck.	EACH \$		
Option 13F.	manual cable controlled and the	slow and spreader, hoist and plow controls to be spreader control shall be a Certified Power on trol. The hydraulic system requirements ins.	EACH \$		
Option 13G.	Provide hydraulics and controls	12VDC activated for dump hoist only	EACH \$		
Option 13H.	Mounted standard utility tool be Acceptable makes and models a Knapheide 6108D54J, Reading CLASSIC II 108A DW RKI L60DW94.	re: Stahl CHALLENGER II 108VVD- 54 Omaha 108D54V			
		LED tail, stop, turn, backup and clearance 08 standards. Unit must include a ntle hook recess.			
	MAKE	MODEL	EACH \$		
	MAKE	MODEL	EACH \$		

Option 13I.	Mounted fiberglass composite utility tool body. Acceptable makes and models are: Brand FX Composite Service Body (Model 60LS) Equivalents accepted if pre-approved at least 5 working days before bid opening.				
	Body to include flush mounted LED tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess				
•	MAKE MODEL	EACH \$			
Option 13J.	Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 ½" from top of compartment with approximately 2 ½" between trays in lieu of two shelves and dividers in one of the full height vertical compartments	EACH \$			
Option 13K.	Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 ¼ " from bottom of compartment with approximately 1 ½" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments.	EACH \$			
Option 13L.	Flip top for Utility Body: Top of compartment opens for storage. Can be either side or both sides. Telescopic roof and crane mounting kit will impact flip top application. Latch is located in center horizontal compartment.	EACH \$			
Option 13M.	One full-length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment)	EACH \$			
Option 13N.	One double- bottle gas drop well and retainers in lieu of two shelves and dividers in one of the full height vertical compartments	EACH \$			
Option 13O.	Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area (Canopy roof style).	EACH \$			
Option 13P.	Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and end gate cover	EACH \$			
Option 13Q.	Raise Telescopic Roof to get 36" clearance for the above option	EACH \$			
Option 13R.	Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. cap. crane (with no mounting holes or bolt holes, we will drill to suit ourselves)	EACH \$			
Option 13S.	Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, side's tailgate, front, and horizontal surface of bumper	EACH \$			
Option 13T.	Heavy duty, Class V (2-1/2" square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV), seven-wire RV style trailer plug and electric brake controller	EACH \$			

Option 13U.	Exterior color to be Federal Standard #59	5C "DOT Highway Yellow"	EACH \$
Option 13V.	Automatic transmission power take-off pr	rovision	EACH \$
Option 13W.	2 cab steps. (One on driver's side, one on	passenger side)	SET \$
Option 13X.	Optional Rear Axle Ratio	Axle Ratio	EACH \$
Option 13Y.	Limited Slip Rear Axle.	Axle Ratio	EACH \$
Option 13Z.	Bluetooth Capability		EACH \$
Option 13AA.	Additional set of keys (Ignition and door	locks)	EACH \$
Option 13BB.	Standard gasoline engine with the highest of diesel engine DEDUCT (state size and	EACH \$	
	SIZE HORSEPOWER_		
Please indicate by your data book of	elow the percent (%) discount off Manufactur pricing guides.	rer's Suggested Retail Prices (MSRP) for al	l vehicle options available in
% discount off l	MSRP for all Data Book or Pricing Guide Op	ptions: - % Discount	
Delivery will be	made approximately	days after receipt of order.	

EXAMPLES OF ACCEPTABLE MAKES AND MODELS: Ford Super Duty F550 2WD/4WD with 60"CA/179" WB and DRW

Dodge 5500 2WD/4WD with 60"CA/173.4" WB and DRW

ITEM # 14 - New standard equipped 2017 or Newer Model 17,500 LB. GVWR Crew Chassis-Cab with DRW and 60" CA

Freightliner M2106 2WD/4WD with 60.2"CA/176" WB and DRW (Installation of a body may require modifications)

*ONLY THI	E 4WD MOD	ELS ARE R	ECOMMENDED FOR S	SNOW PLOW	*
2. Mi 3. Au 4. Ai 5. LF 6. Tin 7. Mi 8. E 9. D 10. S 11. V 12. B 13. V	andard, diesel er anufacturer's sta atomatic Transm r conditioning H & RH manual res:(6) Minimun inimum 17,500	gine with the high ndard rear end a sission (Speeds_mirrors in 10 ply light trubs. GVWR anti-lock braking lights It tilt wheel	ghest cooling capacity xle ratio (Ratio:) ck, highway all season, plus ful		neel (Size)
DEALER COM					
MAKE	MODEL 2	WD CA/WB as	noted above	GVWR	EACH \$
FUEL MPG: C	TITY	HWY	ENGINE SIZE	HP	E-85 COMPATIBLE?
*MAKE	MODI	EL 4WD CA/W	B as noted above	GVWR	EACH \$
FUEL MPG: C	TTY	HWY	ENGINE SIZE	HP	E-85 COMPATIBLE?
OPTIONAL EQUIPMENT PRICES, Item # 14 Indicate the cost or deduction for the below listed options. Price should include all required options and special equipment. Option 14A.1 Mounted 9' platform body meeting Specification E1320DRW					
	MAKE		MODEL		EACH \$
	MAKE		MODEL		EACH \$
Option 14A.2			rm body meeting Specification extruded floor instead of stee		
	MAKE		MODEL		EACH \$
	MAKE		MODEL		EACH \$
Option 14B.1	Mounted 9' p	latform dump l	oody meeting Specification E1	327	
	MAKE		MODEL		EACH \$
,	MAKE		MODEL		EACH \$

Option 14B.2	Mounted 9' aluminum platform dump body meeting Specification E1327 (Minimum 1 1/4" aluminum extruded floor instead of steel)				
	MAKE	MODEL	EACH \$		
	MAKE	MODEL	EACH \$		
Option 14C.1	Mounted 9' dump body meeti	ng Specification E1335			
	MAKE	MODEL	EACH \$		
	MAKE	MODEL	EACH \$		
Option 14C.2	Mounted 9' aluminum dump	body meeting Specification E1335-ALUM			
	MAKE	MODEL	EACH \$		
	MAKE	MODEL	EACH \$		
Option 14D	Permanently installed bulkhed (minimum requirement to top		EACH \$		
Option 14E.	design capable of 3500 PSI; all be 15 gallon with filtered breareturn filter rated to 25 GPM for hoist, plow and spreader. 12 GPM and installed in a valued and a relief for the hoist down shall be controlled by a Certif automated spreading for mouplatform body in specification	ander hood clutch pump. Pump shall be cast iron luminum pumps will not be accepted. Reservoir shall ather cap, suction strainer, sight gauge and in tank. Control valve shall be 3 section mobile stack valve Valve shall be 12VDC activated capable of a minimum we enclosure. Control valve must have a main relief a function. The hoist, plow and spreader functions fied Power Freedom 2.0 12VDC control console with anted dump body in specification E1335 or mounted a E1327. This package shall be capable of driving the spreader, and power to raise angle plow. All hoses to rear of truck.	EACH'S		
Option 14F.	manual cable controlled and	y, plow and spreader, hoist and plow controls to be the spreader control shall be a Certified Power ader control. The hydraulic system requirements tions.	EACH \$		
Option 14G.	Provide hydraulics and contr	ols 12VDC activated for dump hoist only	EACH \$		
Option 14H.	Mounted standard utility tool body. Acceptable makes and models are: Knapheide 6108D54J, Stahl CHALLENGER II 108VVD- 54 Reading CLASSIC II 108A DW Omaha 108D54V RKI L60DW94. Body to include flych mounted LED toil, stop, turn, backup and clearance.				
	Body to include flush mounted LED tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.				
	MAKE	MODEL	EACH \$		
	MAKE	MODEL	EACH \$		

Option 14I.	Mounted fiberglass composite utility tool body. Acceptable makes and models are: Brand FX Composite Service Body (Model 60LS) Equivalents accepted if pre-approved at least 5 working days before bid opening. Body to include flush mounted LED tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess		
	MAKE MODEL	EACH \$	
Option 14J.	Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 ½" from top of compartment with approximately 2 ½" between trays in lieu of two shelves and dividers in one of the full height vertical compartments	EACH \$	
Option 14K.	Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 ¼ " from bottom of compartment with approximately 1 ½" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments.	EACH \$	
Option 14L.	Flip top for Utility Body: Top of compartment opens for storage. Can be either side or both sides. Telescopic roof and crane mounting kit will impact flip top application. Latch is located in center horizontal compartment.	EACH \$	
Option 14M.	One full-length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment)	EACH \$	
Option 14N.	One double- bottle gas drop well and retainers in lieu of two shelves and dividers in one of the full height vertical compartments	EACH \$	
Option 14O.	Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area (Canopy roof style).	EACH \$	
Option 14P.	Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and end gate cover	EACH \$	
Option 14Q.	Raise Telescopic Roof to get 36" clearance for the above option	EACH \$	
Option 14R.	Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. cap. crane (with no mounting holes or bolt holes, we will drill to suit ourselves)	EACH \$	
Option 14S.	Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, side's tailgate, front, and horizontal surface of bumper	EACH \$	
Option 14T.	Heavy duty, Class V (2-1/2" square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV), seven-wire RV style trailer plug and electric brake controller	EACH \$	
Option 14U. Page 49 of 59	Exterior color to be Federal Standard #595C "DOT Highway Yellow"	EACH \$	

Option 14V.	Automatic transmiss	sion power take-off p	rovision	EACH \$
Option 14W.	2 cab steps. (One on driver's side, one on passenger side)		SET \$	
Option 14X.	Optional Rear Axle	Ratio	Axle Ratio	EACH \$
Option 14Y.	Limited Slip Rear A	xle.	Axle Ratio	EACH \$
Option 14Z.	Bluetooth Capability	y		EACH \$
Option 14AA.	Additional set of keys (Ignition and door locks)			EACH \$
Option 14BB.	Standard gasoline engine with the highest cooling capacity in lieu (Deduct) of diesel engine—DEDUCT (state size and horsepower)		EACH \$	
	SIZE	HORSEPOWER		
Please indicate b your data book o		liscount off Manufactu	urer's Suggested Retail Prices (MSRP)	for all vehicle options available in
% discount off N	ASRP for all Data Boo	k or Pricing Guide O	ptions: - % Discount	
Delivery will be	made approximately		days after receipt of order.	

ITEM # 15 - New standard equipped 2017 or Newer Model 17,500 GVWR Reg Cab Chassis-Cab 84" CA and DRW.

EXAMPLES OF ACCEPTABLE MAKES AND MODELS: Ford Super Duty F550 2WD/4WD with 84"CA/169" WB and DRW Dodge 5500 2WD/4WD with 94"CA/168.5" WB and DRW Freightliner M2 106 2WD/4WD with 84.4"CA/153" WB and DRW (Installation of a body may require modifications)

All units bid must contain the following options: 1. Standard, diesel engine with the highest cooling capacity Size Horsepower						
	IPLETE IN DET MODEL 2V		oted above	GVWR	EACH \$	
					E-85 COMPATIBLE?	
					EACH \$	
FUEL MPG: C	ITY	HWY	ENGINE SIZE	HP	E-85 COMPATIBLE?	
Indicate the cos		or the below liste	NAL EQUIPMENT PRICE d options. Price should include the state of the s	lude all required o	ptions and special equipment.	
	MAKE		MODEL		EACH \$	
	MAKE		MODEL		EACH \$	
Option 15A.2	Option 15A.2 Mounted 12' aluminum platform body meeting Specification E1320DRW (Minimum 1 1/4" aluminum extruded floor instead of steel)					
	MAKE		MODEL		EACH \$	
	MAKE		MODEL		EACH \$	
Option 15B.1	Mounted 11' p	latform dump bo	ody meeting Specification E	1327		
	MAKE		MODEL		EACH \$	
	MAKE		MODEL		EACH \$	

Option 155.2	(Minimum 1 1/4" aluminum extruded floor instead of steel)						
	MAKE	MODEL	EACH \$				
,	MAKE	MODEL	EACH \$				
Option 15C.	Permanently installed bulkhead to (minimum requirement to top of		EACH \$				
Option 15D.	design capable of 3500 PSI; alumbe 15 gallon with filtered breather return filter rated to 25 GPM. Cofor hoist, plow and spreader. Val 12 GPM and installed in a valve and a relief for the hoist down fushall be controlled by a Certified automated spreading for mounterplatform body in specification E1	er hood clutch pump. Pump shall be cast iron an inum pumps will not be accepted. Reservoir shall er cap, suction strainer, sight gauge and in tank ontrol valve shall be 3 section mobile stack valve we shall be 12VDC activated capable of a minimum enclosure. Control valve must have a main relief nction. The hoist, plow and spreader functions Power Freedom 2.0 12VDC control console with d dump body in specification E1335 or mounted 1327. This package shall be capable of driving the reader, and power to raise angle plow. All hoses ear of truck.	EACH \$				
Option 15E.	manual cable controlled and the	ow and spreader, hoist and plow controls to be spreader control shall be a Certified Power control. The hydraulic system requirements is.	EACH \$				
Option 15F.	Provide hydraulics and controls	EACH \$					
Option 15G.	Mounted standard utility tool bo Acceptable makes and models ar Knapheide 6132D54J Reading CLASSIC II 132A DW Omaha 132D54V	e: Stahl CHALLENGER II 132 VVD-54					
		ED tail, stop, turn, backup and clearance lights dards. Unit must include a tread plate step					
	MAKE	MODEL	EACH \$				
	MAKE	MODEL	EACH \$				
Option 15H.	Mounted fiberglass composite ut Acceptable makes and models ar Brand FX Composite Service Bo Equivalents accepted if pre-appr	re:					
	Body to include flush mounted LED tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess						
	MAKE	MODEL	EACH \$				

Option 15I.	Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 $\frac{1}{2}$ " from top of compartment with approximately 2 $\frac{1}{2}$ " between trays in lieu of three shelves and dividers in one of the full height vertical compartments	EACH \$
Option 15J.	Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 $\frac{1}{4}$ " from bottom of compartment with approximately 1 $\frac{1}{2}$ " between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments	EACH \$
Option 15K.	Flip top for Utility Body: Top of compartment opens for storage. Can be either side or both sides. Telescopic roof and crane mounting kit will impact flip top application. Latch is located in center horizontal compartment	EACH \$
Option 15L.	Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area (Canopy roof style).	EACH \$
Option 15M.	Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and end gate cover	EACH \$
Option 15N.	Raise Telescopic Roof to get 36" clearance for the above option	EACH \$
Option 15O.	Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. cap. crane (with no mounting holes or bolt holes, we will drill to suit ourselves)	EACH \$
Option 15P.	One - double bottle gas drop well with minimum 55" clearance height (for large bottle use) and retainers in lieu of the interior 48" full height vertical compartment	EACH \$
Option 13Q.	Heavy duty, Class V (2-1/2 "square tube) receiver trailer hitch. Includes an adapter to reduce to 2" (Class III/IV), a seven - wire RV style trailer plug and electric brake controller	EACH \$
Option 15R.	Exterior color to be Federal Standard #595C "DOT Highway Yellow"	EACH \$
Option 15S.	Automatic transmission power take-off provision	EACH \$
Option 15T.	2 Full-length cab steps or running boards. (one on drivers side, one on passenger side)	SET \$
Option 15U.	Optional Rear Axle Ratio Axle Ratio	EACH \$
Option 15V.	Limited Slip Rear Axle. Axle Ratio	EACH \$
Option 15W.	Commercial grade spray on bed lining to be applied in the cargo area of the utility body, to include floor, sides tailgate, front, and horizontal surface of bumper	EACH \$
Option 15X.	Bluetooth Capability	EACH \$

Option 15Y.	Additional set of keys (Ignition and door locks)	EACH \$
Option 15Z.	19,000 GVWR Package in lieu of the 17,500 GVWR. (State Wheelbase and Cab to Axle)	EACH \$
	WHEELBASE CA	
Option 15AA.	Standard gasoline engine with the highest cooling capacity in lieu (Deduct) of diesel engine—DEDUCT (state size and horsepower)	EACH \$
	SIZE HORSEPOWER	
	below the percent (%) discount off Manufacturer's Suggested Retail Prices (MSRP) for pricing guides.	all vehicle options available in
% discount off	MSRP for all Data Book or Pricing Guide Options: - % Discount	
Delivery will be	e made approximately days after receipt of order.	

Item #16 – New standard equipped 2017 or Newer Model 15 Passenger Van ACCEPTABLE MAKES AND MODELS: Ford Transit Wagon Wheelbase 148" with Extended Body Chevrolet / GMC Model Extended Wheelbase 155" Model G33706

	nust contain the following options:		
1. Stand	ard minimum gas engine (Size Horsepower		
	facturer's standard rear end axle ratio (Ratio:)	
	natic Transmission (Speeds)		
	ry installed front and rear heat/air conditioning		
	RH manual mirrors		
	(4) Minimum 10 ply light truck, highway all season, plus s	tandard size spare and whee	I (Size)
	tinted windows (privacy glass)		
	s, 4-wheel anti-lock braking system (ABS)		
	me running lights I control and tilt wheel		
	Rubber Flooring		
	num GVWR 9000 lb		
13. Vinyl			
14. 2 sets			
14. 2 3013	or keys		
DEALER CO	MPLETE IN DETAIL:		
MAKE	MODEL	GVWR	EACH \$
GAS MPG: C	HWY		
	OPTIONAL EQUIPMENT I	PRICES, Item #16	
Indicate the co	ost or deduction for the below listed options. Price show	ald include all required opt	tions and special equipment.
	•		
Option 16A.	Sliding side door		EACH \$
Option 16B.	Exterior color to be Federal Standard #595C "DOT	Highway Yellow"	EACH \$
о регон 102.		111g11(14) 1 0110 (
Option 16C.	Bluetooth Capability		EACH \$
Option 16D.	Back-up Camera		EACH \$
Option 16E.	Larger gas engine Size HP		EACH \$
Option 10E.	Larger gas engine Size Hr		EACH 3
Option 16F.	Diesel engine in lieu of standard gas engine S	ize HP	EACH \$
Option 16G.	Additional set of keys (Ignition and door locks)		EACH \$
	below the percent (%) discount off Manufacturer's Sugge or pricing guides.	sted Retail Prices (MSRP) fo	or all vehicle options available in
% discount off	MSRP for all Data Book or Pricing Guide Options: - %	Discount	
Delivery will b	pe made approximately day	s after receipt of order	
- Jan Cay Will K	uay	and iccorpt of order.	

RFB 3-170105TV Snow Removal Equipment Options These items may be bid directly by the supplier.

Electric/Hydraulic Plows		
Item A - 7' 6" Electric/Hydraulic Front End Snow Plow		EACH \$
Minimum 12 gauge construction		
In cab command with on/off switch		
Light Kit Note: Compatible with Items 1, 2 & 3		
Note: Companiole with Items 1, 2 & 5		
Item B - 8' Electric/Hydraulic Front End Snow Plow		EACH \$
Minimum 12 gauge construction		
In cab command with on/off switch		
Light Kit		
Note: Compatible with Items 1, 2 & 3		
Item C - 8' 6" Electric/Hydraulic Front End Snow Plow		EACH \$
Minimum 12 gauge construction		
In cab command with on/off switch		
Light Kit		
Note: Compatible with Items 4, 5, 6, 7, 8, 9, 10, 11, 12, 13	, 14 & 15	
Hydraulic Plows		
Item D – 8'6" Hydraulic Front End Snow Plow		EACH \$
Minimum 12 gauge construction		EACH 5
In cab command		
Quick couplers for all hose connections		
Light Kit		
Note: Central Hydraulics option needed for this item		
Note: Compatible with Items 4, 5, 6, 7, 8, 9, 10, 11, 12, 13	, 14 & 15	
Item E – 9' Hydraulic Front End Snow Plow		EACH \$
Minimum 12 gauge construction		EACH 3
In cab command		
Quick couplers for all hose connections		
Light Kit		
Note: Central Hydraulics option needed for this item		
Note: Compatible with Items 4, 5, 6, 7, 8, 9, 10, 11, 12, 13	. 14 & 15	
, , , , , , , , , , , , , , , , , , , ,	,	
Stainless Steel Salt Spreader		
Item F – 9° Stainless Steel Salt Spreader (3.5 cubic yard capacity)	Electric power	EACH \$
Note: Compatible with Items 7, 8, 9, 10, 11, 12, 13, 14 &		
	Hydraulic power	EACH \$
	Gas engine power	EACH \$
Item G-10' Stainless Steel Salt Spreader (4.5 cubic yard capacity	y) Electric power	EACH \$
Note: Compatible with Items 12 and 15		
	Hydraulic power	EACH \$
	Gas engine power	EACH \$
Please indicate below the percent (%) discount off Manufacturer's Su	aggested Retail Prices (MSPP) for	all nlow/spreader/hed items
options or accessories available in your data book or pricing guides the		
% discount off MSRP for all Data Book or Pricing Guide Options:	- % Discount	
Delivery will be made approximately	days after receipt of order.	

Body Equipment Supplier Information

For each Body Company Supplier that is included in Bid Items 1 - 15, please complete below the location of the service center(s), company contact information and any available MSRP discount % for the purchase of any additional equipment options or accessories for the equipment that is to be provided.

Body Company	
Service Location(s)	
Contact Name	Contact Number
Supplier Offered Discount off MSRF	P Data Book or Pricing Guide Options - % Discount
Body Company	
Service Location(s)	
	Contact Number
Supplier Offered Discount off MSRF	P Data Book or Pricing Guide Options - % Discount
Service Location(s)	Contact Number
Supplier Offered Discount off MSRF	P Data Book or Pricing Guide Options - % Discount
	Contact Number
Supplier Offered Discount off MSRF	P Data Book or Pricing Guide Options - % Discount

5. VENDOR INFORMATION & PREFERENCE CERTIFICATION FORM

Vendor Information
All bidders must furnish <u>ALL</u> applicable information requested below

Vendor Name/Mailing Address:	Vendor C	Vendor Contact Information (including area codes):			
	Phone #:	Phone #:			
	Cellular #:	Cellular #:			
Email Address:	Fax #:	Fax #:			
Printed Name of Responsible Officer or Emplo		Signature:			
For Corporations - State in which incorporated:	For Other	s - State of domicile:			
	itional sheet and identify it as <u>Ac</u>	ddresses of Missouri Offices or Places of Business.			
M/WBE INFORMATION: List all certified Minorit Include percentages for subcontractors and ident					
M/WBE Name	Percentage of Contract	M/WBE Certifying Agency			
If additional pages is required, places attach as add	itional shoot and identify it as \$8	MADE Information			
If additional space is required, please attach an add					
All bidders must f	Preference Certific urnish <u>ALL</u> applicable	cation information requested below			
which the bidder proposes to supply to the MHTC	C are <u>not</u> manufactured or pro- ation, list below, by item or item	all of the goods or products offered in the attached bid duced in the "United States", or imported in accordance in number, the country other than the United States			
Item (or item number)		n is Manufactured or Produced			
		s Location Products are Manufactured or Produced.			
requested if preference is applicable. See below		e following if applicable. Additional information may be eria:			
Service-Disabled Veteran is defined as any indithe administration of veterans' affairs.	vidual who is disabled as certi	fied by the appropriate federal agency responsible for			
Service-Disabled Veteran Business is defined a. Not less than fifty-one (51) percent of wi	nich is owned by one or more	service-disabled veterans or, in the case of any publicly ich is owned by one or more service-disabled veterans;			
b. The management and daily business op	perations of which are controlled	d by one or more service-disabled veterans.			
<u>Veteran Information</u>		Business Information			
Service-Disabled Veteran's Name (Please	e Print)	Service-Disabled Veteran Business Name			
Service-Disabled Veteran's Signatur	e Misso	uri Address of Service Disabled Veteran Business			

6. NOTICE OF COOPERATIVE PURCHASING

MODOT IS INTERESTED IN ASSISTING MISSOURI GOVERNMENTAL ENTITIES, ETC. IN PURCHASING EQUIPMENT, VARIOUS MATERIALS, AND SUPPLIES THAT MEET THE MISSOURI DEPARTMENT OF TRANSPORTATION SPECIFICATIONS.

Each bidder is asked to indicate below whether they would be willing to offer **medium duty vehicles** listed in the attached "Request for Bid" for sale to these local political entities at the same bid price offered to MoDOT.

It is understood MoDOT will not issue purchase orders, accept delivery nor make payment for these items ordered by any of these agencies. It is further understood the price is based on the medium duty vehicle meeting MoDOT specifications. Any added options, deletions, or extra freight costs would be negotiated between the local agency and the successful vendor.

Indicate below whether your company is willing to offer such cooperative purchasing for Missouri counties, cities or other political entities.

YES NO
If the price varies throughout the state on MoDOT bids because of different delivery destinations, please indicate the price F.O.B. your location that would be offered as described.
F.O.B. Location
Indicate the deadline date that orders will be accepted.
COMPANY NAME
ADDRESS
E-MAIL
PHONE NUMBER
SIGNATURE
TITLE
DATE

Missouri Highways and Transportation Commission Standard Bid Provisions, General Terms and Conditions and Special Terms and Conditions

STANDARD SOLICITATION PROVISIONS

- a. The solicitation for the procurement of the supplies referenced therein, to which these "Standard Bid Provisions, General Terms and Conditions and Special Terms and Conditions" are attached, is being issued under, and governed by, the provisions of Title 7 Missouri Department of Transportation, Division 10 Missouri Highways and Transportation Commission, Chapter 11 Procurement of Supplies, of the Code of State Regulations. The Missouri Highways and Transportation Commission (MHTC), acting by and through its operating arm, the Missouri Department of Transportation (MoDOT), draws the Bidder's attention to said 7 CSR 10-11 for all the provisions governing solicitation and receipt of bids/quotes and the award of the contract pursuant to this solicitation.
- All bids/quotes must be signed with the firm name and by a responsible officer or employee. Obligations assumed by such signature must be fulfilled.

GENERAL TERMS AND CONDITIONS

Definitions

Capitalized terms as well as other terms used but not defined herein shall have the meaning assigned to them in section 7 CSR 10-11.010 Definition of Terms.

Nondiscrimination

- a. The Contractor shall comply with all state and federal statutes applicable to the Contractor relating to nondiscrimination, including, but not limited to, Chapter 213, RSMo; Title VI and Title VII of Civil Rights Act of 1964 as amended (42 U.S.C. Sections 2000d and 2000e, et seq.); and with any provision of the "Americans with Disabilities Act" (42 U.S.C. Section 12101, et seq).
- b. <u>Sanctions for Noncompliance:</u> In the event of the Contractor's noncompliance with the nondiscrimination provisions of this contract, MHTC shall impose such contract sanctions as it or the Federal Highway Administration may determine to be appropriate, including, but not limited to:
 - i. withholding of payments to the Contractor under the contract until the Contractor complies, and/or.
 - ii. cancellation, termination or suspension of the contract, in whole or in part.

Contract/Purchase Order

- a. By submitting a bid/quote, the Bidder agrees to furnish any and all equipment, supplies and/or services specified in the solicitation documents, at the prices quoted, pursuant to all requirements and specifications contained therein.
- b. A binding contract shall consist of: (1) the solicitation documents, amendments thereto, and/or Best and Final Offer (BAFO) request(s) with any changes/additions, (2) the Contractor's bid response, and (3) the MHTC's acceptance of the bid by post-award contract or purchase order.
- c. A notice of award does not constitute an authorization for shipment of equipment or supplies or a directive to proceed with services. Before providing equipment, supplies and/or services, the Contractor must receive a properly authorized notice to proceed and/or purchase order.

Applicable Laws and Regulations

- a. The contract shall be construed according to the laws of the State of Missouri. The Contractor shall comply with all local, state, and federal laws and regulations related to the performance of the contract. The exclusive venue for any legal proceeding relating to or arising, out of the contract shall be in the Circuit Court of Cole County, Missouri.
- b. The Contractor must be registered and maintain good standing with the Secretary of State of the State of Missouri, Missouri Department of Revenue, and other regulatory agencies, as may be required by law or regulations. Prior to the issuance of a purchase order and/or notice to proceed, the Contractor may be required to submit to MHTC a copy of their current Authority Certificate from the Secretary of State of the State of Missouri and/or a copy of their Certificate of No Tax Due from the Missouri Department of Revenue.
- c. Prior to the issuance of a purchase order and/or notice to proceed, all **out-of-state** Contractors **providing services** within the state of Missouri must submit to MHTC a copy of their current Transient Employer Certificate from the Missouri Department of Revenue, in addition to a copy of their current Authority Certificate from the Secretary of State of the State of Missouri.

Executive Order:

The Contractor shall comply with all the provisions of Executive Order 07-13, issued by the Honorable Matt Blunt, Governor of Missouri, on the sixth (6th) day of March, 2007. This Executive Order, which promulgates the State of Missouri's position to not tolerate persons who contract with the state engaging in or supporting illegal activities of employing individuals who are not eligible to work in the United States, is incorporated herein by reference and made a part of this Agreement.

- 1) "By signing this Agreement, the Contractor hereby certifies that any employee of the Contractor assigned to perform services under the contract is eligible and authorized to work in the United States in compliance with federal law."
- 2) In the event the Contractor fails to comply with the provisions of the Executive Order 07-13, or in the event the Commission has reasonable cause to believe that the contractor has knowingly employed individuals who are not eligible to work in the United States in violation of federal law, the Commission reserves the right to impose such contract sanctions as it may determine to be appropriate, including but not limited to contract cancellation, termination or suspension in whole or in part or both.
- 3) The Contractor shall include the provisions of this paragraph in every subcontract. The Contractor shall take such action with respect to any subcontract as the Commission may direct as a means of enforcing such provisions, including sanctions for noncompliance.

Preferences

- a. In the evaluation of bids/quotes, preferences shall be applied in accordance with 7 CSR 10-11.020(7). Contractors should apply the same preferences in selecting subcontractors. The attached document entitled "VENDOR INFORMATION AND PREFERENCE CERTIFICATION FORM" must be completed and returned with the solicitation documents.
- b. Bidders are encouraged to obtain minority business enterprise (MBE) and women business enterprise (WBE) participation in this work through the use of subcontractors, suppliers, joint ventures, or other arrangements that afford meaningful participation for M/WBEs. Bidders are encouraged to obtain 10% MBE and 5% WBE participation.

Page 1 of 3 Accepted: 05/16/11 Updated: 08/06/14

Missouri Highways and Transportation Commission Standard Bid Provisions, General Terms and Conditions and Special Terms and Conditions

Cancellation of Contract

The MHTC may cancel the Contract at any time for a material breach of contractual obligations or for convenience by providing Contractor with written notice of cancellation. Should the MHTC exercise its right to cancel the contract for such reasons, cancellation will become effective upon the date specified in the notice of cancellation sent to the Contractor.

Bankruptcy or Insolvency

Upon filing for any bankruptcy or insolvency proceeding by or against the Contractor, whether voluntarily, or upon the appointment of a receiver, trustee, or assignee, for the benefit of creditors, the Commission reserves the right and sole discretion to either cancel the Agreement or affirm the Agreement and hold the Contractor responsible for damages.

Warranty

The Contractor expressly warrants that all equipment, supplies, and/or services provided shall: (1) conform to each and every specification, drawing, sample or other description which was furnished to or adopted by the MHTC, (2) be fit and sufficient for the purpose expressed in the solicitation documents, (3) be merchantable, (4) be of good materials and workmanship, and (5) be free from defect.

Status of Independent Contractor

The Contractor represents itself to be an independent Contractor offering such services to the general public and shall not represent itself or its employees to be an employee of the MHTC. Therefore, the Contractor shall assume all legal and financial responsibility for taxes, FICA, employee fringe benefits, workers' compensation, employee insurance, minimum wage requirements, overtime, etc., and agrees to indemnify, save and hold the MHTC, its officers, agents and employees harmless from and against any and all losses (including attorney fees) and damage of any kind related to such matters.

Non-Waiver

If one of the parties agrees to waive its right to enforce any term of this Contract, that party does not waive its right to enforce such term at any other time or to enforce any or all other terms of this Contract.

Indemnification

The Contractor shall defend, indemnify and hold harmless MHTC, including its members and department employees, from any claim or liability whether based on a claim for damages to real or personal property or to a person for any matter relating to or arising out of the Contractor's performance of its obligations under the contract awarded pursuant to this solicitation.

Missouri Highways and Transportation Commission Standard Bid/Proposal Provisions, General Terms and Conditions and Special Terms and Conditions

SPECIAL TERMS AND CONDITIONS

Tax Exempt Status:

MHTC is exempt from paying Missouri Sales Tax, Missouri Use Tax and Federal Excise Tax. However, the Contractor may themselves be responsible for the payment of taxes on materials they purchase to fulfill the contract. A Project Tax Exemption Certificate will be furnished to the successful Bidder upon request if applicable.

Liquidated Damages

- a. In the event the successful Contractor fails to deliver the material within the time specified, the Department and the public will sustain damages because of such delay in delivery, the exact extent of which would be difficult to ascertain, and in order to liquidate such damage in advance it is agreed that the sum of \$50 per day, per item, for each assessable calendar day on which the delivery has not been completed, is reasonable and the best estimate which the parties can arrive at as liquidated damages, and it is therefore agreed that said amount will be withheld from payments due the Contractor or otherwise collected from the Contractor as liquidated damages.
- b. Saturdays, Sundays, holidays and days whereas the Department has suspended work shall not be assessable days.

Page 3 of 3 Accepted: 05/16/11 Updated: 08/06/14 DocuSign Envelope ID: 9723EF90-729B-4776-9486-0D075DF80B12



105 West Capitol Avenue P.O. Box 270 Jefferson City, Missouri 65102

Missouri Department of Transportation
Patrick K McKenna, Director

573.751.2551 Fax: 573.751.6555 1.888.ASK MODOT (275.6636)

ADDENDUM 001 MEDIUM DUTY VEHICLES Request for Bid 3-170105TV

Bidders should acknowledge receipt of Addendum 001 (ONE) by **signing** and **including it** with the original bid. The due date for receipt of bids has been extended to **January 10, 2017** @ **12:30pm** by this Addendum. Accordingly, the following clarifications are believed to be of general interest to all potential bidders. All other terms and conditions remain unchanged and in full force.

Name and Title of Signer (Print or type)	Name and Title of Department Authority
	Name: Tom Veasman Title: Sr. General Services Specialist
Contractor/Bidder Signature	Department of Transportation
(Signature of person authorized to sign)	(Authorizing Signature)
Date Signed:	Date Signed: December 27, 2016

ADDENDUMS AND CLARIFICATIONS MEDIUM DUTY VEHICLES 2017 MODEL YEAR

The due date for receipt of bids has been extended to Tuesday, January 10, 2017 at 12:30 PM at the same location as given in the Request for Bid. The deadline for receipt of questions is Wednesday, January 4, 2017 at 12:00 PM. If an addendum is necessary after the deadline for questions, it is anticipated that it will be issued by 4:00 PM on Wednesday, January 4, 2017.

Specifications Change for Items #4, #5 and #6:

Remove the following criteria from Items #4, #5 and #6:

Minimum 11,000 lbs. GVWR

Replace with:

7. Minimum 10,000 lbs. GVWR

Clarification to Hydraulics Option for Items #10, #11, #12, #13, #14 and #15:

The description of the hydraulic system option for Items #10F, #11F, #12E, #13E, #14F and #15E shall be removed from the RFB and replaced as follows:

Hydraulic system to run body, plow and spreader, hoist and plow controls to be manual cable controlled and the spreader control shall be a Certified Power Freedom 2.0 automated spreader control. The hydraulic system requirements shall match the <u>preceding</u> hydraulic specifications.

Clarification to Snow Removal Equipment for Truck Items #4, #5 and #6: Medium Duty Trucks - Items #4, #5 and #6 did not include an option for the necessary hydraulic system required to operate a hydraulic snow plow. The hydraulic system can be priced to the customer by the snow removal equipment vendor at time of purchase using the % of Discount Off of MSRP. The Certified Power Freedom 2.0 is NOT required. The vendor may recommend a better alternative for these trucks.

Clarification to Snow Removal Equipment for Truck Items #7, #8 and #9: Medium Duty Trucks - Items #7, #8 and #9 did not include an option for the necessary central hydraulics system required to operate a hydraulic plow/spreader. The central hydraulics system can be priced to the customer by the snow removal equipment vendor at the time of purchase using the % of Discount Off of MSRP. The Certified Power Freedom 2.0 is NOT required. The vendor may recommend a better alternative for these trucks.

Vendor Questions:

Will all the service bodies be white or are they to be the DOT yellow specified in the bid; or will there be a mixture? MoDOT has been purchasing both white and Highway yellow trucks in recent years, but the trend seems to be towards white.

One of the service body options calls for a low sliding roof that has a "...two-piece rigid aluminum end gate cover...". Is there a picture of this available? A picture is attached at the end of this addendum. The end gate is hinged in the middle and the two pieces fold together and then you flip it up onto the top of the roof.

Will MoDOT accept alternatives to their listed spreader control?

MoDOT did not specify a spreader control system on Medium Duty Truck Items #4 - #9. The spreader control system for Items #4 - #9 can be priced at the time of the order using the % of Discount Off of MSRP. Snow Removal Equipment Vendors should work with the customer to determine the best system to meet the customer's needs.

Medium Duty Truck Items #10 - #15 includes options that specify the Certified Power Freedom 2.0. For those options, the vendor must bid that system. However, vendors may also price other systems at the time of purchase that may better fit the customer's needs (using the % of Discount Off of MSRP).

Are the utility body options for the steel bodies only? (not the Brand FX body) YES. The utility body options are only for the steel bodies.

A REVISED Item #16 – New standard equipped <u>2017 or Newer Model 15 Passenger Van</u> Bid Pricing page follows. It includes additional options for a High, Medium or Low roof, non-extended length, single rear wheel model in lieu of the base model.

REVISED Item #16 - New standard equipped 2017 or Newer Model 15 Passenger Van ACCEPTABLE MAKES AND MODELS: Ford Transit Wagon Wheelbase 148" with Extended Body Chevrolet / GMC Model Extended Wheelbase 155" Model G33706 All units bid must contain the following options: Standard minimum gas engine (Size Manufacturer's standard rear end axle ratio (Ratio: 3. Automatic Transmission (Speeds) 4. Factory installed front and rear heat/air conditioning 5. LH & RH manual mirrors 6. Tires:(4) Minimum 10 ply light truck, highway all season, plus standard size spare and wheel (Size 7. Deep tinted windows (privacy glass) 8. Brakes, 4-wheel anti-lock braking system (ABS) 9. Daytime running lights 10. Speed control and tilt wheel 11. Vinyl/Rubber Flooring 12. Minimum GVWR 9000 lb 13. Vinyl seats 14. 2 sets of keys **DEALER COMPLETE IN DETAIL:** MAKE ______MODEL ____ GVWR_____EACH\$____ GAS MPG: CITY____ HWY **OPTIONAL EQUIPMENT PRICES, Item #16** Indicate the cost or deduction for the below listed options. Price should include all required options/special equipment. Sliding side door Option 16A. EACH \$ EACH \$ _____ Option 16B. Exterior color to be Federal Standard #595C "DOT Highway Yellow" Option 16C. **Bluetooth Capability** EACH \$ EACH \$ Option 16D. Back-up Camera Size HP EACH \$___ Option 16E. Larger gas engine Diesel engine in lieu of standard gas engine: Size HP Option 16F. EACH \$ Additional set of keys (Ignition and door locks) EACH \$ Option 16G. PASSENGER VAN OPTIONS IN LIEU OF THE BASE MODEL: 148" wheelbase, non-extended length, single rear wheel, high roof model EACH \$_____ (Credit) Option 16H. 148" wheelbase, non-extended length, single rear wheel, medium roof model EACH \$ (Credit) Option 16I. Option 16J. 148" wheelbase, non-extended length, single rear wheel, low roof model EACH \$ Please indicate below the percent (%) discount off Manufacturer's Suggested Retail Prices (MSRP) for all vehicle options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount

Delivery will be made approximately ______ days after receipt of order.

4 | Page Addendum 001 This picture is provided as a reference to a vendor question referring to the following description:
Utility tool body 3 section, tempered steel telescopic sliding roof and two-piece rigid aluminum end gate cover to protect cargo area from weather and theft.



TELESCOPIC SLIDING ROOF

Telescopic sliding roofs offer a robust enclosure for the cargo space of your Service Body, allowing you to protect your tools and equipment from theft and weather.

CERTIFIED COPY OF ORDER

STATE OF MISSOURI

February Session of the January Adjourned

Term. 20 19

County of Boone

In the County Commission of said county, on the

14th

day of

February

20 19

the following, among other proceedings, were had, viz:

Now on this day, the County Commission of the County of Boone does hereby approve the Organizational Use of the Boone County Government Center Chambers by Mid-Missouri Peaceworks on March 7th, 2019 from 6:00 pm to 9:30 pm.

Done this 14th day of February 2019.

ATTEST:

Bnanna J. Lennon py Brianna L. Lennon

Clerk of the County Commission

Daniel K. Atwill

Presiding Commissionen

Fred J. Parry

District I Commissioner

Janet M. Thompson

District II Commissioner

Daniel K. Atwill, Presiding Commissioner Fred J. Parry, District I Commissioner Janet M. Thompson, District II Commissioner



Roger B. Wilson Boone County Government Center 801 East Walnut, Room 333 Columbia, MO 65201-7732 573-886-4305 • FAX 573-886-4311

Boone County Commission

APPLICATION FOR ORGANIZATIONAL USE OF BOONE COUNTY CONFERENCE ROOMS

The undersigned organization hereby applies for a use	permit to	use Bo	one County Gover	nment cor	nference rooms	as follows:	
Organization: <u>Mid-Missouri Peaceworks</u>							
Address: 804-C E. Broadway							
City: Columbia	_State:	МО	ZIP Code 65201	<u></u>	_		
Phone: 573-875-0539	_Website:	www.n	nidmopeaceworks.	org			
Individual Requesting Use: Mark Haim			Positio	n in Orga	nization: Dire	ector	
Facility requested: □X Chambers □ Room 301	□Room	311	□Room 332	□Cent	ralia Clinic		
Event: Candidate Forum							
Description of Use (ex. Speaker, meeting, reception):_		public	forum	, , , , , , , , , , , , , , , , , , , ,	······		Manufacture
Date(s) of Use: 3/7/19							
Start Time of Setup: 6:00	_PM	Start	Time of Event:		6:30		PM
End Time of Event: 9:00	_PM	End	Time of Cleanup:_	9:30		PM	
 To remove all trash or other debris that r To repair, replace, or pay for the repair o To conduct its use in such a manner as to To indemnify and hold the County of Bodamages, actions, causes of action or suit settlements on account of bodily injury of organizational use of rooms as specified in 	or replacent o not unre toone, its o ts of any k or property	nent of asonable fficers, and or red damage	damaged property ly interfere with Bo agents and employen ature including cose e incurred by anyo	including oone Counces, harml sts, litigati	carpet and furnity Governmentess from any aron expenses, at	nishings in ro t building fu nd all claims, torney fees,	nctions. demands,
Organization Representative/Title: Mark Haim, Direct	ctor						
Phone Number: 573-875-0539		Date o	f Application:	2/6/19			
Email Address: mail@midmopeaceworks.org							
Applications may be submitted in person or by n MO 65201 or by			e County Commis ission@boonecour			oom 333, C	olumbia,
PERMIT FOR ORGANIZATIONAL USE The County of Boone hereby grants the above applicat above permit is subject to termination for any reason b	tion for pe	rmit in	accordance with th	e terms ar	nd conditions a		
ATTEST: Brame J. Lennon ny County Clerk DATE: 2-14-19	_		BOONE COUNTY County Commis	S/S	SDURI.	Tell all	<i>/</i> / ——
DATE: 2-14-19	_						

CERTIFIED COPY OF ORDER

STATE OF MISSOURI

February Session of the January Adjourned

Term. 20 19

County of Boone

In the County Commission of said county, on the

14th

day of

February

20 19

the following, among other proceedings, were had, viz:

Now on this day, the County Commission of the County of Boone does hereby authorize a closed meeting on Friday, February 15, 2019, at 1:30 p.m. The meeting will be held in the Conference Room 338 of the Roger B. Wilson Boone County Government Center at 801 E. Walnut, Columbia, Missouri, as authorized by RSMo 610.021(1), to discuss legal actions, causes of action or litigation involving a public governmental body and any confidential or privileged communications between a public governmental body or its representatives and its attorneys.

Done this 14th day of February 2019.

ATTEST:

Brianna L. Lennon

Clerk of the County Commission

Presiding Commissioner

District I Commissioner

Janet M. Thompson

District II Commissioner