

ADDENDUM ONE
Bid Number 45-18JUN02
LUMBER – BRIDGE BOARDS
Boone County, Missouri

The following issues regarding this bid request have been raised and should be integrated into the bid response. Vendors shall make the following changes to the original bid specifications:

Clarifications to Section 2.2.:

All lumber shall be .3 CCA pressure treated and kiln dried Grade No. 1 yellow pine/syp and oak. All lumber is to be rough sawed. No warped, blemished or seconds will be accepted.

Definition of “blemished” – We will not accept lumber that have knotholes that create a hole completely through the board.

Submit the Acknowledgement of Addendum One with your response to the above referenced bid or in a separate envelope clearly marked **Bid Number – 45-18JUN02– Lumber-Bridge Boards**, if your response has already been returned. Additional copies of the bid documents may be obtained from the Purchasing Office, 601 E. Walnut, 2nd Floor, Columbia, MO 65201, (573) 886-4392. **Bid responses must be sent to the Boone County Purchasing Department, Boone County Johnson Building, 601 E. Walnut, 2nd Floor, Columbia, MO 65201.** Responses are due in the Purchasing Department no later than 1:25 p.m. on June 18, 2002.

By: _____
Marlene Ridgway
Buyer

ACKNOWLEDGEMENT ADDENDUM ONE
Bid Number **45-18JUN02**
Lumber – Bridge Boards
Boone County, Missouri

I acknowledge that I received Addendum One to Bid Number 45-18JUN02

Signature of Authorized Representative

Date

Name of Authorized Representative

Company Name

Submit this acknowledgment of addendum receipt with the bid reply sheet or in an envelope clearly marked with the bid number if the bid reply sheet has already been returned.