

ADDENDUM ONE
Bid Number 46-08JUL03
Old Rocheport Road Culvert Replacement Project
Boone County, Missouri

Vendors shall make the following changes to the original bid specifications:

SECTION 02620 – ARCH DRAINAGE STRUCTURE
PART 2 – PRODUCTS
2.1 ARCH DRAINAGE STRUCTURE

Omit:


- A. Materials shall conform to AASHTO M 167 and ASTM A 449 galvanized corrugated steel plates or ASTM C 150 Portland cement concrete.

Replace With:

- A. Materials shall conform to AASHTO M 167 and ASTM A 449 galvanized corrugated steel plates; AASHTO M 219 and ASTM B 746 aluminum plates; or ASTM C 150 Portland cement concrete.

The bid opening date and time remain the same.

Submit the Acknowledgement of Addendum One with your response to the above referenced bid or in a separate envelope clearly marked **Bid Number – 46-08JUL03– Old Rocheport Road Culvert Replacement Project**, if your response has already been returned. Additional copies of the bid documents may be obtained from the Purchasing Office, 601 E. Walnut, Room 209, Columbia, MO 65201, (573) 886-4392. **Bid responses must be sent to the Boone County Purchasing Department, Boone County Johnson Building, 601 E. Walnut, Room 209, Columbia, MO 65201.** Responses are due in the Purchasing Department no later than 9:15 a.m. on July 8, 2003.

By: 
Marlene Ridgway
Buyer

ACKNOWLEDGEMENT ADDENDUM ONE
Bid Number 46-08JUL03
Old Rocheport Road Culvert Replacement Project
Boone County, Missouri

I acknowledge that I received Addendum One to Bid Number 46-08JUL03

Signature of Authorized Representative

Date

Name of Authorized Representative

Company Name

Submit this acknowledgment of addendum receipt with the bid reply sheet or in an envelope clearly marked with the bid number if the bid reply sheet has already been returned.