



Request For Bid (RFB)

Boone County Purchasing
601 E. Walnut, Room 209
Columbia, MO 65201

Marlene Ridgway, Buyer
573/886-4392 - FAX 573/886-4390
Email: mridgway@boonecountymo.org

Bid Data

Bid Number: **10-09MAR04**
Commodity Title: **MOTOR GRADERS**

DIRECT BID FORMAT OR SUBMISSION QUESTIONS TO THE PURCHASING DEPARTMENT

Bid Submission Address and Deadline

Day / Date: **Tuesday, March 9, 2004**
Time: **10:25 A.M. (Bids received after this time will be returned unopened)**
Location / Mail Address: **Boone County Purchasing Department
Boone County Johnson Building
601 E. Walnut, Room 209
Columbia, MO 65201**

Directions: The Johnson Building is located on the Northeast corner at 6th St. and Walnut St. Enter the building from the East Side. Wheel chair accessible entrance is available on the West side of the building.

Bid Opening

Day / Date: **Tuesday, March 9, 2004**
Time: **10:30 A.M.**
Location / Address: **Boone County Purchasing Department
Boone County Johnson Building
601 E. Walnut, Room 209
Columbia, MO 65201**

Bid Contents

- 1.0: Introduction and General Terms and Conditions of Bidding**
- 2.0: Primary Specifications**
- 3.0: Response Presentation and Review**
- 4.0: Response Form
Standard Terms and Conditions**

1. Introduction and General Conditions of Bidding

- 1.1. **INVITATION** - The County of Boone, through its Purchasing Department, invites responses, which offer to provide the goods and/or services identified on the title page, and described in greater detail in Section 2.
- 1.2. **DEFINITIONS**
- 1.2.1. **County** - This term refers to the County of Boone, a duly organized public entity. It may also be used as a pronoun for various subsets of the County organization, including, as the context will indicate:
Purchasing - The Purchasing Department, including its Purchasing Director and staff.
Department/s or Office/s - The County Department/s or Office/s for which this Bid is prepared, and which will be the end user/s of the goods and/or services sought.
Designee - The County employee/s assigned as your primary contact/s for interaction regarding Contract performance.
- 1.2.2. **Bidder / Contractor / Supplier** - These terms refer generally to businesses having some sort of relationship to or with us. The term may apply differently to different classes of entities, as the context will indicate.
Bidder - Any business entity submitting a response to this Bid. Suppliers, which may be invited to respond, or which express interest in this bid, but which do not submit a response, have no obligations with respect to the bid requirements.
Contractor - The Bidder whose response to this bid is found by Purchasing to meet the best interests of the County. The Contractor will be selected for award, and will enter into a Contract for provision of the goods and/or services described in the Bid.
Supplier - All business/s entities which may provide the subject goods and/or services.
- 1.2.3. **Bid** - This entire document, including attachments. A Bid may be used to solicit various kinds of information. The kind of information this Bid seeks is indicated by the title appearing at the top of the first page. An "Invitation For Bid" is used when the need is well defined. An "Invitation For Proposal" is used when the County will consider solutions, which may vary significantly from each other or from the County's initial expectations.
- 1.2.4. **Response** - The written, sealed document submitted according to the Bid instructions.
- 1.3. **BID CLARIFICATION** - Questions regarding this Bid should be directed in writing, preferably by fax, to the Purchasing Department. Answers, citing the question asked but not identifying the questioner, will be distributed simultaneously to all known prospective Bidders. Note: written requirements in the Bid or its Amendments are binding, but any oral communications between County and Bidder are not.
- 1.3.1. **Bidder Responsibility** - The Bidder is expected to be thoroughly familiar with all specifications and requirements of this Bid. Bidders failure or omission to examine any relevant form, article, site or document will not relieve them from any obligation regarding this Bid. By submitting a Response, Bidder is presumed to concur with all terms, conditions and specifications of this Bid.
- 1.3.2. **Bid Amendment** - If it becomes evident that this Bid must be amended, the Purchasing Department will issue a formal written Amendment to all known prospective Bidders. If necessary, a new due date will be established.
- 1.4. **AWARD** - Award will be made to the Bidder/s whose offer/s provide the greatest value to the County from the standpoint of suitability to purpose, quality, service, previous experience, price, lifecycle cost, ability to deliver, or for any other reason deemed by Purchasing to be in the best interest of the County. Thus, the result will not be determined by price alone. The County will be seeking the least costly outcome that meets the County needs as interpreted by the County.
- 1.5. **CONTRACT EXECUTION** - This Bid and the Contractor's Response will be made part of any resultant Contract and will be incorporated in the Contract as set forth, verbatim.
- 1.5.1. **Precedence** - In the event of contradictions or conflicts between the provisions of the documents comprising this Contract, they will be resolved by giving precedence in the following order:
1) the provisions of the Contract (as it may be amended);
2) the provisions of the Bid;
3) the provisions of the Bidder's Response.
- 1.6. **CONTRACT PERIOD** - Any Term and Supply Contract resulting from this Bid will have an initial term of one (1) year, but may be automatically renewed for an additional two (2) years unless canceled by either party commencing with execution of Contract (or on another mutually agreeable start date.)
- 1.7. **COMPLIANCE WITH STANDARD TERMS AND CONDITIONS** - Bidder agrees to be bound by the County's standard "boilerplate" terms and conditions for Contracts, a sample of which is attached to this Bid.

2. Primary Specifications

- 2.1. **ITEMS TO BE PROVIDED** - Year 2004 Model Variable-Horsepower, All-Wheel-Drive Motor Grader with manufacturer's standard equipment and features specified below.
- 2.2. **ACCEPTABLE MODELS** – John Deere 672CH, Caterpillar 143H, or Pre-approved Equal
- 2.2.1. **Pre-Approved Equal** - Any manufacturer's name, trade name, brand name or catalog numbers are used in the specifications for the purpose of describing and establishing general quality levels. Such references are not intended to be restrictive.
- 2.2.2. Any vendor interested in submitting a response for a pre-approved equal must submit their request in writing no later than 4:00 p.m. March 2, 2004. This request can be faxed to the Boone County Purchasing Department at (573) 886-4390 or email at mriddgway@boonecountymmo.org. This request must indicate that the proposed equal meets or exceeds all of the functional requirements described in the section(s) you are interested in bidding. The County is not responsible for insuring receipt of all transmissions. Vendors are encouraged to contact the Purchasing Department to insure that all requests have been received by the stated deadline.
- 2.2.3. **Quantity – Three (3)**
- 2.3. **MINIMUM TECHNICAL SPECIFICATIONS**
- 2.3.1. **Basic Operating Weight:** Minimum basic operating weight shall be 32,480 lbs and not to exceed 34,000 lbs. Including blade, ROPS enclosed cab, bottom guard, heavy-duty rear hitch, scarifier with five (5) teeth and tool box. **Wheel weights will not be acceptable to achieve minimum basic operating weight.**
- 2.3.2. **Engine:** Turbo-charged diesel type, four (4) stroke, six (6) cylinder, with variable-horsepower (VHP) and fully equipped with all operating accessories. The engine shall have a piston displacement of not less than 414 cubic inches and capable of pushing and turning a 14-foot moldboard under operating conditions. The engine shall develop a minimum of 145 SAE net standard horsepower in low ranges and all-wheel drive disengaged. The engine shall develop a minimum of 150 SAE net variable horsepower in low ranges with all-wheel drive engaged. This net horsepower rating shall be at the flywheel of standard engine equipped with fan, air cleaner, turbo pro-cleaner, water pump, lubricating oil pump, fuel pump, muffler and 75 amp minimum alternator. The engine shall be equipped with a 24-volt electrical system for both starting and operation and two (2) 25 amp minimum 24 to 12-volt converters. The starting system shall be equipped with two (2) 12-volt batteries, 1100 CCA minimum and have electric ether aid for cold weather start and a 110-volt engine block heater.
- 2.3.3. **Transmission:** Direct-drive, full power shift with eight (8) speeds forward, on-the-go shifting up or down. A minimum of six (6) reverse speeds. A single lever shall control direction, speed and parking brake and includes inching pedal and internal parking brake.
- 2.3.4. **Final Drives:** Inboard-mounted planetary final drives sealed in cool, filtered oil. Operator controlled differential lock/unlock.
- 2.3.5. **Brakes:** Foot controlled, air (with air dryer) or hydraulically operated, multiple wet-disc brakes sealed in cool, filtered oil; adjustment-free. Includes spring applied, air or hydraulically released parking brake. Brakes shall be effective on right and left tandems on any surface.
- 2.3.6. **Steering:** All hydraulic power; frame articulation and crab steering.
- 2.3.7. **Hydraulic System:** Minimum of 54 gpm, load-sensing, pressure-controlled, variable-displacement pump. Hydraulic controls shall be equipped with control conversion (moves left hand blade lift control to right hand side.) Controls shall be spaced to allow for use of several controls at once. All hydraulic blade lift control valves and front scarifier "V" type, five (5) teeth with three (3) positions to raise, lower with float position shall be built into the hydraulic valves. **No electric solenoid operated valves accepted.** Control features shall include: right blade lift, left blade lift, blade side-shift, blade tip, 360-degree circle drive, center-shift, front wheel lean, and articulation. Also, shall be equipped with hydraulically operated auxiliary function control valve mounted with other hydraulic valves and with hoses run to front of grader in frame. Float shall be built into the valve. System shall include a full range of blade positioning with a hydraulically operated multi-position saddle and a locking pin.
- 2.3.8. **Front-Wheel Drive:** Automatic; includes variable displacement pump, reversible wheel motors, flow divider, free wheel at transport speeds, and operator controlled to fine-tune the speed ratio between the front and rear wheels to match changing ground conditions.

2. Primary Specifications (cont.)

- 2.3.9. **Operator's Station:** Full-height, sound suppressed ROPS cab per SAE J919, SAE J396 and SAE J1040C, adjustable front console with tilt steering wheel, fuel level gauge, engine coolant temperature gauge, rear steer indicator, monitoring system with warning lights, selectable display for vehicle speed rpm, and direction. Turn signal indicators, four-way flasher indicators, horn instrument lights, interior cab lights, exterior review mirrors (2) SAE J965, interior review mirror SAE J965, reverse warning alarm, cloth-covered, contour air-suspension excavator style seat with arms and multiple adjustments, up and down, tilt, and forward and back with headrest, retractable 3-inch wide seat belt SAE J388, all deep tinted glass, service hour meter on steering console, wipers and washers on front and rear windshields and lower front windows, low effort foot pedals, ground-level door release, hand and foot throttle, two (2) 12-volt power ports, opening lower front windows, heavy duty factory installed air conditioning with pressurized cab, front and rear defroster fans, floor mounted heavy duty 40,000 BTU minimum heater and roof mounted 25,000 BTU heater, rubber floor mat and 24-volt AM/FM stereo radio with antenna and stereo matched speakers.
- 2.3.10. **Lighting Systems:** Bar mounted front-end directional and headlights; cab mounted lights directional and headlights; work lights, front(2) and rear (4); rear LED stop lights and directional; blade work lights (2); cab pre-wired for 12-volt quad-strobe warning light system, roof lights and radio and includes a 24 to 12-Volt power converter, all switches and hardware. Front cab and rear cab mounted Peterson SY423SA-1 and SY423SA-2 rectangle amber LED sealed oval quad-strobe lighting system with synchronized and alternating triple flash pattern and includes all wiring, switches and mounting hardware.
- 2.3.11. **Moldboard:** Minimum of 14 ft long x 24 in. high x .87 in. thick.
- 2.3.12. **Blade Range:** Minimum lift above ground 17.5 in. Minimum moldboard side-shift right 26 in. and left 20 in. Minimum shoulder reach outside of tires right 77.9 in. and left 74.6 in. Maximum blade position angle of 90 degrees both sides. Circle 360 degree with side shift minimum right 28.5 in. and left 27.4 in.
- 2.3.13. **Dimensions:** Overall length without front scarifier 28 ft. minimum. Height to top of cab not to exceed 10 ft. 3in. Wheelbase shall be 19 ft. 7 in. minimum.
- 2.3.14. **Tires and Rims:** Minimum of 14.00-24 non-directional radial tires on multi-piece bud-style rims. Shall include a spare rim and tire for front-wheel drive.
- 2.3.15. **Miscellaneous Factory Installed Items:** Rear heavy-duty hitch with pin, bottom guards, engine side shields/doors, tool box with lock.
- 2.3.16. **Manuals:** Operator's manual, parts book and service/repair manual shall be furnished with each machine upon delivery. Manuals may be in the form of CD's or DVD's.
- 2.3.17. **Equipment Training:** The successful vendor agrees to provide an appropriate on-site training program for a maximum of two (2) county operators and two (2) county equipment technicians in sufficient scope as to assure efficient and economical performances and maintenance of the equipment purchased.
- 2.3.18. **Vendor Service/Repair Facilities:** Because the maintenance and repair of this type equipment is complex and due to the critical nature of our operation, repair parts and service must be adequately and readily available. The vendor shall certify that they maintain an adequate stock of repair parts and service items within the area and employs qualified service and repair technicians within the local area and available within 4 hours. The vendor shall state in the returned bid the location of the service and repair facility, parts depot, and credentials of the service and repair person(s).
- 2.3.19. **Demonstration:** Prior to awarding the bid, vendor(s) may be requested to demonstrate equipment on-site at the Boone County Public Works Department.
- 2.3.20. **Warranty:** A full machine, 7 years/7500hrs warranty shall be applied to each machine.
- 2.4. **Scheduled Maintenance Costs:** The county recognizes that scheduled maintenance is a significant part of the overall cost of operating a motor grader and is, therefore, asking for its inclusion as part of the total cost of the units bid. This shall be used as part of the bid evaluation. Included as **Attachment A**, the scheduled maintenance calculation form shall be completed in its entirety and submitted with the vendors bid proposal. The total amount shall be completed in its entirety. The total amount shall be used to compute the bid unit's total cost. Any falsification or non-compliance of this section shall be reason for disqualification.

2. Primary Specifications (cont.)

- 2.5. **Trade-In** – The intention is to trade-in three motor graders with this purchase. The trade-ins are listed on the response sheet. If you are interested in inspecting the trade-in, an appointment must be scheduled with Greg Edington of the Public Works Department at 573-449-8515 ext (226).
- 2.6. **Designee** – Boone County Public Works
- 2.6.1. **Contact** – Marlene Ridgway, Boone County Purchasing Department 601 E. Walnut, Room 209, Columbia, MO 65201. Telephone: 573-886-4392 Fax: 573-886-4390 Email: midgway@boonecountymo.org
- 2.7. **Delivery:** Units shall be delivered with Bill of Sale and Manufacturer’s Statement of Origin.
- 2.7.1. **Delivery Terms:** FOB- Destination. Boone County Public Works Department, Maintenance Operations, 5551 Highway 63 South, Columbia, MO 65201
- 2.8. **ADDITIONAL TERMS AND CONDITIONS:**
- 2.8.1. Equipment shall be properly serviced, including grease and oil to the proper levels.
- 2.8.2. Vendor to include product literature for each proposed piece of equipment.
- 2.8.3. Bid evaluation will be based on quality, reliability, delivery time ARO, and cost. Quality and reliability may be determined by using information contained in product reviews from established publications and demonstration of machine.

- 3. Response Presentation and Review**
- 3.1 **RESPONSE CONTENT** - In order to enable direct comparison of competing Responses, Bidder must submit Response in strict conformity to the requirements stated here. Failure to adhere to all requirements may result in Response being disqualified as non-responsive. All Responses must be submitted using the provided Response Sheet. Every question must be answered and if not applicable, the section must contain "NA."
- 3.2 **SUBMITTAL OF RESPONSES** - Responses MUST be received by the date and time noted on the title page under "Bid Submission Information and Deadline". NO EXCEPTIONS. The County is not responsible for late or incorrect deliveries from the US Postal Service or any other mail carrier.
- 3.2.1 **Submittal Package** - Submit, to the location specified on the title page, **three (3) complete copies** of your Response in a single sealed envelope, clearly marked on the outside with your company name and return address, the bid number and the due date and time.
- 3.2.2 **Advice of Award** - If you wish to be advised of the outcome of this Bid, enclose with your Response a self-addressed stamped return envelope (size 10, first-class one-ounce postage) for our use in mailing a copy of the summary recap of the award. Notification will be by mail only, except to awarded Bidder.
- 3.2.3 The County's Bids, Bid Tabulations, and Bid Awards may be viewed on our web page at www.showmeboone.com. View information under *Purchasing Department*.
- 3.2.4 If you have obtained this bid document from our Web Page or from a source other than the Boone County Purchasing Department, please check with our office or web page prior to submitting your bid to ensure that you have a complete package. The Purchasing Department cannot be responsible for providing addenda if we do not have you on our vendor list for this bid.
- 3.3 **BID OPENING** - On the date and time and at the location specified on the title page under "Bid Opening", all Responses will be opened in public. Brief summary information from each will be read aloud.
- 3.3.1 **Removal from Vendor Database** - If any prospective Bidder currently in our Vendor Database to whom the Bid was sent elects not to submit a Response and fails to reply in writing stating reasons for not bidding, that Bidder's name may be removed from our database. Other reasons for removal include unwillingness or inability to show financial responsibility, reported poor performance, unsatisfactory service, or repeated inability to meet delivery requirements.
- 3.4 **RESPONSE CLARIFICATION** – The County reserves the right to request additional written or oral information from Bidders in order to obtain clarification of their Responses.
- 3.4.1 **Rejection or Correction of Responses** – The County reserves the right to reject any or all Responses. Minor irregularities or informalities in any Response which are immaterial or inconsequential in nature, and are neither affected by law nor at substantial variance with Bid conditions, may be waived at our discretion whenever it is determined to be in the County's best interest.
- 3.5 **EVALUATION PROCESS** – The County's sole purpose in the evaluation process is to determine from among the Responses received which one is best suited to meet the County's needs at the lowest possible cost. Any final analysis or weighted point score does not imply that one Bidder is superior to another, but simply that in our judgment the Contractor selected appears to offer the best overall solution for our current and anticipated needs at the lowest possible cost.
- 3.5.1 **Method of Evaluation** – The County will evaluate submitted Responses in relation to all aspects of this Bid.
- 3.5.2 **Acceptability** – The County reserves the sole right to determine whether goods and/or services offered are acceptable for our use.
- 3.5.3 **Endurance of Pricing** - Bidder's pricing must be held until award or 60 days, whichever comes first.
- 3.5.4 **Award**: Award will be made to the lowest, responsible bidder meeting specifications, who presents the product or service that is in the best interest of Boone County. Boone County reserves the right to award this bid on an item by item basis, or an "all or none" basis, whichever is in the best interest of the County.
- 3.5.5 Boone County reserves the right to reject all bids. Boone County reserves the right to waive informalities in bids.

4. **Response Form**

4.1. Company Name: _____

4.2. Address: _____

4.3. City/Zip: _____

4.4. Phone Number: _____

4.5. Fax Number: _____

4.6. Federal Tax ID: _____

4.6.1. () Corporation

() Partnership - Name _____

() Individual/Proprietorship - Individual Name _____

() Other (Specify) _____

4.7. **PRICING**

Unit Price

Qty

Extended Price

4.7.1. 2004 Model Motor Grader per Section 2

\$ _____

3

\$ _____

4.8. **Trade-In**

4.8.1. Motor Grader 1994 John Deere 670B S/N DW670BX548917 HRS 11,607.

(\$ _____)

4.8.2. Motor Grader 1994 John Deere 670B S/N DW670BX548918 HRS 11,583.

(\$ _____)

4.8.3. Motor Grader 1994 John Deere 670B S/N DW670BX548919 HRS 12,051.

(\$ _____)

4.9. **GRAND TOTAL (including trade-ins)**

\$ _____

4.10. Provide information in regards to location of the service and repair facility, parts depot, and credentials of the service and repair person(s). Use additional sheets if necessary.

4.11. **The undersigned offers to furnish and deliver the articles or services as specified at the prices and terms stated and in strict accordance with all requirements contained in the Request for Bid which have been read and understood, and all of which are made part of this order.** By submission of this bid, the vendor certifies that they are in compliance with Section 34.353 and, if applicable, Section 34.359 ("Missouri Domestic Products Procurement Act") of the Revised Statutes of Missouri.

4.11.1. Authorized Representative (Sign By Hand):

_____ Date: _____

Print Name and Title of Authorized Representative

4.12. Will you honor the submitted prices for purchase by other entities in Boone County who participate in cooperative purchasing with Boone County, Missouri?

_____ Yes _____ No

4.13. Delivery ARO: _____

ATTACHMENT A

Instructions: The intent of this form is to determine the total scheduled maintenance costs that can be expected during the first 7,500 hours of ownership. Service intervals, number of grease fittings, and capacities should be taken directly from the manufacturer's lubrication and maintenance manual. Unit costs given are equal for all vendors. Although there may be a slight variance due to refill capacities, these total costs are made up of labor, overhead, lost production, gaskets, lubricants, filters, and supervisory time. The comparison examines the service intervals for the various units bid and assumes that the manufacturer's recommendations, if followed exactly, will allow the costs to be incurred on each unit be calculated with reasonable accuracy.

A. Grease Fittings: (Per one (1) unit)

Determine the number of fittings at each interval, insert each number as indicated (if none, write none). Perform calculations and total in the last column.

Total Hrs. Operation	Service Interval	x	No. of Fittings x	Cost Per Fitting	=	Total Cost (a)
7,500	10	x	_____	\$.55	=	_____
7,500	50	x	_____	\$.55	=	_____
7,500	100	x	_____	\$.55	=	_____
7,500	200	x	_____	\$.55	=	_____
7,500	250	x	_____	\$.55	=	_____
7,500	500	x	_____	\$.55	=	_____
7,500	1000	x	_____	\$.55	=	_____
7,500	Over	x	_____	\$.55	=	_____
				TOTAL COST	=	\$ _____

B. Engine Oil and Filter: (Per one (1) unit) From the manufacturer's maintenance manual determine crankcase drain and refill interval. Insert this hourly number and perform the calculation to arrive at the total cost for an engine oil change.

Total Hrs. Operation	Service Interval	x	Cost Per Change	=	Total Cost (b)
7,500	_____	x	\$85.00	=	\$ _____

C. Transmission Oil: (Per one (1) unit) From the manufacturer's maintenance manual determine transmission drain and refill interval. Insert this hourly number and perform the calculation to arrive at the total cost for a transmission oil change.

Total Hrs. Operation	Service Interval	x	Cost Per Change	=	Total Cost (c)
7,500	_____	x	\$165.00	=	\$ _____

D. Other Fluid or Oil Changes: (Per one (1) unit) From the manufacturer's maintenance manual determine the hydraulic system's drain and refill interval. Insert this hourly number, insert the total capacity (in gallons) and perform the calculation to arrive at the total cost for a hydraulic system service.

Total Hrs. Operation	Service Interval	x	Hydraulic System Capacity (Gal.) x	Cost per Gallon	=	Total Cost (d)
7,500	_____	x	_____	\$3.15	=	_____

TOTALS: (Per one (1) unit) Listed below are each of the categories just calculated. Insert the total number of each category in the space provided and add the column.

a. Grease Fittings	\$ _____
b. Engine Oil and Filters	\$ _____
c. Transmission Oil	\$ _____
d. Other Fluids and Oil Changes	\$ _____
TOTAL SCHEDULED MAINTENANCE COSTS:	
Per one (1) unit	\$ _____
Per three (3) units	_____



Standard Terms and Conditions

Boone County Purchasing
601 E. Walnut, Room 209
Columbia, MO 65201

Marlene Ridgway, Buyer
573/886-4392 - FAX 573/886-4390

1. Responses shall include all charges for packing, delivery, installation, etc., (unless otherwise specified) to the Boone County Department identified in the Request for Quotation and/or Proposal.
2. The Boone County Commission has the right to accept or reject any part or parts of all bids, to waive technicalities, and to accept the offer the County Commission considers the most advantageous to the County. Boone County reserves the right to award this bid on an item-by-item basis, or an "all or none" basis, whichever is in the best interest of the County.
3. Bidders must use the bid forms provided for the purpose of submitting bids, must return the quotation and bid sheets comprised in this bid, give the unit price, extended totals, and sign the bid.
4. When products or materials of any particular producer or manufacturer are mentioned in our specifications, such products or materials are intended to be descriptive of type or quality and not restricted to those mentioned.
5. Do not include Federal Excise Tax or Sales and Use Taxes in bid process, as law exempts the County from them.
6. The delivery date shall be stated in definite terms, as it will be taken into consideration in awarding the bid.
7. The County Commission reserves the right to cancel all or any part of orders if delivery is not made or work is not started as guaranteed. In case of delay, the Contractor must notify the Purchasing Department.
8. In case of default by the Contractor, the County of Boone will procure the articles or services from other sources and hold the Bidder responsible for any excess cost occasioned thereby.
9. Failure to deliver as guaranteed shall disqualify Bidder from future bidding.
10. Prices must be as stated in units of quantity specified, and must be firm. Bids qualified by escalator clauses may not be considered unless specified in the bid specifications.
11. No bid transmitted by fax machine will be accepted.
12. The County of Boone, Missouri expressly denies responsibility for, or ownership of any item purchased until same is delivered to the County and is accepted by the County.
13. The County reserves the right to award to one or multiple respondents. The County also reserves the right to not award any item or group of items if the services can be obtained from a state or other governmental entities contract under more favorable terms.



Bid" Response Form

Boone County Purchasing
601 E. Walnut, Room 209
Columbia, MO 65201

Marlene Ridgway, Buyer
(573) 886-4392– Fax: (573) 886-4390

“NO BID RESPONSE FORM”

**NOTE: COMPLETE AND RETURN THIS FORM ONLY IF YOU DO NOT WANT TO
SUBMIT A BID**

If you do not wish to respond to this bid request, but would like to remain on the Boone County vendor list **for this service/commodity**, please remove form and return to the Purchasing Department by mail or fax.

If you would like to FAX this “No Bid” Response Form to our office, the FAX number is (573) 886-4390.

Bid: 10-09MAR04 – Motor Graders

Business Name: _____

Address: _____

Telephone: _____

Contact: _____

Date: _____