



**BOONE COUNTY, MISSOURI**  
**Request for Bid # 01-15JAN09 – Meadowbrook West Subdivision Drainage Improvements**

**ADDENDUM #4 - Issued Thursday, January 15, 2009**

This addendum is issued in accordance with the Technical Specifications and Bid Form of the Request for Bid and is hereby incorporated into and made a part of the Request for Bid Documents. Bidders are reminded that receipt of this addendum **MUST** be acknowledged and submitted with Bidder's *Response Form*.

Specifications for the above noted Request for Bid and the work covered thereby are herein modified as follows, and except as set forth herein, otherwise remain unchanged and in full force and effect:


- I. **Replace the REVISED BID FORM on Addendum #2 of the RFB with the attached REVISED BID FORM #2**
  
- II. **Add subcategory A. to page 15.9 of the RFB, Section 01570 – Erosion Control, Part 1- General, Paragraph 1.1 PROJECT DESCRIPTION as follows:**
  - A. Topsoil – A minimum of 2” of compacted top soil shall be placed on all disturbed areas that require to be restored. Material shall be obtained from approved sources. It shall be fertile, friable, and loamy soil of uniform quality, without admixture of subsoil material, and shall be free from material such as hard clods, stiff clay, hardpan, partially disintegrated stone, pebbles larger than 1 inch in diameter, and any other similar impurities. Topsoil shall be relatively free from grass, roots, weeds and other objectionable plant material or vegetative debris undesirable or harmful to plant life or which will prevent the formation of suitable seedbed. All costs associated with this item shall be incidental.

**REVISED BID FORM #2**  
**Meadowbrook West Subdivision Drainage Improvements**  
 Project No. 07-543

All items shown on the project plan sheets and not included in the bid items shall be deemed incidental to the project and included in the unit prices given. In case of error in the extension, the unit price times the estimated quantity will govern.

**Meadowbrook West Subdivision Drainage Improvements Bid Form**

	Description	Quantity	Unit	Unit Price	Extended Total
1-1.	Mobilization	1	LS		
1-2.	Traffic Control	1	LS		
1-3.	Removals	1	LS		
1-4.	Excavation	230	CY		
1-5.	Embankment	22	CY		
1-6.	Type "M" Inlet (4'x3')	2	EACH		
1-7.	Type "M" Inlet (8'x3')	4	EACH		
1-8.	Concrete Driveway Repair	5.3	SY		
1-9.	Type 2 Rock Blanket w/ geotextile	5	CY		
1-10.	Seeding/Fertilizing/Mulching	1	LS		
1-11.	Roadway Replacement (Concrete w/Asphalt)	77	SY		
1-12.	Versa Lok Retaining Wall 32' x 4'	128	SF		
1-13.	Construction Staking*	1	LS		
1-14.	Rock Excavation**	10	CY		
1-15.	Revetment Dumped In-Place (Type 2)	30	TON		
1-16.	Curb and Gutter	88	LF		
1-17.	18" Aluminized CMP	75	LF		
1-18.	24" Aluminized CMP	140	LF		
1-19.	Erosion Control Mat	1,820	SF		
1-20.	Class 1 Linear Grading	100	LF		
1-21.	Mitered End Section	1	EA		
1-22.	Concrete Flume	1	LS		
<b>TOTA:</b>					

By:   
**Tyson Boldan, Buyer**  
**Boone County Purchasing**

OFFEROR has examined copy of Addendum #4 to Request for Bid # 01-15JAN09 –  
**Meadowbrook West Subdivision Drainage Improvements**

Company Name: \_\_\_\_\_

Address: \_\_\_\_\_  
\_\_\_\_\_

Phone Number: \_\_\_\_\_ Fax Number: \_\_\_\_\_

Authorized Representative Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Authorized Representative Printed Name: \_\_\_\_\_