



BOONE COUNTY, MISSOURI
Request for Bid #: 14-27MAR14
TRMSS Fog Seal
Pavement Preservation 2014

ADDENDUM #2 - Issued March 21, 2014

This addendum is issued in accordance with the Request for Bid Project Plans and/or Details and is hereby incorporated into and made a part of the Request for Bid Documents. Offerors are reminded that receipt of this addendum **SHOULD** be acknowledged and submitted with Offeror's *Response Form*.

Specifications and Plans for the above noted Request for Bid and the work covered thereby are herein modified as follows, and except as set forth herein, otherwise remain unchanged and in full force and effect:

1. Section 2.1, A., Special Provisions, Fog Seal, TRMSS shall be revised to as follows:

TRMSS shall be blended at a 4:1 ratio of concentrate to water.


2. Section 2.1, B., Special Provisions, Fog Seal, TRMSS shall be revised to as follows:

Application rates should be 0.17 – 0.20 gal/sy. The Engineer will determine this rate on a per site basis.


3. The time and location of the bid opening is as follows:

Boone County Annex Building
Conference Room
613 East Ash Street, Room 109

Bids will be accepted until 1:15 pm CST and opened publicly at the address above at 1:30 pm CST.

By: 
Amy Robbins, Buyer
Boone County Purchasing

Approved:



OFFEROR has examined copy of Addendum #2 to Request for Bid 14-27MAR14 – TRMSS Fog Seal, Pavement Preservation 2014, receipt of which is hereby acknowledged:

Company Name: _____

Address: _____

Phone Number: _____ Fax Number: _____

Authorized Representative Signature: _____ Date: _____

Authorized Representative Printed Name: _____