



BOONE COUNTY, MISSOURI
**Request for Bid #: 02-08FEB18-Street Rehab-2018 Lake of
the Woods Subdivision**

ADDENDUM #1 - Issued January 29, 2018

This addendum is issued in accordance with the Request for Bid Notice to Bidders and is hereby incorporated into and made a part of the Request for Bid Documents. Offerors are reminded that receipt of this addendum **should** be acknowledged and submitted with Offeror's *Response Form*.


Specifications and Plans for the above noted Request for Bid and the work covered thereby are herein modified as follows, and except as set forth herein, otherwise remain unchanged and in full force and effect:

1. Special Provision 122 states the Contractor has the option to be bound by the Asphalt Cement Price Index and shall execute the acceptance statement on the Bid Form. The original Bid Form does not include the acceptance statement. A revised Bid Form has been attached to this addendum with the appropriate acceptance statement. The revised Bid Form shall be used when submitting your final bid.

By: 
Robert Wilson, Buyer
Boone County Purchasing

Approved: Micah Taylor
Professional Engineer
MO Lic. # PE-2013019123

Boone County Resource Management
MO Engineering Corp. # N/A
801 E. Walnut, Room 315
Columbia, Missouri 65201
Phone: 573-886-4480
Fax: 573-886-4340



OFFEROR has examined copy of Addendum #1 to Request for Bid # 02-08FEB18-Street Rehab 2018 Lake of the Woods Subdivision, receipt of which is hereby acknowledged:

Company Name: _____

Address: _____

Phone Number: _____ Fax Number: _____

Authorized Representative Signature: _____ Date: _____

Authorized Representative Printed Name: _____

BID FORM
STREET REHAB 2018-LAKE OF THE WOODS SUBDIVISION

Description	Qty.	Unit	Unit Price	Total
MOBILIZATION	1	LS	\$	\$
TRAFFIC CONTROL/PHASING	1	LS	\$	\$
EROSION CONTROL	1	LS	\$	\$
MATERIAL TESTING	1	LS	\$	\$
PROTECTION OF ADJACENT FACILITIES	380	SY	\$	\$
TREE REMOVAL	1	LS	\$	\$
REMOVAL, CURBSIDE OBSTRUCTIONS, REPLACEMENT INCLUDED	1	LS	\$	\$
REMOVAL, EXISTING CONCRETE PAVEMENT, SAW CUTTING INCLUDED	9228	SY	\$	\$
8'x5.5' MODIFIED TYPE M INLET	1	EA	\$	\$
4'x4' STORMWATER JUNCTION BOX	1	EA	\$	\$
18" DIA. HP STORM PIPE	192	LF	\$	\$
CURB & GUTTER, ROLLBACK, REMOVE & REPLACE	566	SY	\$	\$
INLET THROAT, REMOVE & REPLACE	2	EA	\$	\$
CONCRETE DRIVEWAY, REMOVE & REPLACE	52	SY	\$	\$
EXCAVATION	2556	CY	\$	\$
HIGH STRENGTH WOVEN GEOTEXTILE	9237	SY	\$	\$
1 1/2" MINUS AGGREGATE BASE, 10" THICK	9237	SY	\$	\$
BITUMINOUS BASE COURSE, 6 1/2" THICK	3311	TON	\$	\$
TACK COAT (TRACKLESS TACK OR APPROVED EQUAL)	18817	SY	\$	\$
ASPHALT SURFACE COURSE, BP-2, 1 1/2" THICK	764	TON	\$	\$
CRACK SEALING	700	LF	\$	\$
RESTORATION	1	LS	\$	\$
Bid Total				\$

Optional Asphalt Cement Price Index (Circle One)

Accept

Do Not Accept